AO 120 (Rev. 08/10)

TO:

Mail Stop 8 Director of the U.S. Patent and Trademark Office P.O. Box 1450 Alexandria, VA 22313-1450

REPORT ON THE
FILING OR DETERMINATION OF AN
ACTION REGARDING A PATENT OR
TRADEMARK

filed in the U.S. Dist	rict Court	U.S.C. § 1116 you are hereby advised that a District of Nevada	a court action has been on the following
☐ Trademarks or •	Patents. (the patent action	n involves 35 U.S.C. § 292.):	
DOCKET NO. 2:20cv01558-RFB-VCF	DATE FILED 8/21/2020	U.S. DISTRICT COURT District of N	Nevada
PLAINTIFF		DEFENDANT	
Lakshmi Arunachalam		CSAA Insurance Group	
PATENT OR	DATE OF PATENT	HOLDER OF PATENT	OR TRADEMARK
TRADEMARK NO.	OR TRADEMARK		
2			
3			
4			
5			
	In the above—entitled case, the f	following patent(s)/ trademark(s) have been i	ncluded:
DATE INCLUDED	INCLUDED BY		
	Amen	dment Answer Cross Bi	Ill Other Pleading
PATENT OR TRADEMARK NO.	DATE OF PATENT OR TRADEMARK	HOLDER OF PATENT	OR TRADEMARK
1			
2			
3			
4			
5			
	1	I.	
In the abov	re—entitled case, the following de	ecision has been rendered or judgement issue	ed:
DECISION/JUDGEMENT			
CLERK		DEPUTY CLERK	DATE
Debra Kempi	H.	Magennis	8/31/2020
	•		Format m/d/yyyy

Copy 1—Upon initiation of action, mail this copy to Director Copy 3—Upon termination of action, mail this copy to Director Copy 2—Upon filing document adding patent(s), mail this copy to Director Copy 4—Case file copy

Print Save As...

	FILED RECEIVED SERVED ON
	STATES DISTRICT COURT DISTRICT OF NEVADA AUG 2 1 2020
Dr. Lakshmi Arunachalam,	Civil Act on No. CLERK US DISTRICT COURT
a woman,	BY:DISTRICT OF NEVADA DEPUTY
vs.	DEMAND FOR JURY TRIAL
CSAA Insurance Group,)
Defendant.) 2:20-cv-01558-RFB-VCF

COMPLAINT FOR PATENT INFRINGEMENT

Plaintiff Dr. Lakshmi Arunachalam ("Dr. Arunachalam") hereby files this complaint for patent infringement against CSAA Insurance Group ("CSAA" or "Defendant") and alleges as follows:

JURISDICTION AND VENUE

- 1. This is an action for patent infringement arising under the patent laws of the United States, Title 35 of the United States Code. This Court has subject-matter jurisdiction pursuant to 28 U.S.C. §§ 1331 and 1338(a).
- 2. On information and belief, this Court has personal jurisdiction over CSAA by virtue of its presence and business activities within this judicial district. On information and belief, CSAA has committed acts of infringement within this judicial district through its business activities.
- 3. On information and belief, CSAA is authorized to provide insurance and other financial products in the states of California, Nevada and other states. On information and belief, by way of example and without limitation, CSAA has committed acts of infringement within this

judicial district at least by providing insurance and other financial products via Web applications displayed on a Web browser and Web insurance and financial Web applications displayed on a Web browser from which real-time Web transactions are performed.

4. Venue is proper in this judicial district pursuant to 28 U.S.C. §§ 1391(b), 1391(c) and 1400(b).

THE PARTIES

- 5. Plaintiff Dr. Arunachalam, is an individual, with her principal place of business at 222 Stanford Avenue, Menlo Park, California 94025. Dr. Arunachalam is the inventor and assignee of the Plaintiff's U.S. 5,987,500 Patent ("the '500 patent"), U.S. 8,108,492 Patent ("the '492 patent"), and U.S. 8,037,158 Patent ("the '158 patent"), the patents asserted here, the patents-in-suit.
- 6. Dr. Arunachalam, a 72-year old, disabled, single woman of color, born in India, citizen of the United States, obtained her Ph.D. in Electrical Engineering and living and working in high-tech in the United States for 50 years, is the inventor of the Internet of Things (IoT) Web applications displayed on a Web browser. The United States Patent Office (USPTO) granted Dr. Arunachalam 11 patents, as well as the patents-in suit, that have a priority date of 1995, a time when two-way real-time Web transactions from Web Applications were non-existent.
- 7. Examples of Dr. Arunachalam's IoT machines are the millions of Web Apps in Apple's App Store in Apple's iPhone, and on Google Play on Android devices, Web banking Web Apps, Web insurance Web Apps, healthcare Web Apps, Facebook, Twitter and other social networking Web Apps, and myriads of other Web Apps.

- 8. Since being granted her Patents, Dr. Arunachalam entered into Intellectual
 Property (IP) licensing agreements with Fortune 500 companies, Bank of America, Capital One,
 Barclays Bank, UBS, M&T Bank, Sovereign Bank, Walmart, TD Bank, Ally Bank, All State
 Insurance, to name a few.
- 9. On information and belief, CSAA has its principal place of business at CSAA Insurance Group, Corporate Headquarters, 3055 Oak Road, Walnut Creek, CA 94597; Tel: 925.279.2300. Its CEO, Thomas M. Troy, is formerly from All State Insurance; its General Counsel is Michael Zukerman. CSAA has many offices in Las Vega, Nevada.

BACKGROUND

- 10. Dr. Arunachalam has been injured financially and physically by the concerted, patently oppressive, **corrupt process disorder** by the Judiciary acting as Attorneys to Corporate Infringers (as in the Gen. Flynn case), all disorders and neglects to the prejudice of good order, discipline and justice, of a nature to bring discredit upon the Judiciary and United States, and crimes and offenses which violate Federal and state laws and the Constitution. The denial of due process could not have been more egregious by the Judiciary depriving her of her right to jury trial. As a result, <u>Dr. Arunachalam has not had her day in court, in over a decade, in 100 cases of patent infringement, antitrust, RICO</u>. They collusively deprived Dr. Arunachalam of <u>her rights</u> without remedies.
- 11. On 9/16/2011, the Leahy-Smith America Invents Act (AIA), also called the Patent Reform Act of 2011, was enacted into law by then President Obama, in contempt of the

 Mandated Prohibition AGAINST REPUDIATING GOVERNMENT ISSUED PATENT CONTRACT

 GRANTS stare decisis Governing Supreme Court Precedents, as declared by Chief Justice

 Marshall, to fast-track invalidate granted patents in a corrupted re-examination process,

without considering material *prima facie* intrinsic evidence – Patent Prosecution History, which is no re-examination at all.

Res accendent lumina rebus

One thing throws ['Constitutional'.] Light upon others.

THE ONE THING, here is the (collusively) concerted (oppressive) silence (as will ful and wanton public fraud) in 'Breach of Solemn Oath Duty' under 'Color of Law and Authority' — Nonfeasance¹-falure(s) to uphold and enforce the (stare decisis) 'Mandated Prohibition' — Against repudiating government issued contract grants [Fletcher v. Peck (1810).] (of any kind without just compensation [Dartmouth College.]) —the Law of the Case and Law of the Land; corruptly, designed in 'Breach of Public Contract' to violate the Supremacy and Contract Clause(s).

- 12. Since enactment of the AIA², Dr. Arunachalam has greatly been harmed in her ability to enforce the use of her IP without receiving royalties.
- 13. As a result, Dr. Arunachalam has been financially injured in the order of trillions of dollars by the largest heist of the century of her intellectual property by Corporate Infringers who signed NDAs with her in 1995, without paying royalties. Companies like Apple, Amazon, Samsung Electronics America, Inc., Facebook, Alphabet, Microsoft, IBM, SAP America, Inc.,

• Federal Courts Improvement Act (FCIA) of 1982 creating the Federal Circuit to violate the Contract Clause of the Constitution; and

• America Invents Act (AIA) of 2011 for the Executive Branch (USPTO) to perform the function of the Judiciary in violation of the Separation of Powers Clause and Contract Clause of the Constitution by USPTO's unconstitutionally appointed judges (APJs) in violation of the Appointments Clause of the Constitution, as declared in *Arthrex* by the Federal Circuit.

4

¹ It is a case of <u>Collective Nonfeasance</u> by the Judiciary, Legislature and Executive Branch (the Agency) in their failure to acknowledge, let alone enforce, the Law of the Case and Supreme Law of the Land — the <u>Mandated Prohibition</u> of the Constitution from repudiating a Government-issued contract grant — declared by Chief Justice Marshall in Governing Supreme Court Precedents that "the law of this case is the law of all ...is <u>applicable to contracts of every description...there is nothing for the courts to act upon..." They disparately failed to abide by both Federal Circuit Precedents and Governing Supreme Court Precedents, while <u>concertedly sharing a common objective</u> — to remain silent as fraud, willfully and wantonly avoiding enforcing the <u>Mandated Prohibition</u> of the Constitution and Governing Supreme Court Precedents.</u>

² Congress engaged in <u>Misfeasance</u> by enacting the:

CSAA Chase & Co, Fiserv, Wells Fargo Bank, Citigroup, Citibank, Fulton Financial Corporation, and Eclipse Foundation, Inc., (just to name a few) have all substantially benefited both financially and in terms of their growth by their continued, unlicensed use of Dr. Arunachalam's intellectual property.

- 14. There are certain moral attributes common to the ideal officer and the perfect gentleman, a lack of which is indicated by acts of dishonesty, unfair dealing, indecency, indecorum, lawlessness, injustice, or cruelty. Not everyone is or can be expected to meet unrealistically high moral standards, but there is a limit of tolerance based on customs of the service and national necessity below which the personal standards of an officer cannot fall without seriously compromising the person's standing as an officer or the person's character as a gentleman.
- 15. The rest is about <u>Malfeasance</u> by the Judiciary and USPTO oppressing Dr. Arunachalam, bullying her into silence for being the first one to put them on notice of their solemn oath duty to enforce the *Mandated Prohibition* of the Constitution, engaging in RICO, aiding and abetting anti-trust, obstruction of justice, allowing the importation from China of infringing products, hurting the domestic industry and economy. They deprived Dr. Arunachalam of <u>her rights without remedies</u>.
- 16. The denial of due process could not have been more egregious by Judges acting as Attorney to Defendants, like in the Gen. Flynn case. As a result, Dr. Arunachalam has not had her day in court.
- I. STARE DECISIS MANDATED PROHIBITION BY THE SUPREME COURT DOES NOT SUPPORT THE JUDICIARY'S AND USPTO/PTAB ORDERS WHICH ARE UNCONSTITUTIONAL AND VOID IN VIEW OF FLETCHER AND ARE NOT LEGALLY SOUND.

A. WILLFUL BREACH OF DUTY:

- have a duty to uphold and enforce the Supreme Law of the Land and Law of the Case the stare decisis Mandated Prohibition from repudiating Government issued Patent Contract Grants declared by Chief Justice Marshall in Governing Supreme Court Precedents, Fletcher v. Peck (1810), Dartmouth College (1819), Grant v. Raymond (1832), et al.
- (ii) They were aware of their duty. Dr. Arunachalam repeatedly put them on notice of their duty to enforce *Fletcher*, which they ignored.
- (iii) They wantonly failed in their duty to perform. They breached their duty and solemn oaths of office. They warred against the Constitution.
- (iv) **Dr. Arunachalam was injured financially and physically by that breach**, which is the proximate cause of the injury to Dr. Arunachalam. The Judiciary and USPTO aided and abetted in the unjust enrichment of Corporate Infringers of the order of trillions of dollars. President Trump's 6/19/2017 (at the American Technology Roundtable, White House³) estimated value in excess of \$3.5 trillion from just 22 organizations, all of whom use and benefit from Dr. Arunachalam's property, is substantially less than per Web transaction per Web App in use by each Corporate Infringer and its customers, including the Government.

Steven T. Mnuchin, John M. Mulvaney, David J. Shulkin, Seema Verma.

³ <u>Attendee List</u>: <u>Surety Bond Holder Attendees</u>: Oracle, Apple, IBM, Microsoft, CIA, Google, Alphabet, Facebook, Clarion, Palantir, Kleiner Perkins, VMWare, Dell, EMC, NSA, In-Q-Tel, Intel, Qualcomm, Akamai, SAP, CMU, Stanford, Hoover Institution, MasterCard, Amazon, Washington Post, MIT, Ohio State, Accenture, UNC, Adobe and OpenGov. Administration <u>Attendees</u>: John F. Kelley, Jared Kushner, Ivanka Trump, Christopher P. Liddell,

to have access to the court on the question of due process itself, all in violation of the Constitutional provision. See ALP VOL.

12. CONST. LAW, CH. VII, SEC. 1, §141. With respect to Fundamental, Substantive, and Due Process Itself:

"Any process or Court attempting to or <u>adjudicating a contract by estopping a material part of it from being considered prima facie denies a litigant due process entitlement to an honest, though not learned tribunal; and <u>if injured by the corruption or fraud of the court, is entitled to redress."</u> [ALP VOL. 12. CONST. LAW, CH. VII, SEC. 1, § 140];</u>

"and final decisions upon the ultimate question of due process cannot be conclusively codified to any non-judicial tribunal. Any attempt to do this whether by direct denial of access to the courts upon this question of due process by hindering access to the courts or making resort to the courts upon it difficult, expensive, hazardous, all alike violate the Constitutional provision." [ALP VOL. 12. CONST. LAW, CH. VII, SEC. 1, §141

Damages: not less than \$100B (this is a substantial compromise from President Trump's 6/19/2017 (at the American Technology Roundtable, White House) estimated value in excess of \$3.5 trillion from just 22 organizations, all of whom use and benefit from Dr. Arunachalam's property, and which is substantially less than per Web transaction per Web App in use by each Corporate Infringer and its customers, including the Government.) CSAA reported in its website that it had 7000 Web Apps in just one Business Unit.

II. JUDICIARY DID NOT FIND CHANGED FACTS OR CIRCUMSTANCES TO AVOID PRECLUSION BASED ON PRIOR JUDGMENT NOR CREATE OR CLAIM A PARTICULAR EXCEPTION, TAKING THIS CASE OUT OF THE PROHIBITION CONTAINED IN THE CONSTITUTION:

Do changes in facts and circumstances exist, and if so, do they support the (in)validity Erroneously and Fraudulently ruled? The relevant facts or circumstances have not changed such that the prior Supreme Court's *Fletcher* decision should dictate the result in the present case(s).

JUDICIARY AND ATTORNEYS MADE FALSE OFFICIAL STATEMENTS WITH INTENT TO DECEIVE.

Judges, with stock in litigants, refused to recuse, Ordered Defendants not to answer Dr. Arunachalam's Complaint(s) and to Default, canceled initial Case Management Conferences, then dismissed Dr. Arunachalam's cases without a hearing, and one year after Judgment and Appeal, Ordered Defendants to move for attorneys' fees, and two years after Judgment, granted attorneys' fees, for "a crime committed by the Adjudicators," "not by Plaintiff," for no injury incurred by Defendants.

- 17. Judges, with stock in a litigant, refused to recuse, Ordered Defendants not to answer Dr. Arunachalam's Complaint(s), even denying initial Case Management Conferences, allowed Defendants to Default, then dismissed Dr. Arunachalam's cases without a hearing, and then Ordered Defendants to move for attorneys' fees and granted \$150K.
- 18. The Judiciary and USPTO punished Dr. Arunachalam under the color of law and authority in retaliatory, cruel and unusual punishment in violation of the 8th Amendment, making it expensive, hazardous and burdensome for her to have access to the courts—all in violation of the Constitution. *See* ALP Vol XII, Sec. 141.
- United States by not considering intrinsic material prima facie evidence when claims were unambiguous in view of intrinsic evidence Patent Prosecution History, and not applying the Federal Circuit's Aqua Products' reversal of all such Erroneous and Fraudulent Orders that failed to consider "the entirety of the record" and made False Official Statements and False Claims of collateral estoppel, falsely propagated across all District and Appellate courts, collaterally estopped by void Orders by financially conflicted Judges who admitted holding direct stock in the Defendants JPMorgan Chase & Co. and Microsoft and refused to recuse,

without considering intrinsic material prima facie evidence and without applying the stare decisis Mandated Prohibition of the Constitution — Governing Supreme Court Precedents — both (the intrinsic evidence of the record and the Mandated Prohibition of the Constitution) of which collaterally estop the falsely propagated collateral estoppel, inchoate offenses collectively committed by the Judiciary, USPTO and Defendants/Corporations. The Judiciary and USPTO aided and abetted in the theft of Dr. Arunachalam's property, unjustly enriching Defendants/Corporations by trillions of dollars.

20. This rescinding act has the effect of an ex post facto law and forfeits the estate of Dr. Arunachalam "for a crime not committed by" Dr. Arunachalam, "but by the Adjudicators" by their Orders which "unconstitutionally impaired" the contract with Dr. Arunachalam, which, "as in a conveyance of land, the court found a contract that the grant should not be revoked." The Judiciary and USPTO bullied Dr. Arunachalam and intimidated her, took away her electronic filing capability after refusing to recuse for holding stock in Microsoft, awarded \$150K as attorneys' fees after refusing to recuse for holding stock in JPMorgan Chase & Co., for the crime committed by the Adjudicators, sent the U.S. Marshall to Dr. Arunachalam's home and to accost her at public events such as at Stanford Law School, disparately ordering her to call a teleconference meeting with the Board and with the Defendants to request that her filings be docketed in 18 re-exams. They denied Dr. Arunachalam both procedural due process and substantive due process and denied her fundamental right to emergency medical care during a medical crisis and dismissed her case despite and during a medical crisis. District Court judges ridiculed Dr. Arunachalam for her speech impediment from a head injury and concussion and refused to release the audio transcripts, tampered with the record, hid her filings, struck her filings for no valid rhyme or reason, stayed their oaths of office.

- 21. Courts/USPTO denied Dr. Arunachalam the protection from Patent Prosecution History, a key contract term between Dr. Arunachalam, the Inventor and Government.

 Defendants and Judges concealed material *prima facie* evidence Dr. Arunachalam's patent claims are not invalid nor indefinite, propagated a false Collateral Estoppel Argument, which fails in light of Governing Supreme Court Precedents and Federal Circuit's *Aqua Products*' 15-1177 (2017) ruling that voided all Court and PTAB Orders that failed to consider "the entirety of the record"— Patent Prosecution History, material *prima facie* evidence that her patent claims are neither invalid nor claim terms indefinite. Supreme Court's *Festo* ruling restrains the lower courts from *disparately* failing to consider Patent Prosecution History in Dr. Arunachalam's cases. *Festo Corp. v Shoketsu Kinzoku Kogyo Kabushiki Co.*, 535 U.S. 722 (2002).
- 22. The Federal Circuit's recent ruling in *Arthrex* that the PTAB re-examination judges were appointed unconstitutionally, in violation of the Appointments clause of the Constitution, voids all PTAB rulings in 18 or so re-exams of Dr. Arunachalam's patents, as in the Federal Circuit's recent *VirnetX* ruling.
- 23. Dr. Arunachalam's properties are protected by contract, itself protected by the Constitution of the United States. The Erroneous and Fraudulent Orders by the Judiciary and Agency impaired the contract and impaired Dr. Arunachalam's properties and violated the Constitution of the United States. Dr. Arunachalam is entitled to Constitutional redress.
- 24. The Judiciary deprived Dr. Arunachalam of the payment for each Web transaction per Web application in use, which it allowed Corporate America to steal.
- 25. Dr. Arunachalam's inventions are in ubiquitous use worldwide, allowing Microsoft, IBM, SAP, JPMorgan Chase & Co. and the U.S. Government to make \$trillions,

including investors with stock in the above Corporations, like Judge Richard G. Andrews, PTAB Judges McNamara, Stephen C. Siu who refused to recuse.

- 26. District and Appellate Court Orders violate the U.S. Constitution, inconsistent with the "faithful execution of the solemn promise made by the United States" with the inventor and constitute treason. J. Marshall declared 'Crime by the Adjudicators' in *Fletcher*:
- 27. Chief Justice Marshall declared that any acts and Orders by the Judiciary that impair the obligation of the contract within the meaning of the Constitution of the United States "are consequently unconstitutional and void."
- 28. This entire Case revolves around the Judiciary avoiding enforcing *Fletcher*, at all costs.
- 29. The fact of the matter the State of the Union is: there is no middle ground. The Court is not fooling anyone. The three Branches of Government concertedly share a common objective to remain silent as fraud, willfully and wantonly avoiding enforcing Fletcher and Governing Supreme Court Precedents. Why has the Judiciary not enforced Fletcher and Governing Supreme Court Precedents? They know why because enforcing Fletcher exposes the entire Patent System, operating as a criminal enterprise, defrauding the public.
- 30. Dr. Arunachalam has been forced to state the obvious. Courts dismissed her Cases for false reasons while Chief Justice Roberts admitted by his recusal on 5/18/20 that the facts and the law are on Dr. Arunachalam's side. This voids all his Orders in ALL of Dr. Arunachalam's cases, as well as in Case 18-9383. Chief Justice Roberts' wife running a legal recruiting firm placing lawyers at opposing law firms and opposing corporations, IBM, Microsoft, is a huge

financial conflict of interest for Chief Justice Roberts. Eight Justices remained silent. Is this not misprision of treason? They breached their solemn oaths of office and failed to enforce *Fletcher*.

- 31. The Supreme Court already reversed the unconstitutional void Orders in Dr.

 Arunachalam's cases in 1810 and 1819. Chief Justice Marshall declared that any acts and Orders by the Judiciary that impair the obligation of the contract within the meaning of the Constitution of the United States "are consequently unconstitutional and void."
- 32. The entire Judiciary breached its solemn oaths of office and lost jurisdiction in violating the law and the law is the Constitution in failing to: (i) Enforce the Law of the Land Fletcher, Dartmouth College, Grant v. Raymond and other stare decisis Governing Supreme Court Precedents. (ii) Reverse all unconstitutional void Orders in Dr. Arunachalam's cases. (iii) Declare America Invents Act reexamination provision null and void, as violating the prohibition of the Constitution, thereby reinstating all granted patents invalidated by said mal-administered re-examination process without considering intrinsic evidence Patent Prosecution History. (iv) Order Corporate Infringers to pay the royalties rightfully owed to the inventor.
- 33. Dr. Arunachalam was left with no remedies, as the Judiciary is hell-bent on obstructing justice and aiding and abetting anti-trust by Corporate Infringers against a small business and Dr. Arunachalam, the inventor, whose inventions are the backbone of the nation's economy, and powers national security and has enabled the nation to work remotely during COVID.

GENERAL ALLEGATIONS

34. On January 31, 2012, U.S. Patent No. 8,108, 492, entitled "Web application network portal" ("the '492 patent"), was duly and legally issued by the United States Patent and Trademark Office with Dr. Lakshmi Arunachalam as the named inventor. The entire right, title,

and interest in and to the '492 patent have been assigned to Dr. Lakshmi Arunachalam. The '492 Patent has been in full force and effect since its issuance, since all prior Orders by District and Appellate Courts and PTAB are void, for want of jurisdiction, in contempt of *stare decisis*Supreme Court Governing Precedents. Fraud on the court which occurred previously in 12-282-RGA entitles Dr. Arunachalam to bring this action at any time, as there is no statute of limitations. A true and correct copy of the '492 patent is attached hereto as Exhibit A.

- 35. On November 16, 1999, U.S. Patent No. 5,987,500, entitled "Value-added network system for enabling real-time, bi-directional transactions on a network" ("the '500 patent"), was duly and legally issued by the United States Patent and Trademark Office with Dr. Lakshmi Arunachalam as the named inventor. The entire right, title, and interest in and to the '500 patent have been assigned to Dr. Lakshmi Arunachalam. The '500 patent has been in full force and effect since its issuance, since all prior Orders by District and Appellate Courts and PTAB are void, for want of jurisdiction, in contempt of *stare decisis* Supreme Court Governing Precedents. Fraud on the court which occurred previously in 12-282-RGA entitles Dr. Arunachalam to bring this action at any time, as there is no statute of limitations. A true and correct copy of the '500 patent is attached hereto as Exhibit B.
- 36. On October 11, 2011, U.S. Patent No. 8,037,158 entitled "Multimedia transactional services" ("the '158 patent"), was duly and legally issued by the United States Patent and Trademark Office with Dr. Lakshmi Arunachalam as the named inventor. The entire right, title, and interest in and to the '158 patent have been assigned to Dr. Lakshmi Arunachalam. The '158 patent has been in full force and effect since its issuance, since all prior Orders by District and Appellate Courts and PTAB are void, for want of jurisdiction, in contempt of *stare decisis* Supreme Court Governing Precedents. Fraud on the court which occurred

previously in 12-282-RGA entitles Dr. Arunachalam to bring this action at any time, as there is no statute of limitations. A true and correct copy of the '158 patent is attached hereto as Exhibit C.

- 37. The '492, '500 and '158 patents (collectively "the Patents-in-Suit") involve technology for enabling real-time, distributed, two-way Web transactional capabilities from Web applications displayed on a Web browser.
- 38. On information and belief, Defendant provides insurance and financial products.

 On information and belief, Defendant and its internal and external customers use Web insurance

 Web applications displayed on a Web browser and Web financial Web applications displayed on

 a Web browser provided by at least CSAA to perform real-time Web transactions from.
- 39. On information and belief, Defendant has deployed a multitude of Web applications, for example, JPMorgan website states just one business unit has deployed 7000 Web apps, likewise CSAA has thousands of Web Apps, from which trillions of real-time Web transactions are performed on a daily basis to give Defendant's customers, both internal and external, access to Defendant's various insurance and financial products, customer accounts, and other information. By way of example and without limitation, at least https://csaa-insurance.aaa.com/ is a website that, on information and belief, provides Web insurance Web apps and other Web financial Web apps, from which real-time Web transactions are performed, including without limitation access to Defendant's products, and servicing of and access to customer accounts. On information and belief, at least some of Defendant's products have been displayed as Web apps on a Web browser from which real-time Web transactions that originated from within this judicial district are performed.

COUNT I

INFRINGEMENT OF U.S. PATENT NO. 8,108,492 BY DEFENDANT

- 40. All the preceding Paragraphs are hereby incorporated by reference as if fully set forth herein.
- 41. On information and belief, Defendant has been and is now infringing, inducing infringement, and contributing to the infringement of the '492 patent by making, using, selling, offering to sell, instructing and/or supporting the use by others in the U.S. of devices, systems and methods covered by one or more claims of the '492 patent in violation of 35 U.S.C. § 271, et seq. Defendant's infringing acts include, by way of example and without limitation, their making, using, selling, offering for sale, instructing and/or supporting the use by others of at least the csaa-insurance.aaa.com website, and other websites and/or software systems that make use of and/or facilitate real-time two-way Web transactions from Web apps displayed on a Web browser.
- 42. The infringement of the '492 patent by Defendant has caused and will continue to cause Dr. Arunachalam substantial and irreparable injury, for which she is entitled to receive all relief provided for by 35 U.S.C. §§ 283 and 284, including, but not limited to, injunctive relief, damages and costs where appropriate.

COUNT II

INFRINGEMENT OF U.S. PATENT NO. 5,987,500 BY DEFENDANT

- 43. All preceding Paragraphs are hereby incorporated by reference as if fully set forth herein.
- 44. On information and belief, Defendant has been and is now infringing, inducing infringement, and contributing to the infringement of the '500 patent by making, using, selling,

offering to sell, instructing and/or supporting the use by others in the U.S. of devices, systems and methods covered by one or more claims of the '500 patent in violation of 35 U.S.C. § 271, et seq. Defendant's infringing acts include, by way of example and without limitation, their making, using, selling, offering for sale, instructing and/or supporting the use by others of the csaa-insurance.aaa.com and other Web insurance and Web financial Web app websites, and other websites and/or software systems that make use of and/or facilitate real-time two-way distributed transactions over the Internet.

45. The infringement of the '500 patent by Defendant has caused and will continue to cause Dr. Arunachalam substantial and irreparable injury, for which she is entitled to receive all relief provided for by 35 U.S.C. §§ 283 and 284, including, but not limited to, injunctive relief, damages and costs where appropriate.

COUNT III

INFRINGEMENT OF U.S. PATENT NO. 8, 037, 158 BY DEFENDANT

- 46. All preceding Paragraphs are hereby incorporated by reference as if fully set forth herein.
- 47. On information and belief, Defendant has been and is now infringing, inducing infringement, and contributing to the infringement of the '158 patent by making, using, selling, offering to sell, instructing and/or supporting the use by others in the U.S. of devices, systems and methods covered by one or more claims of the '158 patent in violation of 35 U.S.C. § 271, et seq. Defendant's infringing acts include, by way of example and without limitation, their making, using, selling, offering for sale, instructing and/or supporting the use by others of the csaa-insurance.aaa.com and other websites, and other websites and/or software systems that

make use of and/or facilitate real-time two-way Web transactions from Web apps displayed on a Web browser.

48. The infringement of the '158 patent by Defendant has caused and will continue to cause Dr Arunachalam substantial and irreparable injury, for which it is entitled to receive all relief provided for by 35 U.S.C. §§ 283 and 284, including, but not limited to, injunctive relief, damages and costs where appropriate.

DEMAND FOR RELIEF

WHEREFORE, Dr. Arunachalam demands entry of judgment that:

- a. Defendant has infringed and/or induced or contributed to the infringement of the Patents-in-Suit;
- b. Defendant and its respective officers, agents, servants, employees, subsidiaries, parents, attorneys, and all persons acting in concert, on behalf of, in joint venture, or in partnership with Defendant be preliminarily and permanently enjoined from infringing, inducing to infringe, and/or contributing to the infringement of the Patents-in-Suit;
- c. Defendant provide an accounting of its revenues, profits and gains resulting directly or indirectly from Defendant's infringement of the Patents-in-Suit;
- d. Damages be awarded to Dr. Arunachalam to compensate for Defendant's infringement of the Patents-in-Suit;
- e. Defendant pay Dr. Arunachalam pre-judgment and post-judgment interest on the damages awarded;
- f. In the event a permanent injunction against future acts of infringement is not granted by the Court, that Dr. Arunachalam be awarded a compulsory ongoing license fee; and

g. Dr. Arunachalam be granted such other and further relief as this Court

may deem just and proper.

DEMAND FOR JURY TRIAL

Pursuant to Federal Rule of Civil Procedure 38(b), Dr. Arunachalam demands a

jury trial for all issues so triable.

VERIFICATION

I, Dr. Lakshmi Arunachalam, Plaintiff in the above entitled action, hereby verify under penalty

of perjury, under the laws of the United States of America, that the above statement of facts and

laws is true and correct, according to the best of my current information, knowledge, and belief,

so help me God, pursuant to 28 U.S.C. 1746(1). See the Supremacy Clause in the Constitution

for the United States of America, as lawfully amended (hereinafter "U. S. Constitution").

Dated: August 18, 2020

Signed: Lakshmi Amunachalan

Printed: Dr. Lakshmi Arunachalam

Dated: August 18, 2020 Dr. Lakshmi Arunachalam

222 Stanford Avenue,

Menlo Park, CA 94025

650-690-0995

Laks22002@yahoo.com

Self-represented Plaintiff

DECLARATION OF Dr. Lakshmi Arunachalam IN SUPPORT OF FOREGOING COMPLAINT FOR PATENT INFRINGEMENT

I, Dr. Lakshmi Arunachalam, declare:

I am the inventor and assignee of the U.S. Patent Nos. 8,108,492; 5,987,500; 8,037,158

patents-in-suit in the above-captioned action, all of which derive their priority date from my

provisional patent application with S/N 60/006,634 filed November 13, 1995. I reside at 222

Stanford Avenue, Menlo Park, CA 94025. I am self-represented Plaintiff in the above-captioned

action. I make this declaration based on personal knowledge and, if called upon to do so, could

testify competently thereto.

1. Attached as Exhibit A is a true and correct copy of Dr. Arunachalam's

patent, U.S. Patent No. 8,108,492.

2. Attached as Exhibit B is a true and correct copy of Dr. Arunachalam's

patent, U.S. Patent No. 5,987,500.

3. Attached as Exhibit C is a true and correct copy of Dr. Arunachalam's

patent, U.S. Patent No. 8,037,158.

I declare under the penalty of perjury under the laws of the United States and the State of

California and Delaware that the foregoing is true and correct. Executed this 18th day of

August, 2020 in Menlo Park, California.

222 Stanford Avenue Menlo Park, CA 94025

650 690 0995, <u>laks22002@yahoo.com</u>

Lakshmi Arunachalam

Dr. Lakshmi Arunachalan

19

CERTIFICATE OF MAILING

I, Dr. Lakshmi Arunachalam, hereby certify that on August 18, 2020, I filed an original of the attached "Complaint for Patent Infringement," Dr. Arunachalam's Declaration and Verification in support thereof, and Exhibits A, B and C, and my IFP Motion and one CD containing all of the same, with the Clerk of the Court, U.S. District Court for the District of Nevada by sending it to Parcels Inc of Wilmington Delaware to deliver it via USPS Priority Mail for filing and docketing in this case to:

Clerk of Court U.S. District Court for the District of Nevada, 333 S. Las Vegas Blvd., Las Vegas, NV 89101; Tel: 702.464.5400

DATED: August 18, 2020

Dr. Lakshmi Arunachalam 222 Stanford Avenue Menlo Park, CA 94025 650 690 0995 laks22002@yahoo.com



US008108492B2

(12) United States Patent

Arunachalam

(10) Patent No.:

US 8,108,492 B2

(45) Date of Patent:

Jan. 31, 2012

(54) WEB APPLICATION NETWORK PORTAL

(76) İnventor: **Lakshmi Arunachalam**, Menlo Park, CA (US)

(*) Notice:

Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

(21) Appl. No.: 12/628,060

(22) Filed: Nov. 30, 2009

(65) Prior Publication Data

US 2010/0306102 A1 Dec. 2, 2010

Related U.S. Application Data

- (60) Division of application No. 11/980,185, filed on Oct. 30, 2007, now Pat. No. 8,037,158, which is a continuation-in-part of application No. 09/792,323, filed on Feb. 23, 2001, now Pat. No. 7,340,506, which is a division of application No. 09/296,207, filed on Apr. 21, 1999, now Pat. No. 6,212,556, which is a continuation-in-part of application No. 08/879,958, filed on Jun. 20, 1997, now Pat. No. 5,987,500, which is a division of application No. 08/700,726, filed on Aug. 5, 1996, now Pat. No. 5,778,178.
- (60) Provisional application No. 60/006,634, filed on Nov. 13, 1995.
- (51) Int. Cl. G06F 13/00 (2006.01)

(56) References Cited

U.S. PATENT DOCUMENTS

4,829,372 A 5/1989 McCalley et al. 4,851,988 A 7/1989 Trottier et al.

4,984,155	A	1/1991	Geler et al.
5,125,091	A	6/1992	Staas, Jr. et al.
5,148,474	A	9/1992	Haralambopoulos et al
5,159,632	Α	10/1992	Crandall
5,231,566	A	7/1993	Blutinger et al.
5,239,662	A	8/1993	Danielson et al.
5,285,383	A	2/1994	Lindsey et al.
5,297,249	A	3/1994	Bernstein et al.
5,329,589	A	7/1994	Fraser et al.
5,329,619	A	7/1994	Page et al.
5,347,632	Α	9/1994	Filepp et al.
5,367,635	A	11/1994	Bauer et al.
5,383,113	Α	1/1995	Kight et al.
5,404,523	A	4/1995	Dellafera et al.
		(Con	tinued)

FOREIGN PATENT DOCUMENTS

WO WO 97/18515 A1 5/1997 WO WO 00/63781 A1 10/2000

OTHER PUBLICATIONS

U.S. Appl. No. 12/268,060, filed Nov. 30, 2009, Arunachalam. U.S. Appl. No. 12/628,066, filed Nov. 30, 2009, Arunachalam. U.S. Appl. No. 12/628,068, filed Nov. 30, 2009, Arunachalam. U.S. Appl. No. 12/628,069, filed Nov. 30, 2009, Arunachalam.


(Continued)

Primary Examiner — Viet Vu

(57) ABSTRACT

The present invention provides a method and apparatus for providing real-time, two-way transactional capabilities on the Web. Specifically, one embodiment of the present invention discloses a method for enabling object routing, the method comprising the steps of creating a virtual information store containing information entries and attributes associating each of the information entries and the attributes with an object identity, and assigning a unique network address to each of the object identities. A method is also disclosed for enabling service management of the value-added network service, to perform OAM&P functions on the services network.

13 Claims, 13 Drawing Sheets



US 8,108,492 B2 Page 2

U	J.S. PATENT	DOCUMENTS	5,892,821		4/1999	
5,408,619 A	4/1995	Oran	5,893,076			Hafner et al.
5,414,812 A		Filip et al.	5,895,454			Harrington
5,428,792 A		Conner et al.	5,897,621 5,901,228			Boesch et al. Crawford
5,432,937 A	A 7/1995	Tevanian et al.	5,909,492			Payne et al.
5,434,974 A		Loucks et al.	5,910,987		6/1999	
5,440,744 A		Jacobson et al.	5,913,061			Gupta et al.
5,442,771 A		Filepp et al.	5,931,967		8/1999	
5,442,791 A		Wrabetz et al.	5,946,509	A		Morton et al.
5,444,192 A 5,446,896 A		Shetye et al. Hegarty et al.	5,956,400			Chaum et al.
5,452,433 A		Nihart et al.	5,956,509			Kevner
5,455,903 A		Jolissaint et al.	5,958,004			Helland et al. Hartman et al.
5,475,819 A		Miller et al.	5,960,411 5,987,500			Arunachalam
5,491,800 A		Goldsmith et al.	6,003,085			Ratner et al.
5,517,645 A	5/1996	Stutz et al.	6,014,651			Crawford
5,519,868 A		Allen et al.	6,014,666			Helland et al.
5,537,464 A		Lewis et al. Tanaka et al.	6,049,785	Α		Gifford
5,539,909 A 5,557,780 A		Edwards et al.	6,049,819			Buckle et al.
5,560,005 A		Hoover et al.	6,055,514		4/2000	
5,577,251 A		Hamilton et al.	6,055,567			Ganesan et al. Ellison et al.
5,590,197 A		Chen et al.	6,073,237 6,092,053			Boesch et al.
5,592,378 A		Cameron et al.	6,094,673			Dilip et al.
5,604,905 A		Tevanian et al.	6,101,482		8/2000	DeAngelo et al.
5,613,148 A		Bezviner et al.	6,101,527		8/2000	Lejeune et al.
5,664,111 A	a 9/1997	Nahan et al. Elgamal et al.	6,119,152		9/2000	Carlin et al.
5,671,279 A 5,677,708 A		Matthews, III et al.	6,125,185			Boesch
5,694,549 A		Carlin et al.	6,125,352			Franklin et al.
5,703,344 A		Bezy et al.	6,128,315			Takeuchi
5,706,442 A		Anderson et al.	6,134,594 6,135,646			Helland et al. Kahn et al.
5,708,780 A	A 1/1998	Levergood et al.	6,145,090			Yamaguchi et al.
5,710,887 A		Chelliah et al 705/26.62	6,185,609			Rangarajan et al.
5,712,913 A		Chaum	6,192,250			Buskens et al.
5,715,314 A		Payne et al.	6,205,433			Boesch et al.
5,715,444 A		Danish et al. Gifford	6,212,556	B 1	4/2001	Arunachalam
5,724,424 A 5,737,533 A		de Hond	6,212,634			Gerr et al.
5,742,762 A		Scholl et al.	6,249,291			Popp et al.
5,742,768 A		Gennaro et al.	6,279,001			DeBettencourt et al.
5,745,681 A		Levine et al.	6,289,322 6,295,522			Kitchen et al. Boesch
5,754,939	A 5/1998	Herz et al.	6,301,601			Helland et al.
5,757,917 A		Rose et al.	6,327,577			Garrison et al.
5,758,072 A		Filepp et al.	6,327,579			Crawford
5,758,327 A		Gardner et al. Crawford	6,334,116			Ganesan et al.
5,771,354 A 5,774,670 A		Montulli	6,360,262			Guenthner et al.
5,778,178 A		Arunachalam	6,363,362			Burfield et al.
5,780,780 A		Ahmed	6,411,943			Crawford
5,781,631		Chaum	6,453,426 6,457,066			Gamache et al. Mein et al.
5,793,964 A	A * 8/1998	Rogers et al 709/202	6,473,740			Cockrill et al.
5,794,221 A		Egendorf	6,473,791			Al-Ghosein et al.
5,794,234 A		Church et al.	6,486,895			Robertson et al.
5,809,483 A		Broka et al.	6,490,567	BI	12/2002	Gregory
5,812,779 A 5,822,569 A		Ciscon et al. McPartian et al.	6,530,518			Krichilsky
5,826,085 A		Bennett et al.	6,553,427			Chang et al.
5,826,241		Stein et al.	6,574,607			Carter et al.
5,828,666 A		Focsaneanu et al.	6,625,581 6,678,664			Perkowski Ganesan
5,835,726		Schwed	6,678,696			Helland et al.
5,845,061 A		Miyamoto et al.	6,714,962			Helland et al.
5,845,073		Carlin et al.	6,839,677			Mathur et al.
5,845,265 A		Woolston	6,850,996	B2		Wagner
5,856,974 A 5,859,978 A		Gervais et al. Sonderegger et al.	6,856,974			Ganesan et al.
5,864,866		Henckel et al.	6,931,111			Coffee
5,870,473 A		Boesch et al.	6,932,268			McCoy et al.
5,870,724		Lawlor et al.	6,948,063			Ganesan et al.
5,873,072 A	A 2/1999	Kight et al.	7,076,784 7,080,051			Russell et al. Crawford
5,873,093 A		Williamson et al.	7,080,031		0/2000	Kight et al.
5,878,043 A		Casey et al.	7,120,602			Kight et al. Kitchen et al.
5,878,140		Chaum	7,146,338			Kitchen et al.
5,878,141 A		Daly et al.	7,175,074			Mejias et al.
5,878,403 A 5,884,301 A		DeFrancesco et al. Takano	7,177,846			Moenickheim et al.
5,889,957 A		Ratner et al.	7,213,003			Kight et al.
5,890,137		Koreeda	7,240,031			Kight et al.
5,890,161 A		Helland et al.	7,251,656			Keown et al.

Page 3

7.296,004	B1	11/2007	Garrison et al.
7.302,408	B2	11/2007	Engdahl et al.
7.302.411	B2	11/2007	
7,330,831	B2	2/2008	Biondi et al.
7,334,128	B2	2/2008	Ganesan et al.
7,340,506	B2	3/2008	Arunachalam
7,366,696	B1	4/2008	Ganesan et al.
7,366,697	B 2	4/2008	Kitchen et al.
7,383,226	B2	6/2008	Kight et al.
7,389,514	B2	6/2008	Russell et al.
7.392,223	B1	6/2008	Ganesan et al.
7.395,243	B1	7/2008	Zielke et al.
7,395,319	B2	7/2008	Harris et al.
7,451,400	B2 *	11/2008	Bales et al 715/734
7,590,550	B2 *	9/2009	Schoenberg 705/2
7,600,027	B2 *	10/2009	Yan 709/227
2001/0037318	A1	11/2001	Lindskog
2002/0062218	A1	5/2002	
2002/0152200	A1	10/2002	Krichilsky et al.
2003/0069922	A1	4/2003	Arunachalam
2008/0091801	A1	4/2008	Arunachalam
2009/0094347	Al*	4/2009	Ting et al 709/219

OTHER PUBLICATIONS

Order, Motion to Bifurcate and for early trial on the Issue of Inequitable Conduct, on Mar. 19, 2009, Dismissal with Prejudice, order dated Dec. 30, 2009, Denied as Moot, Order Granted, signed by JJF, C.A. No. 08-131 (JJF), Allstate Docket #155.

Order, Motion to Bifurcate and for early trial on the Issue of Inequitable Conduct, on Mar. 19, 2009, Dismissal with Prejudice, order dated Dec. 30, 2009, Denied as Moot, C.A. No. 08-132 (JJF) and C.A. No. 08-133 (JJF), Dell Docket #155, signed by JJF, Order, Motion to Bifurcate and for early trial on the Issue of Inequitable Conduct, on Mar. 19, 2009, Dismissal with Prejudice, order dated Dec. 30, 2009, Denied as Moot, C.A. No. 08-132 (JJF) and C.A. No. 08-133 (JJF), Dell Docket #155.

Plaintiff WebXchange Inc.'s Surreply in Opposition to Defendants' Motion to Bifurcate, and for Early Trial on, the Issue of Inequitable Conduct (C.A. No. 08-132 (JJF) and C.A. No. 08-133 (JJF), is Granted Plaintiff's Surreply in Opposition to Defendant's Motion to Bifurcate and for Early Trail on, The Issue on Inequitable Conduct is deemed filed (Entered Dec. 30, 2009), Dell Docket #157.

Dell Inc.'s Second Amended Answer and Counterclaims to WebxChange Inc.'s Original Complaint for Patent Infringement (Entered: Jan. 20, 2010), Dell Docket #164.

Plaintiff WebxChange Inc.'s Surreply in Opposition to Defendants' Motion to Bifurcate, and for Early Trial on, The Issue of Inequitable Conduct (Entered Dec. 30, 2009), Fedex Docket #212.

Memorandum Opinion C.A. 08-133-JJF, and C.A. 08-132-JJF (Entered Dec. 30, 2009), Fedex Docket #215.

Defendant's Fedex Corporation, Fedex Kinko's Office & Print Services, Inc., and Fedex Corporate Services, Inc.'s Second Amended Answer, Affirmative Defenses, and Counterclaims to Plaintiff WebXchange, Inc.'s Complaint (Entered Jan. 20, 2010), Fedex Docket #217.

U.S. Appl. No. 60/208,057, filed May 31, 2000, Krichilsky.U.S. Appl. No. 08/168,519, filed Dec. 1993, Gifford.

UIUC, "The Common Gateway Interface", pp. 1-4, http://hoohoo.ncsa.uiuc.edu/cgi/primer.html, Retrieved on May 22, 2001, WBX 000.

Arnold, K. et al., "Media-Independent Interfaces in a Media-Dependent World", USENIX Conference on Object-Oriented Technologies, Monterey, CA Jun. 1995, WBX001.

Arshad, K.M. et al., "A CORBA based framework for trusted E-Commerce Transactions", Enterprise Distributed Object Computing Conference, pp. 18-25, EDOC '99 Sep. 27, 1999, WBX002.

Atkinson, R., RFC 1825: "Security Architecture for the Internet Protocol", Naval Research Laboratory, Category: Standards Track, Network Working Group, Aug. 1, 1995, WBX007.

Banks, M., "America Online: A Graphics-based Success", Link-Up, Jan./Feb. 1992, WBX008.

Banks, M., "Compuserve for Windows", M.I.S Press, 1994, WBX009.

Baquero, C.et al., "Integration of Concurrency Control in a Language with Subtyping and Subclassing", USENIX Conference on Object-Oriented Technologies, Jun. 1995, WBX010.

Barron, C. and Weil, B., "Dr. Dobbs Portal: Implementing a Web Shopping Cart", Online Transactions in PERL, Sep. 1, 1996 WBX011.

Bharat, K. et al., "Visual Obliq: A System for Building Distributed, Multi-User Applications by Direct Manipulation", SRC 130a, DEC, Oct. 31, 1995, WBX012.

Bharat, K. et al., "Distributed Applications in a Hypermedia Setting", Proc. Intl Workshop on Hypermedia Design, http. www.cc.gatech.edugvupeoplePhDKrishnaIWHD.html, Jun. 1, 1995 WBX013.

"CyberCash Cash Register Internet Payment Service". retrieved May 23, 2001 http://www.cybercash.com/ cashregister pp. 1-2. 1996, WBX034.

"CyberCash—Cash Register—How it Works" retrieved May 23, 2001http://www.cybercash.com/cashregister/howitworks.html pp. 1-3, 1996, WBX035.

"CyberCash—Industry Leading Features" retrieved May 23, 2001 http://www.cybercash.com/cashregister/features.html pp. 1-4. 1996, WBX036.

"CyberCash Cash Register—Online Secure Payment Service" CashRegister Demos.retrieved May 23, 2001 http://www.webdata.cybercash.com/demos/pp. 1-2. 1996, WBX038.

"CyberCash FraudPatrol.TM. Service" retrieved oMay 23, 2001 http://www.cybercash.com/fraudpatrol/pp. 1-2. 1996, WBX039.

"CyberCash FraudPatrol—How it Works" retrieved on May 23, 2001 http://www.cybercash.com/fraudpatrol/howitworks.html pp. 1-2 '96, WBX040.

"CyberCash Home", http://www.cybercash.com [retrieved on May 23, 2001] 1996, WBX041.

"CyberCash ICVerify for Windows" Version 2.5 Upgrade, http://www.cybercash.com/icverify/upgrade.html pp. 1-2 [retrieved on May 23, 2001] 1996, WBX043.

Cybercash, "ICVERIFY—Features" retrieved on May 23, 2001 http://www.cybercash.com/icverify/features.html, 1996, pp. 1-3, WBX044.

Brando, T., "Comparing DCE and CORBA", Mitre Document MP 95B-93, Mar. 1, 1995, WBX018.

Business Wire, "Open Market releases first complete software solution" 1995, WBX025.

Business Wire, "Sunsoft delivers early access release of Distributed Objects Environment", Jun. 14, 1995, WBX026.

Case, J. et al., "Network Management and the Design of SNMP", Connexxions (ISSN 0894-5926), vol. 3, No. 3, Mar. 1989, WBX027. Chung, S. et al., "A Heterogeneous Distributed Information System", IEEE, pp. 443-447, 1993, WBX029.

Courtney, A., "Phantom: An Interpreted Language for Distributed Programming", Proceedings of USENIX Conference on Object-Oriented Technologies, Monterey, CA, Jun. 1995, WBX030.

Cybercash, "Affiliate Marketing Service", http://www.cybercash.com/products/affiliatemarketing.html [retrieved on May 23, 2001] 1996, WBX031.

"CyberCash B2B Payment Services", http://www.cybercash.com/b2b pp. 1-2 [retrieved May 23, 2001] 1996, WBX032.

CyberCash B2BServices, 1996, WBX033.

CyberCash Cash Register Internet Payment Service—Online Secure Payment Service, retrieved on May 23, 2001from http://www.cybercah.com/cashregister.pp. 1-2, '96, WBX034.

cybercash.com/cashregister pp. 1-2, '96, WBX034.

"CyberCash—Cash Register—How it Works" retrieved May 23, 2001 from http://www.cybercash.com/cashregister/howitworks. html pp. 1-3. '96, WBX035.

"CyberCash—Industry Leading Features", retrieved May 23, 2001 http://www.cybercash.com/cashregister/features.html pp. 1-4, 1996, WBX 036.

"CyberCash Cash Register—Online Secure Payment Service" CashRegister Demos.retrieved May 23, 2001 http://www.webdata.cybercash.com/demos/pp. 1-2 1996, WBX038.

"CyberCash FraudPatrol.TM. Service" retrieved on May 23, 2001 http://www.cybercash.com/fraudpatrol/pp. 1-2. 1996, WBX039.

"CyberCash FraudPatrol—How It Works" retrieved onMay 23, 2001, http://www.cybercash.com/fraudpatrol/howitworks.html pp. 1-2 1996,WBX 040.

Page 4

Cybercash, "ICVerify—Features" retrieved on May 23, 2001 from http://www.cybercash.com/icverify/features.html, 1996, pp. 1-3, WBX044.

Cybercash, "Payment Software for Brick and Mortar Merchants" http://www.cybercash.com/pcauthorize 1996-2001, WBX046.

Dr. Gui on Components, COM and ATL, http://msdn.microsoft.com/library/welcome/dsmsdn/msdn_drguion020298.htm, Feb. 2, 1998, pp. 1-61 [retrieved on May 22, 2001], WBX057.

Cybercash, "Products" 1996. retrieved on May 23, 2001 from <URL: http://www.CyberCash.com/products/, 1996, pp. 1-2, WBX048.

Cybercash, "WebAuthorize—Enterprise and Hosting Payment Processing". retrieved on May 23, 2001from <URL:http://www.cybercash.com/webauthorize/, 1996,pp. 1-2, WBX050.

Davis et al., "A Protocol and Server for a Distributed Digital Technical Report Library", Apr. 25, 1994, WBX051.

Davison, A., "Coding with HTML forms HTML goes interactive", (hypertext markup language)(Tutorial), Dr. Dobb's Journal, Jun. 6, 1995, vol. 20, No. 6, 19 pages, WBX052a.

Davison, A., "Coding with HTML forms: HTML goes interactive", Dr. Dobb's Journal, Jun. 6, 1995, vol. 20, No. 6, pp. 70-79, WBX052b.

"Distributed Object Technology in the Financial Services Industry: Trading and Risk Management", A White Paper, Sun Microsystems, 1995. WBX053.

Deng, R.H. et al., "Integrating Security in CORBA-based Architectures", IEEE, Jun. 1995, pp. 50-61, WBX054.

Detlefs, D. et al., Debugging Storage Management Problems in Garbage Collected Environments, Proc of USENIX Conference on Object-Oriented Technologies, Monterey, CA, Jun. 1995, WBX055.

Dietinger, T., Object-Oriented Implementation of a Multiprotocol Hyper-G client for MS-Windows, Diplomarbeit inTelematik, TU Graz, Jul. 1, 1995, WBX056.

Birrell A. et al., "Network Objects", SRC Research Report, Feb. 28, 1994, WBX014.

Edwards, N., Object Wrapping (for WWW)—The Key to Integrated Services, ANSA Phase III, Apr. 25, 1995, WBX058.

Ehikioya, S.A., "An Agent-Based System for Distributed Transactions: a Model for Internet-Based transactions", Elec and Computer Engg IEEE Canadian Conf, V1, May 9, 1999, p. 289-294, WBX059.

Microsoft DJ Order, C-08-05149 WHA "Order Granting Defendant's Motion to Dismiss", Federal Court of Northern California, Feb. 17, 2009, WBX060.

"Portal Solutions, an Open Market eBusiness Solution Brief". White Paper. Open Market, Forrester Research TechRankings, Feb. 2001, WBX061.

"Wireless Solutions, An Open Market eBusiness Solution Brief", WhitePaper. Open Market, Forrester Research Tech Rankings, Feb. 2001, WBX062.

Fraga, J. et al., "A Programming Model for Real-Time Applications in Open Distributed Systems", IEEE, 1995, pp. 104-111, WBX063. Birrell A. et al., "Implementing Remote Procedure Calls", Xerox Palo Alto Research Center, ACM Transactions, Feb. 1, 1994, WBX015.

Bowen, C. et al., "How to Get the Most out of CompuServe" 5th Ed. 1991, Random House, Inc. 1991, WBX016.

Braden, R. et al., RFC 1122: "Requirements for Internet Hosts—Communication Layers" Oct. 1, 1989, WBX017.

Broadvision, "Broadvision One-to-One: On-line Marketing and Selling Application System Developers' Guide", 1995, WBX020.

Broadvision, "Broadvision One-to-One: On-Line Marketing and Selling Application System: Dynamic Command Center User's Guide", 1995, WBX021.

Broadvision, "Broadvision One-to-One: On-Line Marketing and Selling Application System: Installation and System Administration Guide" 1995, WBX022.

Broadvision, "Broadvision One-to-One: On-Line Marketing and Selling Application System: Technical Overview", 1995, WBX023. Glossbrenner, A., "MasterGuide to Compuserve", "Chapter 15: Travel Services: Join CompuServe and See the World", Prentice Hall, 1987, WBX065.

Gross, C., "Taking the Splash Diving into ISAPI", ISAPI Programming, Microsoft Interactive Developer, www.Microsoft.com/mind/0197/ISAPI.htm, Jan. 1, 1997, pp. 1-10, retrieved May 22, 2001 WBX066.

"Open Market Inc, Managing in a Turbulent Environment", Harvard Business School, 9-196-097, Aug. 29, 1996, WBX067.

Hickey, M., "Shopping at Home: One Modem Line, No Waiting", Home PC, Dec. 1, 1994, p. 307, Dialog, File 647, Acc# 01038162, WRY068A

Lang, "Cashing In: The Rush is on to Buy and Sell on the Internet But on Sidelines for Now", Advertising Age, Dec. 19, 1994, p. 11, Dialog, File 16, Acc# 05419137, WBX068B.

Lichty, T., "America Online Tour Guide", MacIntosh Edition, Version 2, Chapter 1, 3, 8,10, 1992, WBX068C.

Tymnet, Wikipedia, the free encyclopedia, http://en.wikipedia.org/wiki/tymnet, Retrieved on May 1, 2007, WBX068D.

Cox, B. et al., "NetBill Security and Transaction Protocol", Carnegie Millon University, Pittsburgh, PA 15212-3890, undated, WBX068E. Lamond, K. et al., "Credit Card Transactions Real World and OnLine", http://www.virtualschool.edu/mon/ElectronProperty/klamond/credit_card.htm, 1996, pp. 1-16, WBX068F.

"Open Market Catalog Centre", Enterprise Content, /www. openmarket.com/cgi-bin/gx..cgi/AppLogic+FT- Content Server?pagename=FutureTense/Apps/Xcelerate/Render&c=Arti_ZZZ.WBX069.

Business Wire, High Beam Wire, "Open Market releases first complete software solution" Oct. 16, 1995, WBX070.

McCloghrie, K. et al., RFC 1156, "Management Information Base for Network Management of TCP/IP-based internets", May 1, 1990, WBX071.

Case, J. et al., RFC 1157 May 1, 1990, WBX072.

Rose, M., RFC 1283: "SNMP over OSI", Dec. 1, 1991, WBX073. Rose, M. et al., RFC 1155: "Structure and Identification of Manage-

ment Information for TCP/IP-based internets", May 1, 1990, WBX074.

Case, J. et al., RFC 1442: "Structure of Management Information for version 2 of the Simple Network Management Protocol (SNMPv2)", AllState 00011394 Apr. 1, 1993, WBX075.

"ORBIX Programmer's Guide", IONA Technologies, Oct. 1, 1997, WBX076A-E.

"ORBIX Programmer's Guide", Release 1.3.1, IONA Technologies, Feb. 1, 1995, WBX077.

Ito, J. et al., "Using meta-objects to support optimization in the Apertos Operating System", USENIX Conference on Object-Oriented Technologies, Monterey, CA, Jun. 1995, WBX078.

Jordan, M. et al., "Software Configuration Management in an Object-Oriented Database", USENIX Conference on Object-Oriented Technologies, Monterey, CA, Jun. 1995, WBX079.

Kane, P., "Prodigy Made Easy", "Chapter 6, Shopping Made Easy", 2nd ed., 1993, WBX080.

Lagoze, C. et al., "Dienst: Implementation Reference Manual", May 5, 1995, WBX081

Open Market Commerce Products, Enterprise Content www. openmarket.com/cgi-bin/gx.cgi/

AppLogic+FTContentServer?pagename=FutureTense/Apps/Xcelerate/Render&c=A_ZZZ, WBX082.

Lange, D.B. et al., "Program Explorer: A Program Visualizer for C++", Proceedings of the USENIX Conference on Object-Oriented Technologies, Monterey, CA, Jun. 1995, WBX083.

Laufer. K., "A Framework for Higher Order Functions in C++", Proceedings of the USENIX Conference on Object-Oriented Technologies, Monterey, CA, Jun. 1995, WBX084.

Li, G. and Bacon, J., "Supporting Distributed Real-Time Objects", IEEE Jul. 1994, pp. 138-143, WBX085.

Limprecht, R., "Microsoft Transaction Server", IEEE, Compcon '97 Proceedings, 1997, pp. 14-18, WBX086.

Maffeis, S., "Adding Group Communication and Fault-Tolerance to CORBA", Proceedings of the USENIX Conference on Object-Oriented Technologies, Monterey, CA, Jun. 1995, WBX087.

Mahindra, A. et al., "Dynamic Insertion of Object Services", Proceedings of the USENIX Conference on Object-Oriented Technologies, Monterey, CA, Jun. 1995, WBX088.

Page 5

McCloghrie, K. et al., RFC 1213, "Management Information Base for Network Management of TCP/IP-based internets: MIBI-II", SNMP Working Group, Mar. 1, 1991, WBX089.

McCloghrie, K. et al., RFC 1447, "Party MIB for version 2 of the SIMPLE Network Management Protocol", SNMP Security Working Group, Apr. 1, 1993, WBX090.

McKie, S., "EEP Meets Web E-Commerce", DBMS, Jul. 1, 1998, WBX091

McMaster D. et al., RFC 1516: "802.3 Repeater devices—Definition of Managed Objects", Feb. 9, 1992, WBX092.

"Allstate Connects with Countrywide Producer Network in Seven Months Using Microsoft Visual Studio NET and the .NET Framework", Microsoft Net Customer Solution, Jan. 2003, WBX 093.

O'Brien Jones, U.S. Appl. No. 90/010,346 which is the 5,778,178 Re-exam doc, Exhibits Part 1-WBX101, Exhibits Part 2-WBX102, Nov. 21, 2008 Third Party Requests, WBX094.

"Microsoft Component Services, Server Operating System, A Technology Overview", http://www.microsoft.com/com/wpaper/compsvcs.asp,Aug. 15, 1998, [retrieved on May 22, 2001],WBX095. Allstate Uses Web Services to Quickly Create Insurance Policy Management Solution, Microsoft .NET Customer Solution Case Study, Jan. 2005, WBX098.

Mitchell et al., "An Overview of the Spring System", Sun Microsystems, WBX099.

Muckelbauer, P. and Russo, V., "Lingua Franca: An IDL for Structured Subtyping Distributed Object Systems", USENIX Conference: Object-Oriented Technologies, Monterey, CA, WBX 100. Reynolds, J. Posting to comp doc USENET group, http://nyurl.com/53a95p, RFC 1212, 1213-Google groups on concise definitions MIB and MIBII, Exhibit G, Mar. 27, 1991, WBX045.

Relihan, L. et al., "Untangling the World-Wide Web.", 12th Annual International Conference on Systems Documentation, Oct. 1, 1994, pp. 17-24, ACM, WBX102A.

Rose, M. T., "The Simple Book: An Introduction to Internet Management", 1994, pp. 14-15, 379-387 (2nd ed.) Exhibit F, WBX 102C. "Open Market Enterprise: Content Server", www.openmarket.com/cgi-bin/gx.cgi/

AppLogic+FTContentServer?pagename=FutureTense/Apps/ Xceleratlerate/Render&c=Artic, pp. 1-4,WBX103.

"Open Market Enterprise:Content Center", www.openmarket.com/cgi-bin/gx.cgi/

AppLogic+FTContentServer?pagename=FutureTense/Apps/Xcelerate/Render&c=Artic,Retrvd5/15/01, WBX104.

"Open Market Enterprise: Content-Driven eBusiness", www.openmarket.com/cgi-bin/gx.cgi/AppLogic+FT

ContentServer?pagename=FutureTense/Apps/Xcelerate/Render &c=Artic, WBX105.

"Open Market ShopSite 5.0", Retrieved on May 15, 2001 from:<URLhttp://www.openmarket.com/cgi-bin/gx.cgi/

AppLogic+FTCont- entServer?pagename=Future Tense/Apps, WBX 112.

Orfali, R. et al., "Essential Client/Server Survival Guide"-John Wiley and Sons—Set 1, 1994, WBX114.

Orfali, R. et al., "Essential Client/Server Survival Guide"-John Wiley and Sons—Set 2, 1994, WBX115.

Orfali, R.; Harkey, D.; Edwards, J., "Essential Client/Server Survival Guide" John Wiley and Sons, Sets 1-4, Jun. 16, 2005, WBX116. Orfali, R. et al., "Essential Client/Server Survival Guide"-John Wiley and Sons—Set 4, 1994, WBX117.

Pavlou, G. et al., "A Generic Management Information Base Browser", WBX119.

Peterson, L. et al., "Computer Networks, A Systems Approach", Morgan Kaufmann Publishers, Inc., 1996, pp. 472-507, WBX120. Pitkow, J. et al., "Using the Web as a Survey Tool: Results from the Second WWW User Survey", conducted 10/15& Nov. 1994, presented at 3rd Intl WWW Conference Apr. 10-14, 1995; WBX121. Netscape Unveils New Versions of Commercial Applications for Enhanced Integration with Corporate Databases, NetScape Press

Release, May 13, 1996, WBX122.
Raatikainen, K., "Database Access in Intelligent Networks", Proceedings of IFIP TC6 Workshop on Intelligent Networks, pp. 163-183, WBX123.

Radia, S. R. et al., "The Spring Object Model", Proceedings of the USENIX Conference on Object-Oriented Technologies, Monterey, CA, Jun. 1995, WBX124.

Rosenberry, et al., "OSF Distributed Computing Environment—Understanding DCE"—O'Reilly & Associates, Jun. 1993, WBX126. Rubin, C. "Wired: In the Bag", Jun. 1997, WBX127.

Schepp et al., "The Complete Guide to CompuServe: Chapter 12: Travel Services: See the World Today the Compuserve Way", 1990, pp. 409-437, McGraw Hill, WBX128.

Schmidt, D. et al., "Object-Oriented Components for High-Speed Network Programming", Predgs of USENIX Conference on Object-Oriented Technologies, Monterey, CA, Jun. 1995, WBX 129.

Siegel, J., "Common Object Services Specification vol. 1, Rev 1, First Edition", OMG Doc Jan. 1, 1994, Mar. 1, 1994, WBX130, WBX130A.

"Common Desktop Environment: Product Glossary", SunSoft, 1994-1995, WBX131.

"Common Desktop Environment: Applications Builder User's Guide", SunSoft, 1994-1995, WBX132.

"OpenStep Development Tools", SunSoft, 1996, WBX133A, WBX133B.

Porting NextStep 3.2/3.3 Applications to OpenStep on Solaris, Sunsoft, 1996, WBX134.

"Solstice X.500 Programming Reference", SunSoft, 1996, WBX135, A, B.

Tatters, W., "Navigating the Internet with Compuserve: Chapter 17: Business on the Net", 1995, pp. 352-374, Sams Publishing, WBX136.

Technical Staff, "The Conductor Financial Services Framework": Distributed Objects on the Internet, Block Financial Corporation White Paper, BFC Technology Center, Oct. 17, 1995WBX137.

Vogler, H. et al., "The Transaction Internet Protocol in Practice: Reliability for WWW Applications", IEEE 1999 Internet Workshop IWS99, (ISSN-0-7803-5925-9), Feb. 18, 1992, WBX146.

Weich, C., "Generic Containers for a Distributed Object Store", Pregs of the USENIX Conference (Jun. 1995) on Object-Oriented Technologies, Monterey, CA, May 18, 1995, WBX150.

"SmallTalk" Wikipedia SmallTalk http://www.objs.com/x3h7/smalltalk.htm and http://en.wikipedia.org/wiki/Smalltalk WBX151. Wollrath, A. et al., "Simple Activation for Distributed Objects", Proceedings of the USENIX Conference on Object-Oriented Technologies, Monterey, CA, Jun. 1995, WBX152.

USENIX, "Agenda of Proceedings of the USENIX Conference on Object-Oriented Technologies", Monterey, CA, Jun. 1995, WBX153.

"Common Desktop Environment: Desktop Kornshell User's Guide", Sun Microsystems, 1994-1995, WBX154.

"Common Desktop Environment: Help System Author's and Programmer's Guide", Sun Microsystems, 1994-1995, (Three parts) WBX155.

"Common Desktop Environment: Internationalization Programmer's Guide", Sun Microsystems, 1994-1995, WBX156.

"Common Desktop Environment: Tooltalk Messaging Overview", Sun Microsystems, 1994-1995, WBX157.

"Common Desktop Environment: Common StyleGuide and Certification CheckList", SunSoft, 1994-1995, WBX158, 158C.

"Common Desktop Environment: Programmer's Overview", SunSoft, 1994-1995, WBX159.

Developer's Guide to Internationalization, Sun Microsystems, 1994, WBX160.

"Dr. Gui's Gentle Guide to COM", http://www.microsoft,com/Com/news/drgui.asp [retrieved on May 22, 2001], Nov. 1, 1999, WBX161. "iPIN Company Info", http://www.ipin.com/01comp.html [retrieved on May 23, 2001], iPIN Interactive Transaction Services, Inc., 2000, WBX162.

"iPIN Home", http://www.ipin.com [retrieved on May 23, 2001], iPIN Interactive Transaction Services, Inc., 2000, WBX163.

"iPIN Service Options", http://www.ipin.com/02prod_service.html [retrieved on May 23, 2001], iPIN Interactive Transaction Services, Inc., 2000, WBX164.

Page 6

"iPIN Solutions", http://www.ipin.com/02prod_solution.html [retrieved on May 23, 2001], iPIN Interactive Transaction Services, Inc., 2000, WBX165.

"iPIN Partners", http://www.ipin.com/03part.html [retrieved on May 23, 2001], iPIN Interactive Transaction Services, Inc., 2000, WBX166.

"iPIN Technology", http://www.ipin.com/02prod_tech.html [retrieved on May 23, 2001], iPIN Interactive Transaction Services, Inc., 2000, WBX167.

NetScape Products: Open and Secure Internet Software, 1995, WBX168A.

NetScape Merchant System, Data Sheet 1995, WBX168B.

NetScape Internet Applications. Customer Showcase 1995, WBX168C.

NetScape Server API, 1995, WBX 168D.

NetScape Object-Oriented Pradigm of Server Configuration, 1995, WBX168E.

RSA: Verisign Redirection Information, Important Announcement 1995, WBX168F.

RSA: Verisign to Provide Digital IDs for Open Market's Secure WebServer, 1995, WBX168G.

Verisign Adds the Missing Component to Online Security Solutions 1995, WBX168H.

Hickman, K.E.B.; Netscape, "The SSL Protocol", 1995, WBX1681. NetScape iStore DataSheet, 1995, WBX168J.

Choudhury, A.K. et al., "Copyright Protection for Electronic Publishing over Computer Networks", 1995 IEEE Network, 9, May/Jun., vol. 3 pp. 12-20 (1995) WBX168L.

NSAPI Basics, (Chapter 1) http://developer.netscape.com/docs/manuals/enterprise/nsapi/svrop.htm [retrieved on May 22, 2001], 1997, WBX174.

"OpenStep User Interface Guidelines", SunSoft, 1996, WBX175. "OpenStep Programming Reference", SunSoft, 1996, (12 parts) WBX176.

"QuickStart to Using the Open Step Desktop", SunSoft, 1996, WBX177.

Rose, M. et al., "RFC 1065:Structure and Identification of Management Information for TCP/IP-based internets", Aug. 1, 1988, WBX178.

Stewart, B., RFC 1318: "Definition of Managed Objects for Parallel-printer-like Hardware Devices", Apr. 1, 1992, WBX179.

Rivest, R., "RFC 1321: The MD5 Message-Digest Algorithm", 1997, WBX180.

Solaris Common Desktop Envirnment: MOTIF Transition Guide, Sun Microsystems, 1997, WBX181.

Sun Microsystems, 1997, wBA161.

"Solaris Common Desktop Environment: Programmer's Guide",
Sun Microsystems, 1994-1995, WBX182.

"The iPin Approach", http://www.ipin.com/02prod.html, 2000, [retrieved on May 23, 2001], Interactive Transaction Services, Inc., WPN 183

Orfali, R. et al., "The Essential Distributed Objects Survival Guide"-Part1-1, John Wiley and Sons, 1996, WBX201.

Orfali, R. et al., "The Essential Distributed Objects Survival Guide"-Part1-2, John Wiley and Sons, 1996, WBX202.

Orfali, R. et al., "The Essential Distributed Objects Survival Guide"-Part1-3, John Wiley and Sons, 1996, WBX203.

Orfali, R. et al., "The Essential Distributed Objects Survival Guide"-Part2-1, John Wiley and Sons, 1996, WBX204.

Orfali, R. et al., "The Essential Distributed Objects Survival Guide"-Part2-2, John Wiley and Sons, 1996, WBX205.

Orfali, R. et al., "The Essential Distributed Objects Survival Guide"-Part2-3, John Wiley and Sons, 1996, WBX206.

Orfali, R. et al., "The Essential Distributed Objects Survival Guide"-Part3-1, John Wiley and Sons, 1996, WBX207.

Orfali, R. et al., "The Essential Distributed Objects Survival Guide"-Part3-2, John Wiley and Sons, 1996, WBX208.

Orfali, R. et al., "The Essential Distributed Objects Survival Guide"-Part3-3, John Wiley and Sons, 1996, WBX209.

Orfali, R. et al., "The Essential Distributed Objects Survival Guide"-Part4-1, John Wiley and Sons, 1996, WBX210.

Orfali, R. et al., "The Essential Distributed Objects Survival Guide"-Part4-2, John Wiley and Sons, 1996, WBX211. Orfali, R. et al., "The Essential Distributed Objects Survival Guide"-Part4-3, John Wiley and Sons, 1996, WBX212.

Orfali, R. et al., "The Essential Distributed Objects Survival Guide"-Part4-4, John Wiley and Sons, 1996, WBX213.

Broadvision, "Broadvision One-to-One: Programmer's Reference, Part 1" 1995, WBX214.

Broadvision, "Broadvision One-to-One: Programmer's Reference, Part 2" 1995, WBX215.

OMG, "The Common Object Request Broker: Architecture and Specification", CORBA v2.0_(NYC-#1655390-v1), Jul. 1995-1996, WBX216.

The Open Group, "Inter-domain Management: Specification Translation", 1997, WBX222.

The Open Group, "Inter-domain Management_Summary of Similarities and Differences", 1997, WBX223.

The Open Group, "Inter-domain Management_object models comparison", 1997, WBX224.

Miller, M., "Managing Internetworks with SNMP", 1993, pp. 138-139, M&T Books., '506 Inter Partes Re-examination Exhibit 12, Dec. 2008, WBX225.

Umar, A., "Distributed Computing: A Practical Synthesis", "Appendix B: Tutorial on TCP/IP Protocol Suite", (BellCore), 1993, WBX226.

Umar, A., "Distributed Computing: A Practical Synthesis", "Chapter
 Client-Server Systems and Application- Interconnectivity",
 (BellCore), 1993, WBX227.

SPERO, "Binary Gateway Interface-An API for Dynamically Extensible http Servers", Jul. 1, 1994, Retrieved on Apr. 5, 2009 from http://www.ibiblio.org/mdma-release/BGI-spec.txt, WBX228.

"Point, Click and Shop Never So Easy;The CheckFree Wallet",NewsHound,SJMercury News, PRNewswire,Apr. 10, 1995, Retrieved Apr. 5, 2009 from http://besser.tsoa.nyu.ed_ZZZ,WBX229.

DEC ObjBroker,1.0.9,Apr. 3, 1996,http://209.85.173.132/search?q=cache:c3iJxZca3aUJ:www.faqs.org/faqs/object-faq/part3/+DEC%27s+ObjectBroker+Service&cd=9&,hl=en&ct=clnk&g_ZZZ,WBX230.

Arunachalam , U.S. Appl. No. 11/980,185_Duty of Candor Rule 56 Disclosure, Feb. 11, 2009, WBX220.

Arunachalam, U.S. Appl. No. 11/980,185_Duty of Candor Rule 56 Disclosure, Mar. 4, 2009, WBX221.

NYC-#1579692-v1-WebXchange_—_March_3_DELL_Complaint.DOC, Mar. 3, 2008, WBX217.

NYC-#1579751-v1-WebXchange_—_March_3_Allstate_Complaint.DOC, Mar. 3, 2008, WBX218.

NYC-#1579947-v1-WebXchange_—_March_3_FedEx_Complaint.DOC, Mar. 3, 2008, WBX219.

"Easel Corporation Introduces Comprehensive Program", Mar. 13, 1995, Business Wire, http://209.85.173.132/search?q≔cache:McscjZC2srEJ:findarticles/mi_m0EIN/ is_1995_Marc_ZZZ, WBX231.

"Internet Information Commerce:The First Virtual", Jul. 1995,1st USENIX Wkshp:E-Commerce, NY Retrvd Apr. 9, 2009http://www.usenix.org/publications/library/proceedings/ec95/f_ZZZ,WBX232.

"O'Reilly Releases Website", WebView, EIT, May 12, 1995, V7: Issue 41, ISSN 1004-042X, Computer underground Digest, RtrvdApr. 5, 2009 http://cu-digest.org/CUDS7/cud74_ZZZ, WBX233.

"RSA And EIT Joint Venture", Terisa Systems, EIT and RSA: Secure HTTP, Jun. 13, 1994, Retrieved on Apr. 5, 2009 http://1997.webhistory.org/www.lists/www-talk.1994q2/0980.html, WBX234.

"CommerceNet The First Large-Scale Market Trial", EIT: CommerceNet, Aug. 3, 1994, Proc. May 1994, Ties That Bind conference, Rtrvd Apr. 5, 2009 http://internet.eser_ZZZ, WBX235.

Rubin, A., "IETF-Stockholm meeting" NetCheck: E-signatures, Aug. 5, 1995, pp. 1-2, CIPHER, Newsletter IEEE Computer Society's TC 8, http://www.ieee-security.org/Cipher/PastIssu_ZZZ, WBX236.

Open Market, "FastCGI:A High-Performance Web Server Interface", Apr. 1996, Retrieved on Apr. 5, 2009 http://www.fastcgi.com/devkit/doc/fastcgi-whitepaper/fastcgi.htm, WBX 237.

Page 7

Sun Microsystems, "HotJava", Wikipedia, the free encyclopedia, Jun. 1995, Retrieved on Apr. 5, 2009 from http://en.wikipedia.org/wiki/HotJava, WBX238.

W3C Status Codes, HTRESP_html_w3_org, 1992 WBX239. Hewlett Packard, "HP Odapter/OpenODB", Jul. 1994, Retrieved on Apr. 5, 2009 from http://web.bilkent.edu.tr/Online/oofaq/oo-faq-S-8.13.0.5.html, WBX240.

Internet Shopping Network_ISN Business Newswire (1995) WBX241.

NCR Co-operative Frameworks 3, (1993) WBX242.

Distributed Objects Everywhere, NEO, Wikipedia (1996) WBX243. NetMarket (1996) WBX244.

Enterprise Object Netorks, Wikipedia (1996) WBX245. OMG Document No. 91_12_1 Revision 1_I (1997) WBX246. DigiCash Smartcards (1997) WBX247.

IBM System Object Model_SOM (1998) WBX248.

IBM System Object Model_SOM,DSOM (1998) WBX249.

Open Market StoreBuilder (1995) WBX250.

WebXpress Web StoreFront (1996) WBX251.

PNC, Industry.Net do eCommerce (1996) WBX252.

10KPowerShip, PowerPartner (1996) WBX253.

T. Berners Lee Hypertext Mark up Language RFC1866(1995) WBX 254.

E. Nebel RFC1867 (1995) WEBX255.

RFC1942 (1996) WEBX256.

J. Seidman RFC1980 (1996) WBX257.

HTML—Wikipedia, the free encyclopedia—Notepad (1998) WBX258.

Berners-Lee, T., RFC 1630, "Universal Resource Identifiers in WWW", Network Working Group, CERN, Jun. 1994 WBX259. Object Broker Service Middleware Sourcebook (1995) WBX260. WBXexecsummary4809new2bizplan[1] (2009) WBX268. Kramer, Douglas Java Whitepaper May 1996, WBX500.

* cited by examiner

U.S. Patent

Jan. 31, 2012

Sheet 1 of 13

US 8,108,492 B2





FIG. 1A (PRIOR ART)

U.S. Patent Jan. 31, 2012 Sheet 2 of 13 US 8,108,492 B2




U.S. Patent

Jan. 31, 2012

Sheet 3 of 13

US 8,108,492 B2



U.S. Patent Jan. 31, 2012

Sheet 4 of 13

US 8,108,492 B2




APPLICATION	
	<u>307</u>
PRESENTATION	
	<u>306</u>
SESSION	
	<u>305</u>
TRANSPORT	
	<u>304</u>
NETWORK	
	<u>303</u>
DATA LINK	
	<u>302</u>
PHYSICAL	
	<u>301</u>

U.S. Patent

Jan. 31, 2012

Sheet 5 of 13

US 8,108,492 B2



U.S. Patent

Jan. 31, 2012

Sheet 6 of 13

US 8,108,492 B2




FIG. 5A




FIG. 5B

U.S. Patent Jan. 31, 2012

Sheet 7 of 13

US 8,108,492 B2





FIG. 5C



U.S. Patent Jan. 31, 2012

Sheet 9 of 13

US 8,108,492 B2





FIG. 5E

Jan. 31, 2012

Sheet 10 of 13

US 8,108,492 B2



Jan. 31, 2012 Sheet 11 of 13

US 8,108,492 B2




FIG. 6B

U.S. Patent Jan. 31, 2012

Sheet 12 of 13

US 8,108,492 B2




FIG. 7

Jan. 31, 2012

Sheet 13 of 13

US 8,108,492 B2




FIG. 8

WEB APPLICATION NETWORK PORTAL

CROSS-REFERENCE TO RELATED APPLICATIONS

This application is a divisional and claims the priority benefit of U.S. patent application Ser. No. 11/980,185 filed Oct. 30, 2007 now U.S. Pat. No. 8,037,158, which is a continuation-in-part of U.S. patent application Ser. No. 09/792, 323, now U.S. Pat. No. 7,340,506, filed Feb. 23, 2001, which 10 is a divisional of U.S. patent application Ser. No. 09/296,207, filed Apr. 21, 1999, now U.S. Pat. No. 6,212,556, which is a continuation-in-part of U.S. patent application Ser. No. 08/879,958, now U.S. Pat. No. 5,987,500, filed Jun. 20, 1997, which is a divisional and claims the priority benefit of U.S. 15 patent application Ser. No. 08/700,726, now U.S. Pat. No. 5,778,178, filed Aug. 5, 1996, which claims the priority benefit of U.S. provisional application 60/006,634 filed Nov. 13, 1995. This application also claims benefit under 35 U.S.C. 119(e) to U.S. Provisional application Ser. No. 60/006,634 20 filed Nov. 13, 1995. The following applications are related applications: application Ser. Nos. 09/863,704; 12/628,066; 12/628,068; 12/628,069, 12/932,758 and 60/206,422.

BACKGROUND

1. Field of the Invention

The present invention relates to the area of Internet communications. Specifically, the present invention relates to a method and apparatus for configurable value-added network 30 switching and object routing.

2. Background of the Invention

With the Internet and the World Wide Web ("the Web") evolving rapidly as a viable consumer medium for electronic commerce, new on-line services are emerging to fill the needs 35 of on-line users. An Internet user today can browse on the Web via the use of a Web browser. Web browsers are software interfaces that run on Web clients to allow access to Web servers via a simple user interface. A Web user's capabilities today from a Web browser are, however, extremely limited. 40 The user can perform one-way, browse-only interactions. Additionally, the user has limited "deferred" transactional capabilities, namely electronic mail (e-mail) capabilities. E-mail capabilities are referred to as "deferred transactions" because the consumer's request is not processed until the 45 e-mail is received, read, and the person or system reading the e-mail executes the transaction. This transaction is thus not performed in real-time.

FIG. 1A illustrates typical user interactions on the Web the form of a universal resource locator (URL) 101 in the following manner: http://www.car.com. URL 101 is processed by Web browser 102 that determines the URL corresponds to car dealer Web page 105, on car dealer Web server 104. Web browser 102 then establishes browse link 103 to car 55 dealer Web page 105. User 100 can browse Web page 105 and select "hot links" to jump to other locations in Web page 105, or to move to other Web pages on the Web. This interaction is typically a browse-only interaction. Under limited circumstances, the user may be able to fill out a form on car dealer 60 Web page 105, and e-mail the form to car dealer Web server 104. This interaction is still strictly a one-way browse mode communications link, with the e-mail providing limited, deferred transactional capabilities.

Under limited circumstances, a user may have access to 65 two-way services on the Web via Common Gateway Interface (CGI) applications. CGI is a standard interface for running

2

external programs on a Web server. It allows Web servers to create documents dynamically when the server receives a request from the Web browser. When the Web server receives a request for a document, the Web server dynamically executes the appropriate CGI script and transmits the output of the execution back to the requesting Web browser. This interaction can thus be termed a "two-way" transaction. It is a severely limited transaction, however, because each CGI application is customized for a particular type of application or service.

For example, as illustrated in FIG. 1B, user 100 may access bank 150's Web server and attempt to perform transactions on checking account 152 and to make a payment on loan account 154. In order for user 100 to access checking account 152 and loan account 154 on the Web, CGI application scripts must be created for each account, as illustrated in FIG. 1B. The bank thus has to create individual scripts for each of its services to offer users access to these services. User 100 can then interact in a limited fashion with these individual applications. Creating and managing individual CGI scripts for each service is not a viable solution for merchants with a large number of services.

As the Web expands and electronic commerce becomes 25 more desirable, the need increases for robust, real-time, bidirectional transactional capabilities on the Web. A true realtime, bi-directional transaction would allow a user to connect to a variety of services on the Web, and perform real-time transactions on those services. For example, although user 100 can browse car dealer Web page 105 today, the user cannot purchase the car, negotiate a car loan or perform other types of real-time, two-way transactions that he can perform with a live salesperson at the car dealership. Ideally, user 100 in FIG. 1A would be able to access car dealer Web page 105, select specific transactions that he desires to perform, such as purchase a car, and perform the purchase in real-time, with two-way interaction capabilities. CGI applications provide user 100 with a limited ability for two-way interaction with car dealer Web page 105, but due to the lack of interaction and management between the car dealer and the bank, he will not be able to obtain a loan and complete the purchase of the car via a CGI application. The ability to complete robust realtime, two-way transactions is thus not truly available on the Web today.

SUMMARY OF THE INVENTION

It is therefore an object of the present invention to provide today. User 100 sends out a request from Web browser 102 in 50 a method and apparatus for providing real-time, two-way transactional capabilities on the Web. Specifically, one embodiment of the present invention discloses a configurable value-added network switch for enabling real-time transactions on the World Wide Web. The configurable value added network switch comprises means for switching to a transactional application in response to a user specification from a World Wide Web application, means for transmitting a transaction request from the transactional application, and means for processing the transaction request.

According to another aspect of the present invention, a method and apparatus for enabling object routing on the World Wide Web is disclosed. The method for enabling object routing comprises the steps of creating a virtual information store containing information entries and attributes, associating each of the information entries and the attributes with an object identity, and assigning a unique network address to each of the object identities.

3

Other objects, features and advantages of the present invention will be apparent from the accompanying drawings and from the detailed description.

BRIEF DESCRIPTION OF THE DRAWINGS

The features and advantages of the present invention will be apparent from the accompanying drawings and from the detailed description of the present invention as set forth below.

FIG. 1A is an illustration of a current user's browse capabilities on the Web via a Web browser.

FIG. 1B is an illustration of a current user's capabilities to perform limited transactions on the Web via CGI applications.

FIG. 2 illustrates a typical computer system on which the present invention may be utilized.

FIG. 3 illustrates the Open Systems Interconnection (OSI)
Model.

FIG. 4A illustrates conceptually the user value chain as it exists today.

FIG. 4B illustrates one embodiment of the present invention.

FIG. 5A illustrates a user accessing a Web server including 25 one embodiment of the present invention.

FIG. 5B illustrates the exchange component according to one embodiment of the present invention.

FIG. 5C illustrates an example of a point-of-service (POSvc) application list.

FIG. 5D illustrates a user selecting a bank POSvc application from the POSvc application list.

FIG. 5E illustrates a three-way transaction according to one embodiment of the present invention.

FIG. 6A illustrates a value-added network (VAN) switch. 35

FIG. 6B illustrates the hierarchical addressing tree structure of the networked objects in DOLSIBs.

FIG. 7 illustrates conceptually the layered architecture of a VAN switch.

FIG. 8 is a flow diagram illustrating one embodiment of the 40 present invention.

DETAILED DESCRIPTION

The present invention relates to a method and apparatus for 45 configurable value-added network switching and object routing and management. "Web browser" as used in the context of the present specification includes conventional Web browsers such as NCSA Mosaic™ from NCSA and Netscape Mosaic™ from Netscape™. The present invention is independent of the Web browser being utilized and the user can use any Web browser, without modifications to the Web browser. In the following detailed description, numerous specific details are set forth in order to provide a thorough understanding of the present invention. It will be apparent to one of 55 ordinary skill in the art, however, that these specific details need not be used to practice the present invention. In other instances, well-known structures, interfaces and processes have not been shown in detail in order not to unnecessarily obscure the present invention.

FIG. 2 illustrates a typical computer system 200 in which the present invention operates. The preferred embodiment of the present invention is implemented on an IBMTM Personal Computer manufactured by IBM Corporation of Armonk, N.Y. Alternate embodiments may be implemented on a 65 MacintoshTM computer manufactured by AppleTM Computer, Incorporated of Cupertino, Calif. It will be apparent to those

4

of ordinary skill in the art that other alternative computer system architectures may also be employed.

In general, such computer systems as illustrated by FIG. 2 comprise a bus 201 for communicating information, a processor 202 coupled with the bus 201 for processing information, main memory 203 coupled with the bus 201 for storing information and instructions for the processor 202, a readonly memory 204 coupled with the bus 201 for storing static information and instructions for the processor 202, a display device 205 coupled with the bus 201 for displaying information for a computer user, an input device 206 coupled with the bus 201 for communicating information and command selections to the processor 202, and a mass storage device 207, such as a magnetic disk and associated disk drive, coupled with the bus 201 for storing information and instructions. A data storage medium 208 containing digital information is configured to operate with mass storage device 207 to allow processor 202 access to the digital information on data storage medium 208 via bus 201.

Processor 202 may be any of a wide variety of general purpose processors or microprocessors such as the PentiumTM microprocessor manufactured by IntelTM Corporation or the Motorola™ 68040 or Power PC™ brand microprocessor manufactured by manufactured by MotorolaTM Corporation. It will be apparent to those of ordinary skill in the art, however, that other varieties of processors may also be used in a particular computer system. Display device 205 may be a liquid crystal device, cathode ray tube (CRT), or other suitable display device. Mass storage device 207 may be a conventional hard disk drive, floppy disk drive, CD-ROM drive, or other magnetic or optical data storage device for reading and writing information stored on a hard disk, a floppy disk, a CD-ROM a magnetic tape, or other magnetic or optical data storage medium. Data storage medium 208 may be a hard disk, a floppy disk, a CD-ROM, a magnetic tape, or other magnetic or optical data storage medium.

In general, processor 202 retrieves processing instructions and data from a data storage medium 208 using mass storage device 207 and downloads this information into random access memory 203 for execution. Processor 202, then executes an instruction stream from random access memory 203 or read-only memory 204. Command selections and information input at input device 206 are used to direct the flow of instructions executed by processor 202. Equivalent input device 206 may also be a pointing device such as a conventional mouse or trackball device. The results of this processing execution are then displayed on display device 205.

The preferred embodiment of the present invention is implemented as a software module, which may be executed on a computer system such as computer system 200 in a conventional manner. Using well known techniques, the application software of the preferred embodiment is stored on data storage medium 208 and subsequently loaded into and executed within computer system 200. Once initiated, the software of the preferred embodiment operates in the manner described below.

FIG. 3 illustrates the Open Systems Interconnection (OSI) reference model. OSI Model 300 is an international standard that provides a common basis for the coordination of standards development, for the purpose of systems interconnection. The present invention is implemented to function as a routing switch within the "application layer" of the OSI model. The model defines seven layers, with each layer communicating with its peer layer in another node through the use of a protocol. Physical layer 301 is the lowest layer, with responsibility to transmit unstructured bits across a link. Data

link layer 302 is the next layer above physical layer 301. Data link layer 302 transmits chunks across the link and deals with problems like checksumming to detect data corruption, orderly coordination of the use of shared media and addressing when multiple systems are reachable. Network bridges operate within data link layer 302.

Network layer 303 enables any pair of systems in the network to communicate with each other. Network layer 303 contains hardware units such as routers that handle routing, packet fragmentation and reassembly of packets. Transport 10 layer 304 establishes a reliable communication stream between a pair of systems, dealing with errors such as lost packets, duplicate packets, packet reordering and fragmentation. Session layer 305 offers services above the simple communication stream provided by transport layer 304. These 15 services include dialog control and chaining. Presentation layer 306 provides a means by which OSI compliant applications can agree on representations for data. Finally, application layer 307 includes services such as file transfer, access and management services (FTAM), electronic mail and vir- 20 tual terminal (VT) services. Application layer 307 provides a means for application programs to access the OSI environment. As described above, the present invention is implemented to function as a routing switch in application layer 307. Application layer routing creates an open channel for the 25 management, and the selective flow of data from remote databases on a network.

A. Overview

FIG. 4A illustrates conceptually the user value chain as it exists today. The user value chain in FIG. 4A depicts the types 30 of transactions that are performed today, and the channels through which the transactions are performed. A "transaction" for the purposes of the present invention includes any type of commercial or other type of interaction that a user may want to perform. Examples of transactions include a deposit 35 into a bank account, a request for a loan from a bank, a purchase of a car from a car dealership or a purchase of a car with financing from a bank. A large variety of other transactions are also possible.

A typical user transaction today may involve user 100 walking into a bank or driving up to a teller machine, and interacting with a live bank teller, or automated teller machine (ATM) software applications. Alternatively, user 100 can perform the same transaction by using a personal computer (PC), activating application software on his PC to access his bank 45 account, and dialing into the bank via a modem line. If user 100 is a Web user, however, there is no current mechanism for performing a robust, real-time transaction with the bank, as illustrated in FIG. 4A. CGI scripts provide only limited twoway capabilities, as described above. Thus, due to this lack of 50 a robust mechanism by which real-time Web transactions can be performed, the bank is unable to be a true "Web merchant," namely a merchant capable of providing complete transactional services on the Web.

According to one embodiment of the present invention, as 55 illustrated in FIG. 4B, each merchant that desires to be a Web merchant can provide real-time transactional capabilities to users who desire to access the merchants' services via the Web. This embodiment includes a service network running on top of a facilities network, namely the Internet, the Web or 60 e-mail networks. For the purposes of this application, users are described as utilizing PC's to access the Web via Web server "switching" sites. (Switching is described in more detail below). Users may also utilize other personal devices such as network computers or cellular devices to access the merchants' services via appropriate switching sites. These switching sites include non-Web network computer sites and

cellular provider sites. Five components interact to provide this service network functionality, namely an exchange, an operator agent, a management agent, a management manager and a graphical user interface. All five components are described in more detail below.

As illustrated in FIG. 5A, user 100 accesses Web server 104. Having accessed Web server 104, user 100 can decide that he desires to perform real-time transactions. When Web server 104 receives user 100's indication that he desires to perform real-time transactions, the request is handed over to an exchange component. Thus, from Web page 105, for example, user 100 can select button 500, entitled "Transactions" and Web server 104 hands user 100's request over to the exchange component. The button and the title can be replaced by any mechanism that can instruct a Web server to hand over the consumer's request to the exchange component.

FIG. 5B illustrates exchange 501. Exchange 501 comprises Web page 505 and point-of-service (POSvc) applications 510. Exchange 501 also conceptually includes a switching component and an object routing component (described in more detail below). POSvc applications 510 are transactional applications, namely applications that are designed to incorporate and take advantage of the capabilities provided by the present invention. Although exchange 501 is depicted as residing on Web server 104, the exchange can also reside on a separate computer system that resides on the Internet and has an Internet address. Exchange 501 may also include operator agent 503 that interacts with a management manager (described in more detail below). Exchange 501 creates and allows for the management (or distributed control) of a service network, operating within the boundaries of an IP-based facilities network. Thus, exchange 501 and a management agent component, described in more detail below, under the headings "VAN Switch and Object Routing," together perform the switching, object routing, application and service management functions according to one embodiment of the present invention.

Exchange 501 processes the consumer's request and displays an exchange Web page 505 that includes a list of POSvc applications 510 accessible by exchange 501. A POSvc application is an application that can execute the type of transaction that the user may be interested in performing. The POSvc list is displayed via the graphical user interface component. One embodiment of the present invention supports Hyper-Text Markup Language as the graphical user interface component. Virtual Reality Markup Language and JavaTM are also supported by this embodiment. A variety of other graphical user interface standards can also be utilized to implement the graphical user interface.

An example of a POSvc application list is illustrated in FIG. 5C. User 100 can thus select from POSvc applications Bank 510(1), Car Dealer 510(2) or Pizzeria 510(3). Numerous other POSvc applications can also be included in this selection. If user 100 desires to perform a number of banking transactions, and selects the Bank application, a Bank POSvc application will be activated and presented to user 100, as illustrated in FIG. 5D. For the purposes of illustration, exchange 501 in FIG. 5D is shown as running on a different computer system (Web server 104) from the computer systems of the Web merchants running POSvc applications (computer system 200). Exchange 501 may, however, also be on the same computer system as one or more of the computer systems of the Web merchants.

Once Bank POSvc application 510 has been activated, user 100 will be able to connect to Bank services and utilize the application to perform banking transactions, thus accessing

data from a host or data repository 575 in the Bank "Back Office." The Bank Back Office comprises legacy databases and other data repositories that are utilized by the Bank to store its data. This connection between user 100 and Bank services is managed by exchange 501. As illustrated in FIG. 5D, once the connection is made between Bank POSvc application 510(1), for example, and Bank services, an operator agent on Web server 104 may be activated to ensure the availability of distributed functions and capabilities.

Each Web merchant may choose the types of services that 10 it would like to offer its clients. In this example, if Bank decided to include in their POSvc application access to checking and savings accounts, user 100 will be able to perform real-time transactions against his checking and savings accounts. Thus, if user 100 moves \$500 from his checking 15 account into his savings account, the transaction will be performed in real-time, in the same manner the transaction would have been performed by a live teller at the bank or an ATM machine. Therefore, unlike his prior access to his account, user 100 now has the capability to do more than 20 browse his bank account. The ability to perform these types of robust, real-time transactions from a Web client is a significant aspect of the present invention.

Bank can also decide to provide other types of services in POSvc application 510(1). For example, Bank may agree 25 with Car dealership to allow Bank customers to purchase a car from that dealer, request a car loan from Bank, and have the entire transaction performed on the Web, as illustrated in FIG. 5E. In this instance, the transactions are not merely two-way, between the user and Bank, but three-way, amongst the consumer, Bank and Car dealership. According to one aspect of the present invention, this three-way transaction can be expanded to n-way transactions, where n represents a predetermined number of merchants or other service providers who have agreed to cooperate to provide services to users. The 35 present invention therefore allows for "any-to-any" communication and transactions on the Web, thus facilitating a large, flexible variety of robust, real-time transactions on the Web.

Finally, Bank may also decide to provide intra-merchant or intra-bank services, together with the inter-merchant services described above. For example, if Bank creates a POSvc application for use by the Bank Payroll department, Bank may provide its own employees with a means for submitting time-cards for payroll processing by the Bank's Human Resources (HR) Department. An employee selects the Bank HR POSvc 45 application, and submits his timecard. The employee's time-card is processed by accessing the employee's payroll information, stored in the Bank's Back Office. The transaction is thus processed in real-time, and the employee receives his paycheck immediately.

B. Van Switching and Object Routing

As described above, exchange 501 and management agent 601, illustrated in FIG. 6A, together constitute a value-added network (VAN) switch. These two elements may take on different roles as necessary, including peer-to-peer, client-server or master-slave roles. Management manager 603 is illustrated as residing on a separate computer system on the Internet. Management manager 603 can, however, also reside on the same machine as exchange 501. Management manager 603 interacts with the operator agent 503 residing on 60 exchange 501.

VAN switch 520 provides multi-protocol object routing, depending upon the specific VAN services chosen. This multi-protocol object routing is provided via a proprietary protocol, TransWeb™ Management Protocol (TMP). TMP incorporates the same security features as the traditional Simple Network Management Protocol, SNMP. It also allows

for the integration of other traditional security mechanisms, including RSA security mechanisms.

One embodiment of the present invention utilizes TMP and distributed on-line service information bases (DOLSIBs) to perform object routing. Alternatively, TMP can incorporate s-HTTP, JavaTM, the WinSock API or ORB with DOLSIBs to perform object routing. DOLSIBs are virtual information stores optimized for networking. All information entries and attributes in a DOLSIB virtual information store are associated with a networked object identity. The networked object identity identifies the information entries and attributes in the DOLSIB as individual networked objects, and each networked object is assigned an Internet address. The Internet address is assigned based on the IP address of the node at which the networked object resides.

For example, in FIG. 5A, Web server 104 is a node on the Internet, with an IP address. All networked object associated with Web server 104 will therefore be assigned an Internet address based on the Web server 104's IP address. These networked objects thus "branch" from the node, creating a hierarchical tree structure. The Internet address for each networked object in the tree essentially establishes the individual object as an "IP-reachable" or accessible node on the Internet. TMP utilizes this Internet address to uniquely identify and access the object from the DOLSIB. FIG. 6B illustrates an example of this hierarchical addressing tree structure.

Each object in the DOLSIB has a name, a syntax and an encoding. The name is an administratively assigned object ID specifying an object type. The object type together with the object instance serves to uniquely identify a specific instantiation of the object. For example, if object 610 is information about models of cars, then one instance of that object would provide user 100 with information about a specific model of the car while another instance would provide information about a different model of the car. The syntax of an object type defines the abstract data structure corresponding to that object type. Encoding of objects defines how the object is represented by the object type syntax while being transmitted over the network.

C. Management and Administration

As described above, exchange 501 and management agent 601 together constitute a VAN switch. FIG. 7 illustrates conceptually the layered architecture of VAN switch 520. Specifically, boundary service 701 provides the interfaces between VAN switch 520, the Internet and the Web, and multi-media end user devices such as PCs, televisions or telephones. Boundary service 701 also provides the interface to the on-line service provider. A user can connect to a local application, namely one accessible via a local VAN switch, or be routed or "switched" to an application accessible via a remote VAN switch.

Switching service 702 is an OSI application layer switch. Switching service 702 thus represents the core of the VAN switch. It performs a number of tasks including the routing of user connections to remote VAN switches, described in the paragraph above, multiplexing and prioritization of requests, and flow control. Switching service 702 also facilitates open systems' connectivity with both the Internet (a public switched network) and private networks including back office networks, such as banking networks. Interconnected application layer switches form the application network backbone. These switches are one significant aspect of the present invention.

Management service 703 contains tools such as Information Management Services (IMS) and application Network Management Services (NMS). These tools are used by the end users to manage network resources, including VAN

switches. Management service 703 also provides applications that perform Operations, Administration, Maintenance & Provisioning (OAM&P) functions. These OAM&P functions include security management, fault management, configuration management, performance management and bill- 5 ing management. Providing OAM&P functions for applications in this manner is another significant aspect of the present invention.

Finally, application service 704 contains application programs that deliver customer services. Application service 704 10 includes POSvc applications such as Bank POSvc described above, and illustrated in FIG. 6A. Other examples of VAN services include multi-media messaging, archival/retrieval management, directory services, data staging, conferencing, financial services, home banking, risk management and a 15 variety of other vertical services. Each VAN service is designed to meet a particular set of requirements related to performance, reliability, maintenance and ability to handle expected traffic volume. Depending on the type of service, the characteristics of the network elements will differ. VAN ser- 20 vice 704 provides a number of functions including communications services for both management and end users of the network and control for the user over the user's environment.

FIG. 8 is a flow diagram illustrating one embodiment of the present invention. A user connects to a Web server running an 25 exchange component in step 802. In step 804, the user issues a request for a transactional application, and the web server hands off the request to an exchange in step 806. The exchange activates a graphical user interface to present user with a list of POSvc application options in step 808. In step 30 810, the user makes a selection from the POSvc application list. In step 812, the switching component in the exchange switches the user to the selected POSvc application, and in step 814, the object routing component executes the user's request. Data is retrieved from the appropriate data repository 35 via TMP in step 816, and finally, the user may optionally continue the transaction in step 818 or end the transaction.

Thus, a configurable value-added network switching and object routing method and apparatus is disclosed. These speillustrative of the principles of the present invention. Numerous modifications in form and detail may be made by those of ordinary skill in the art without departing from the scope of the present invention. Although this invention has been shown in relation to a particular preferred embodiment, it should not 45 be considered so limited. Rather, the present invention is limited only by the scope of the appended claims.

What is claimed is:

- 1. A system, comprising:
- a Web server, including a processor and a memory, for offering one or more Web applications as respective point-of-service applications in a point-of-service application list on a Web page;
- each Web application of the one or more Web applications 55 for requesting a real-time Web transaction;
- a value-added network (VAN) switch running on top of a facilities network selected from a group consisting of the World Wide Web, the Internet and an e-mail network, the VAN switch for enabling the real-time Web transactions 60 from the one or more Web applications;
- a service network running on top of the facilities network for connecting through the Web server to a back-end transactional application; and
- a computer system executing the Back-end transactional 65 application for processing the transaction request in real-time.

- 2. The system of claim 1, wherein the VAN switch is an application layer switch in the application layer of the OSI model.
- 3. The system of claim 1, wherein the VAN switch enables the switching to Web merchant services in response to a Web server's receipt of a selection of one of the point-of-service Web applications corresponding to the Web merchant services from the point-of-service application list on the Web
- 4. The system of claim 1, wherein each Web merchant service includes one of the one or more Web applications offered as a VAN service, utilizing the VAN switch.
- 5. The system of claim 1, wherein each Web application of the one or more Web applications is a value-added network (VAN) service or online service atop the Web, utilizing the VAN switch.
- 6. The system of claim 1, wherein the service network includes the one or more Web applications and wherein the service network manages the flow of real-time Web transactions from the one or more Web applications and includes the
- 7. The system of claim 1, wherein the Web server is configured to receive a Web transaction request and wherein the Web transaction request is a request to perform one of the real-time Web transactions from one of the one or more Web applications, utilizing the VAN switch.
 - 8. The system of claim 1, further comprising:
 - a computer system executing a back-end transactional application for processing the transaction request in real-time, wherein said computer system includes a data repository, wherein the data repository is a data repository to store banking data, and wherein retrieving data includes retrieving banking data to complete a real-time Web banking transaction as one of the real-time Web transactions from a banking Web application as one of the one or more Web applications.
- 9. The system of claim 1, further comprising the one or cific arrangements and methods described herein are merely 40 more Web applications offered as software-as-a-service atop
 - 10. A method for performing real-time Web transactions from a Web application, comprising:
 - receiving a request at a Web server, including a processor and a memory, for a real-time Web transaction from a Web application on a Web page, wherein the Web server is configured to hand over the request to a Value Added Network (VAN) switch;
 - offering a plurality of Web applications including the Web application on a Web page, upon receipt from a Web server a selection of the Web application from the offered Web applications, the Web application corresponding to a respective back-end transactional application, wherein the back-end transactional application is an application running at the back-office server of one or more Web merchants or at the back-end;
 - receiving a request for Web merchant services upon receipt by a Web server a selection of the Web application, wherein the request for Web merchant services is a request to connect to the selected back-end transactional application to perform an interactive real-time Web transaction from the Web application, wherein the transactional application is an on-line service provided by one or more Web merchants or the back-end;
 - switching utilizing the VAN switch to the back-end transactional application in response to receiving the request from the Web server;

11

- providing distributed control of a service network, operating within the boundaries of an IP-based facilities network;
- connecting to specified ones of the Web merchant services or to back-end services, wherein the connection to the Web merchant services or back-end transactional services is managed;
- accessing data from a host or data repository coupled to the back office server of one or more Web merchants or to the back-end transactional application, wherein the back office server or back-end is coupled to legacy databases and other data repositories that are utilized by the one or more of the Web merchants or the back-end transactional application to store data; and
- completing the real-time Web transactions from the Web $_{\ 15}$ application.
- 11. The method of claim 10, wherein the real-time Web transactions are Web transactions from the Web application accessing a value-added network service.
- 12. A computer-implemented system, operated by a business entity comprising:
 - a Web application network portal, wherein the portal includes memory and a processor and one or more Web applications offered respectively by one or more Web merchants or other service providers, or by multiple sub-entities of the business entity who have agreed to cooperate to provide on-line Value Added Network (VAN) services atop the Web for access by employees of the business entity;

12

- a list of one or more point-of-service employee Web applications on a Web page offered by the business entity that operates the portal, said portal allowing access to the one or more point-of-service applications on the Web page from said list, and wherein the portal offers the one or more point-of-service applications as on-line services on the Web page, and further wherein the portal is operated by the business entity over a service network running on top of a facilities network, the facilities network being selected from a group consisting of: the World Wide Web, the Internet and email networks, said service network including a VAN Switch;
- one or more back-end transactional applications running at one or more back-end host computers, corresponding, respectively to the one or more point-of-service applications accessed, to complete a real-time Web transaction from the Web application on the Web page.
- 13. The portal of claim 12, wherein the one or more Web applications include a plurality of point-of-service applications on the Web page, wherein the business entity and the sub-entities offer Web applications which are selected from a group consisting of payroll Web applications, human resources Web applications, expense report Web applications, time card Web applications, travel Web applications, vacation Web applications, financial Web applications and sales commission Web applications.

* * * * *



United States Patent [19]

Arunachalam

[11] Patent Number:

5,987,500

[45] Date of Patent:

*Nov. 16, 1999

[54] VALUE-ADDED NETWORK SYSTEM FOR ENABLING REAL-TIME, BY-DIRECTIONAL TRANSACTIONS ON A NETWORK

[75] Inventor: Lakshmi Arunachalam, Menlo Park,

Calif.

[73] Assignee: Pi-Net International, Inc., Menlo Park,

Calif.

[*] Notice: This patent issued on a continued pros-

ecution application filed under 37 CFR 1.53(d), and is subject to the twenty year patent term provisions of 35 U.S.C.

154(a)(2).

[21] Appl. No.: 08/879,958

[22] Filed: Jun. 20, 1997

Related U.S. Application Data

[62] Division of application No. 08/700,726, Aug. 5, 1996, Pat. No. 5,778,178

[60] Provisional application No. 60/006,634, Nov. 13, 1995.

 [56] References Cited PUBLICATIONS

"Coding with HTML forms: HTML goes interactive", Andrew Davidson, Dr. Dobb's Journal, V20, N6, Jun. 1995, p. 16

Primary Examiner-Robert B. Harrell

Attorney, Agent, or Firm—Blakely, Sokoloff, Taylor & Zafman LLP

[57]

ABSTRACT

The present invention provides a method and apparatus for providing real-time, two-way transactional capabilities on the Web. Specifically, one embodiment of the present invention discloses a configurable value-added network switch for enabling real-time transactions on the World Wide Web. The configurable value added network switch comprises a system for switching to a transactional application in response to a user specification from a World Wide Web application, a system means for transmitting a transaction request from the transactional application, and a system for processing the transaction request. Additionally, a method for enabling object routing is disclosed, comprising the steps of creating a virtual information store containing information entries and attributes associating each of the information entries and the attributes with an object identity, and assigning a unique network address to each of the object identities. Finally, a method is disclosed for enabling service management of the value-added network service, to perform OAM&P functions on the services network.

35 Claims, 13 Drawing Sheets




Exhibit B

Nov. 16, 1999

Sheet 1 of 13

5,987,500





FIG. 1A (PRIOR ART)



U.S. Patent 5,987,500 Nov. 16, 1999 Sheet 3 of 13 **500** 207 201 202 204 **PROCESSOR** READ ONLY MEMORY BUS 203 MAIN MEMORY ALPHANUMERIC INPUT DEVICE 205 DISPLAY DEVICE

Nov. 16, 1999

Sheet 4 of 13

5,987,500

OSI MODEL 300

APPLICATION <u>307</u> **PRESENTATION** <u>306</u> **SESSION** <u>305</u> **TRANSPORT** <u>304</u> **NETWORK** <u>303</u> **DATA LINK** <u>302</u> **PHYSICAL** <u>301</u>

FIG. 3

Nov. 16, 1999

Sheet 5 of 13

5,987,500

	/	/	_	USER 100	\	\		•				USER 100	\	\		.
	INTERNET CARRIERS PROVIDERS • TELCO • WIRELESS • CATV						CARRIERS	• TELCO	• CATV							
			SERVICE PROVIDERS			WALK-IN				INTERNET	PROVIDERS	-UP		MAN K-IN		
	WEB SITE • WEB SERVER	• 0/S • HARDWARE		DIAL-UP						WEB SITE • WEB SERVER	• O/S • HARDWARE	DIAL-UP				
SERVICE CHANNELS				• CALL CTR • IVR • PC	>	• KIOSK	• AIM • CASH REGISTER • LIVE TELLER		SERVICE	TRANSWEB EXCHANGE	• WEB PAGE • POS APPS	• CALL CTR • IVR)	• KIOSK	• CASH REGISTER • LIVE TELLER	*
BACK OFFICE	MIDDLEWARE	MIDDLEWARE	בייייייייייייייייייייייייייייייייייייי	4GL APPLICATIONS	OPFRATING	SYSTEM	HARDWARE	. 4A	BACK OFFICE	MIDDLEWARE	MIDDI EWARE APPLICATIONS	4GL APPLICATIONS	OPERATING	SYSTEM	HARDWARE	. 4B
BA OFF	Ж		APPS			HARDWAHE		BA OFF	DATABASE		HOST TP APPS			HAKDWAHE	FIG	

U.S. Patent Nov. 16, 1999 Sheet 6 of 13 5,987,500




FIG. 5A




FIG. 5B

U.S. Patent Nov. 16, 1999 Sheet 7 of 13 5,987,500





FIG. 5C



Nov. 16, 1999

Sheet 9 of 13

5,987,500





FIG. 5E

Nov. 16, 1999

Sheet 10 of 13

5,987,500



U.S. Patent Nov. 16, 1999

1999 Sheet 11 of 13

5,987,500




FIG. 6B

U.S. Patent Nov. 16, 1999 Sheet 12 of 13 5,987,500





FIG. 7



5,987,500

VALUE-ADDED NETWORK SYSTEM FOR ENABLING REAL-TIME, BY-DIRECTIONAL TRANSACTIONS ON A NETWORK

RELATED APPLICATIONS

This is a divisional of application Ser. No. 08/700,726, filed Aug. 5, 1996, now U.S. Pat. No. 5,778,178.

FIELD OF THE INVENTION

The present invention relates to the area of Internet communications. Specifically, the present invention relates to a method and apparatus for configurable value-added network switching and object routing.

BACKGROUND OF THE INVENTION

With the Internet and the World Wide Web ("the Web") evolving rapidly as a viable consumer medium for electronic commerce, new on-line services are emerging to fill the needs of on-line users. An Internet user today can browse on the Web via the use of a Web browser. Web browsers are software interfaces that run on Web clients to allow access to Web servers via a simple user interface. A Web user's capabilities today from a Web browser are, however, extremely limited. The user can perform one-way, browseonly interactions. Additionally, the user has limited "deferred" transactional capabilities, namely electronic mail (e-mail) capabilities. E-mail capabilities are referred to as "deferred transactions" because the consumer's request is not processed until the e-mail is received, read, and the person or system reading the e-mail executes the transaction. This transaction is thus not performed in real-time.

FIG. 1A illustrates typical user interactions on the Web today. User 100 sends out a request from Web browser 102 in the form of a universal resource locator (URL) 101 in the following manner: http://www.car.com. URL 101 is processed by Web browser 102 that determines the URL corresponds to car dealer Web page 105, on car dealer Web server 104. Web browser 102 then establishes browse link 103 to car dealer Web page 105. User 100 can browse Web page 105 and select "hot links" to jump to other locations in Web page 105, or to move to other Web pages on the Web. This interaction is typically a browse-only interaction. Under limited circumstances, the user may be able to fill out 45 a form on car dealer Web page 105, and e-mail the form to car dealer Web server 104. This interaction is still strictly a one-way browse mode communications link, with the e-mail providing limited, deferred transactional capabilities.

Under limited circumstances, a user may have access to two-way services on the Web via Common Gateway Interface (CGI) applications. CGI is a standard interface for running external programs on a Web server. It allows Web servers to create documents dynamically when the server receives a request from the Web browser. When the Web server receives a request for a document, the Web server dynamically executes the appropriate CGI script and transmits the output of the execution back to the requesting Web browser. This interaction can thus be termed a "two-way" transaction. It is a severely limited transaction, however, because each CGI application is customized for a particular type of application or service.

For example, as illustrated in FIG. 1B, user 100 may access bank 150's Web server and attempt to perform transactions on checking account 152 and to make a payes ment on loan account 154. In order for user 100 to access checking account 152 and loan account 154 on the Web, CGI

application scripts must be created for each account, as illustrated in FIG. 1B. The bank thus has to create individual scripts for each of its services to offer users access to these services. User 100 can then interact in a limited fashion with these individual applications. Creating and managing indi-

these individual applications. Creating and managing individual CGI scripts for each service is not a viable solution for merchants with a large number of services.

As the Web expands and electronic commerce becomes more desirable, the need increases for robust, real-time, 10 bi-directional transactional capabilities on the Web. A true real-time, bi-directional transaction would allow a user to connect to a variety of services on the Web, and perform real-time transactions on those services. For example, although user 100 can browse car dealer Web page 105 today, the user cannot purchase the car, negotiate a car loan or perform other types of real-time, two-way transactions that he can perform with a live salesperson at the car dealership. Ideally, user 100 in FIG. 1A would be able to access car dealer Web page 105, select specific transactions that he desires to perform, such as purchase a car, and perform the purchase in real-time, with two-way interaction capabilities. CGI applications provide user 100 with a limited ability for two-way interaction with car dealer Web page 105, but due to the lack of interaction and management between the car dealer and the bank, he will not be able to obtain a loan and complete the purchase of the car via a CGI application. The ability to complete robust real-time, twoway transactions is thus not truly available on the Web today.

SUMMARY OF THE INVENTION

It is therefore an object of the present invention to provide a method and apparatus for providing real-time, two-way transactional capabilities on the Web. Specifically, one embodiment of the present invention discloses a configurable value-added network switch for enabling real-time transactions on the World Wide Web. The configurable value added network switch comprises means for switching to a transactional application in response to a user specification from a World Wide Web application, means for transmitting a transaction request from the transactional application, and means for processing the transaction request.

According to another aspect of the present invention, a method and apparatus for enabling object routing on the World Wide Web is disclosed. The method for enabling object routing comprises the steps of creating a virtual information store containing information entries and attributes, associating each of the information entries and the attributes with an object identity, and assigning a unique network address to each of the object identities.

Other objects, features and advantages of the present invention will be apparent from the accompanying drawings and from the detailed description.

BRIEF DESCRIPTION OF THE DRAWINGS

The features and advantages of the present invention will be apparent from the accompanying drawings and from the detailed description of the present invention as set forth below

FIG. 1A is an illustration of a current user's browse capabilities on the Web via a Web browser.

FIG. 1B is an illustration of a current user's capabilities to perform limited transactions on the Web via CGI applications.

FIG. 2 illustrates a typical computer system on which the present invention may be utilized.

FIG. 3 illustrates the Open Systems Interconnection (OSI) Model.

FIG. 4A illustrates conceptually the user value chain as it exists today.

FIG. 4B illustrates one embodiment of the present invention.

FIG. 5A illustrates a user accessing a Web server including one embodiment of the present invention.

FIG. 5B illustrates the exchange component according to $_{10}$ one embodiment of the present invention.

FIG. 5C illustrates an example of a point-of-service (POSvc) application list.

FIG. 5D illustrates a user selecting a bank POSvc application from the POSvc application list.

FIG. 5E illustrates a three-way transaction according to one embodiment of the present invention.

FIG. 6A illustrates a value-added network (VAN) switch.

FIG. 6B illustrates the hierarchical addressing tree structure of the networked objects in DOLSIBs.

FIG. 7 illustrates conceptually the layered architecture of a VAN switch.

FIG. 8 is a flow diagram illustrating one embodiment of the present invention.

DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENT

The present invention relates to a method and apparatus for configurable value-added network switching and object routing and management. "Web browser" as used in the context of the present specification includes conventional Web browsers such as NCSA Mosaic™ from NCSA and Netscape Mosaic[™] from Netscape[™]. The present invention is independent of the Web browser being utilized and the user can use any Web browser, without modifications to the Web browser. In the following detailed description, numerous specific details are set forth in order to provide a thorough understanding of the present invention. It will be apparent to one of ordinary skill in the art, however, that these specific details need not be used to practice the present invention. In other instances, well-known structures, interfaces and processes have not been shown in detail in order not to unnecessarily obscure the present invention.

FIG. 2 illustrates a typical computer system 200 in which the present invention operates. The preferred embodiment of the present invention is implemented on an IBMTM Personal Computer manufactured by IBM Corporation of Armonk, N.Y. Alternate embodiments may be implemented on a 50 MacintoshTM computer manufactured by AppleTM Computer, Incorporated of Cupertino, Calif. It will be apparent to those of ordinary skill in the art that other alternative computer system architectures may also be employed.

In general, such computer systems as illustrated by FIG. 55 2 comprise a bus 201 for communicating information, a processor 202 coupled with the bus 201 for processing information, main memory 203 coupled with the bus 201 for storing information and instructions for the processor 202, a read-only memory 204 coupled with the bus 201 for storing static information and instructions for the processor 202, a display device 205 coupled with the bus 201 for displaying information for a computer user, an input device 206 coupled with the bus 201 for communicating information and command selections to the processor 202, and a mass 65 storage device 207, such as a magnetic disk and associated disk drive, coupled with the bus 201 for storing information

ŧ

and instructions. A data storage medium 208 containing digital information is configured to operate with mass storage device 207 to allow processor 202 access to the digital information on data storage medium 208 via bus 201.

Processor 202 may be any of a wide variety of general purpose processors or microprocessors such as the Pentium TM microprocessor manufactured by Intel TM Corporation or the Motorola™ 68040 or Power PC™ brand microprocessor manufactured by manufactured by Motorola™ Corporation. It will be apparent to those of ordinary skill in the art, however, that other varieties of processors may also be used in a particular computer system. Display device 205 may be a liquid crystal device, cathode ray tube (CRT), or other suitable display device. Mass storage device 207 may be a conventional hard disk drive, floppy disk drive, CD-ROM drive, or other magnetic or optical data storage device for reading and writing information stored on a hard disk, a floppy disk, a CD-ROM a magnetic tape, or other magnetic or optical data storage medium. Data storage medium 208 may be a hard disk, a floppy disk, a CD-ROM, a magnetic tape, or other magnetic or optical data storage medium.

In general, processor 202 retrieves processing instructions and data from a data storage medium 208 using mass storage device 207 and downloads this information into random access memory 203 for execution. Processor 202, then executes an instruction stream from random access memory 203 or read-only memory 204. Command selections and information input at input device 206 are used to direct the flow of instructions executed by processor 202. Equivalent input device 206 may also be a pointing device such as a conventional mouse or trackball device. The results of this processing execution are then displayed on display device 205.

The preferred embodiment of the present invention is implemented as a software module, which may be executed on a computer system such as computer system 200 in a conventional manner. Using well known techniques, the application software of the preferred embodiment is stored on data storage medium 208 and subsequently loaded into and executed within computer system 200. Once initiated, the software of the preferred embodiment operates in the manner described below.

FIG. 3 illustrates the Open Systems Interconnection (OSI) reference model. OSI Model 300 is an international standard that provides a common basis for the coordination of standards development, for the purpose of systems interconnection. The present invention is implemented to function as a routing switch within the "application layer" of the OSI model. The model defines seven layers, with each layer communicating with its peer layer in another node through the use of a protocol. Physical layer 301 is the lowest layer, with responsibility to transmit unstructured bits across a link. Data link layer 302 is the next layer above physical layer 301. Data link layer 302 transmits chunks across the link and deals with problems like checksumming to detect data corruption, orderly coordination of the use of shared media and addressing when multiple systems are reachable. Network bridges operate within data link layer 302.

Network layer 303 enables any pair of systems in the network to communicate with each other. Network layer 303 contains hardware units such as routers, that handle routing, packet fragmentation and reassembly of packets. Transport layer 304 establishes a reliable communication stream between a pair of systems, dealing with errors such as lost packets, duplicate packets, packet reordering and fragmen-

tation. Session layer 305 offers services above the simple communication stream provided by transport layer 304. These services include dialog control and chaining. Presentation layer 306 provides a means by which OSI compliant applications can agree on representations for data. Finally, 5 application layer 307 includes services such as file transfer, access and management services (FTAM), electronic mail and virtual terminal (VT) services. Application layer 307 provides a means for application programs to access the OSI environment. As described above, the present invention is 10 implemented to function as a routing switch in application layer 307. Application layer routing creates an open channel for the management, and the selective flow of data from remote databases on a network.

A. Overview

FIG. 4A illustrates conceptually the user value chain as it exists today. The user value chain in FIG. 4A depicts the types of transactions that are performed today, and the channels through which the transactions are performed. A "transaction" for the purposes of the present invention 20 includes any type of commercial or other type of interaction that a user may want to perform. Examples of transactions include a deposit into a bank account, a request for a loan from a bank, a purchase of a car from a car dealership or a purchase of a car with financing from a bank. A large variety 25 of other transactions are also possible.

A typical user transaction today may involve user 100 walking into a bank or driving up to a teller machine, and interacting with a live bank teller, or automated teller machine (ATM) software applications. Alternatively, user 30 100 can perform the same transaction by using a personal computer (PC), activating application software on his PC to access his bank account, and dialing into the bank via a modem line. If user 100 is a Web user, however, there is no current mechanism for performing a robust, real-time trans- 35 action with the bank, as illustrated in FIG. 4A. CGI scripts provide only limited two-way capabilities, as described above. Thus, due to this lack of a robust mechanism by which real-time Web transactions can be performed, the bank is unable to be a true "Web merchant," namely a 40 merchant capable of providing complete transactional services on the Web.

According to one embodiment of the present invention, as illustrated in FIG. 4B, each merchant that desires to be a Web merchant can provide real-time transactional capabili- 45 ties to users who desire to access the merchants' services via the Web. This embodiment includes a service network running on top of a facilities network, namely the Internet, the Web or e-mail networks. For the purposes of this application, users are described as utilizing PC's to access 50 the Web via Web server "switching" sites. (Switching is described in more detail below). Users may also utilize other personal devices such as network computers or cellular devices to access the merchants' services via appropriate switching sites. These switching sites include non-Web 55 network computer sites and cellular provider sites. Five components interact to provide this service network functionality, namely an exchange, an operator agent, a management agent, a management manager and a graphical user interface. All five components are described in more 60 detail below.

As illustrated in FIG. 5A, user 100 accesses Web server 104. Having accessed Web server 104, user 100 can decide that he desires to perform real-time transactions. When Web server 104 receives user 100's indication that he desires to 65 perform real-time transactions, the request is handed over to an exchange component. Thus, from Web page 105, for

example, user 100 can select button 500, entitled "Transactions" and Web server 104 hands user 100's request over to the exchange component. The button and the title can be replaced by any mechanism that can instruct a Web server to hand over the consumer's request to the exchange component.

FIG. 5B illustrates exchange 501. Exchange 501 comprises Web page 505 and point-of-service (POSvc) applications 510. Exchange 501 also conceptually includes a switching component and an object routing component (described in more detail below). POSvc applications 510 are transactional applications, namely applications that are designed to incorporate and take advantage of the capabilities provided by the present invention. Although exchange 501 is depicted as residing on Web server 104, the exchange can also reside on a separate computer system that resides on the Internet and has an Internet address. Exchange 501 may also include operator agent 503 that interacts with a management manager (described in more detail below). Exchange 501 creates and allows for the management (or distributed control) of a service network, operating within the boundaries of an IP-based facilities network. Thus, exchange 501 and a management agent component, described in more detail below, under the headings "VAN Switch and Object Routing," together perform the switching, object routing, application and service management functions according to one embodiment of the present invention.

Exchange 501 processes the consumer's request and displays an exchange Web page 505 that includes a list of POSvc applications 510 accessible by exchange 501. A POSvc application is an application that can execute the type of transaction that the user may be interested in performing. The POSvc list is displayed via the graphical user interface component. One embodiment of the present invention supports HyperText Markup Language as the graphical user interface component. Virtual Reality Markup Language and JavaTM are also supported by this embodiment. A variety of other graphical user interface standards can also be utilized to implement the graphical user interface.

An example of a POSvc application list is illustrated in FIG. 5C. User 100 can thus select from POSvc applications Bank 510(1), Car Dealer 510(2) or Pizzeria 510(3). Numerous other POSvc applications can also be included in this selection. If user 100 desires to perform a number of banking transactions, and selects the Bank application, a Bank POSvc application will be activated and presented to user 100, as illustrated in FIG. 5D. For the purposes of illustration, exchange 501 in FIG. 5D is shown as running on a different computer system (Web server 104) from the computer systems of the Web merchants running POSvc applications (computer system 200). Exchange 501 may, however, also be on the same computer system as one or more of the computer systems of the Web merchants.

Once Bank POSvc application 510 has been activated, user 100 will be able to connect to Bank services and utilize the application to perform banking transactions, thus accessing data from a host or data repository 575 in the Bank "Back Office." The Bank Back Office comprises legacy databases and other data repositories that are utilized by the Bank to store its data. This connection between user 100 and Bank services is managed by exchange 501. As illustrated in FIG. 5D, once the connection is made between Bank POSvc application 510(1), for example, and Bank services, an operator agent on Web server 104 may be activated to ensure the availability of distributed functions and capabilities.

Each Web merchant may choose the types of services that it would like to offer its clients. In this example, if Bank

decided to include in their POSvc application access to checking and savings accounts, user 100 will be able to perform real-time transactions against his checking and savings accounts. Thus, if user 100 moves \$500 from his checking account into his savings account, the transaction will be performed in real-time, in the same manner the transaction would have been performed by a live teller at the bank or an ATM machine. Therefore, unlike his prior access to his account, user 100 now has the capability to do more than browse his bank account. The ability to perform these types of robust, real-time transactions from a Web client is a significant aspect of the present invention.

Bank can also decide to provide other types of services in POSvc application 510(1). For example, Bank may agree with Car dealership to allow Bank customers to purchase a 15 car from that dealer, request a car loan from Bank, and have the entire transaction performed on the Web, as illustrated in FIG. 5E. In this instance, the transactions are not merely two-way, between the user and Bank, but three-way, amongst the consumer, Bank and Car dealership. According 20 to one aspect of the present invention, this three-way transaction can be expanded to n-way transactions, where n represents a predetermined number of merchants or other service providers who have agreed to cooperate to provide services to users. The present invention therefore allows for 25 "any-to-any" communication and transactions on the Web, thus facilitating a large, flexible variety of robust, real-time transactions on the Web.

Finally, Bank may also decide to provide intra-merchant or intra-bank services, together with the inter-merchant 30 services described above. For example, if Bank creates a POSvc application for use by the Bank Payroll department, Bank may provide its own employees with a means for submitting timecards for payroll processing by the Bank's Human Resources (HR) Department. An employee selects 35 the Bank HR POSvc application, and submits his timecard. The employee's timecard is processed by accessing the employee's payroll information, stored in the Bank's Back Office. The transaction is thus processed in real-time, and the employee receives his paycheck immediately.

B. Van Switching and Object Routing

As described above, exchange 501 and management agent 601, illustrated in FIG. 6A, together constitute a value-added network (VAN) switch. These two elements may take on different roles as necessary, including peer-to-peer, client-server or master-slave roles. Management manager 603 is illustrated as residing on a separate computer system on the Internet. Management manager 603 can, however, also reside on the same machine as exchange 501. Management manager 603 interacts with the operator agent 503 residing 50 on exchange 501.

VAN switch 520 provides multi-protocol object routing, depending upon the specific VAN services chosen. This multi-protocol object routing is provided via a proprietary protocol, TransWeb™ Management Protocol (TMP). TMP 55 incorporates the same security features as the traditional Simple Network Management Protocol, SNMP. It also allows for the integration of other traditional security mechanisms, including RSA security mechanisms.

One embodiment of the present invention utilizes TMP 60 and distributed on-line service information bases (DOLSIBs) to perform object routing. Alternatively, TMP can incorporate s-HTTP, JavaTM, the WinSock API or ORB with DOLSIBs to perform object routing. DOLSIBs are virtual information stores optimized for networking. All 65 information entries and attributes in a DOLSIB virtual information store are associated with a networked object

identity. The networked object identity identifies the information entries and attributes in the DOLSIB as individual networked objects, and each networked object is assigned an Internet address. The Internet address is assigned based on the IP address of the node at which the networked object resides.

For example, in FIG. 5A, Web server 104 is a node on the Internet, with an IP address. All networked object associated with Web server 104 will therefore be assigned an Internet address based on the Web server 104's IP address. These networked objects thus "branch" from the node, creating a hierarchical tree structure. The Internet address for each networked object in the tree essentially establishes the individual object as an "IP-reachable" or accessible node on the Internet. TMP utilizes this Internet address to uniquely identify and access the object from the DOLSIB. FIG. 6B illustrates an example of this hierarchical addressing tree structure.

Each object in the DOLSIB has a name, a syntax and an encoding. The name is an administratively assigned object ID specifying an object type. The object type together with the object instance serves to uniquely identify a specific instantiation of the object. For example, if object 610 is information about models of cars, then one instance of that object would provide user 100 with information about a specific model of the car while another instance would provide information about a different model of the car. The syntax of an object type defines the abstract data structure corresponding to that object type. Encoding of objects defines how the object is represented by the object type syntax while being transmitted over the network.

C. Management and Administration

As described above, exchange 501 and management agent 601 together constitute a VAN switch. FIG. 7 illustrates conceptually the layered architecture of VAN switch 520. Specifically, boundary service 701 provides the interfaces between VAN switch 520, the Internet and the Web, and multi-media end user devices such as PCs, televisions or telephones. Boundary service 701 also provides the interface to the on-line service provider. A user can connect to a local application, namely one accessible via a local VAN switch, or be routed or "switched" to an application accessible via a remote VAN switch.

Switching service 702 is an OSI application layer switch. Switching service 702 thus represents the core of the VAN switch. It performs a number of tasks including the routing of user connections to remote VAN switches, described in the paragraph above, multiplexing and prioritization of requests, and flow control. Switching service 702 also facilitates open systems' connectivity with both the Internet (a public switched network) and private networks including back office networks, such as banking networks. Interconnected application layer switches form the application network backbone. These switches are one significant aspect of the present invention.

Management service 703 contains tools such as Information Management Services (IMS) and application Network Management Services (NMS). These tools are used by the end users to manage network resources, including VAN switches. Management service 703 also provides applications that perform Operations, Administration, Maintenance & Provisioning (OAM&P) functions. These OAM&P functions include security management, fault management, configuration management, performance management and billing management. Providing OAM&P functions for applications in this manner is another significant aspect of the present invention.

Finally, application service 704 contains application programs that deliver customer services. Application service 704 includes POSvc applications such as Bank POSvc described above, and illustrated in FIG. 6A. Other examples of VAN services include multi-media messaging, archival/ retrieval management, directory services, data staging, conferencing, financial services, home banking, risk management and a variety of other vertical services. Each VAN service is designed to meet a particular set of requirements related to performance, reliability, maintenance and ability 10 to handle expected traffic volume. Depending on the type of service, the characteristics of the network elements will differ. VAN service 704 provides a number of functions including communications services for both management and end users of the network and control for the user over 15 the user's environment.

FIG. 8 is a flow diagram illustrating one embodiment of the present invention. A user connects to a Web server running an exchange component in step 802. In step 804, the user issues a request for a transactional application, and the 20 web server hands off the request to an exchange in step 806. The exchange activates a graphical user interface to present user with a list of POSvc application options in step 808. In step 810, the user makes a selection from the POSvc application list. In step 812, the switching component in the exchange switches the user to the selected POSvc application, and in step 814, the object routing component executes the user's request. Data is retrieved from the appropriate data repository via TMP in step 816, and finally, the user may optionally continue the transaction in step 818 or end the transaction.

Thus, a configurable value-added network switching and object routing method and apparatus is disclosed. These specific arrangements and methods described herein are merely illustrative of the principles of the present invention.

Numerous modifications in form and detail may be made by those of ordinary skill in the art without departing from the scope of the present invention. Although this invention has been shown in relation to a particular preferred embodiment, it should not be considered so limited. Rather, the present invention is limited only by the scope of the appended claims.

We claim:

1. A configurable value-added network switch for enabling real-time transactions on a network, said configurable value-added network switch compromising:

means for switching to a transactional application in response to a user specification from a network application, said transactional application providing a user with a plurality of transactional services managed by at least one value-added network service provider, said value-added network service provider keeping a transaction flow captive, said plurality of transactional services being performed interactively and in real time;

means for transmitting a transaction request from said ⁵⁵ transactional application; and

means for processing said transaction request.

2. The configurable value-added network switch as claimed in claim 1 wherein said means for switching to a transactional application further comprises:

means for receiving said user specification;

means for enabling a switch to said transactional application; and

means for activating said transactional application.

3. The configurable value-added network switch as claimed in claim 2 wherein said means for activating said

10

transactional application further includes means for creating a transaction link between said network application and said transactional application.

4. The configurable value-added network switch as claimed in claim 2 wherein said means for receiving said user specification further comprises:

means for presenting said user with a list of transactional applications, each of said transactional application being associated with a particular value-added network service provider; and

means for submitting said user specification according to a user's selection of said transactional application from said list of transactional applications.

- 5. The configurable value-added network switch as claimed in claim 1 wherein said means for processing said transaction request further comprises means for coupling said means for transmitting to a host means.
- 6. The configurable value-added network switch as claimed in claim 5 wherein said host means contains data corresponding to said transaction request.
- 7. The configurable value-added network switch as claimed in claim 1 wherein said value-added network service providers cooperating to provide said plurality of transactional services to users.
- 8. The configurable value-added network switch as claimed in claim 1 further comprising means for controlling and prioritizing multiple transaction requests initiated by various users.
- 9. The configurable value-added network switch as claimed in claim 1 further comprising means for providing security management, fault management, configuration management, performance management and billing management.
- 10. A method for configuring a value-added network switch for enabling real-time transactions on a network, said method for configuring said value-added network switch compromising the steps of:

switching to a transactional application in response to a user specification from a network application, said transactional application providing a user with a plurality of transactional services managed by at least one value-added network service provider, said value-added network service provider keeping a transaction flow captive, said plurality of transactional services being performed interactively and in real time;

transmitting a transaction request from said transactional application; and processing said transaction request.

11. The method for configuring said value-added network switch as claimed in claim 10 wherein said step of switching to a transactional application further comprises the steps of: receiving said user specification;

enabling a switch to said transactional application; and activating said transactional application.

- 12. The method for configuring said value-added network switch as claimed in claim 11 wherein said step of activating said transactional application further includes a step of creating a transaction link between said network application and said transactional application.
- 13. The method for configuring said value-added network switch as claimed in claim 11 further comprising the steps of:

controlling security;
performing fault management;
providing configuration management;
managing performance; and

enabling billing management.

- 14. The method for configuring said value-added network switch as claimed in claim 11 wherein said step of receiving said user specification further comprises steps of:
 - presenting said user with a list of transactional 5 applications, each of said transactional application being associated with a particular Internet service provider; and
 - submitting said user specification according to a user's selection of said transactional application from said list of transactional applications.
- 15. The method for configuring said value-added network switch as claimed in claim 10 wherein said step of processing said transaction request further comprises the step of transmitting said transaction request to a host means.
- 16. The method for configuring said value-added network switch as claimed in claim 15 wherein said host means contains data corresponding to said transaction request.
- 17. The method for configuring said value-added network switch as claimed in claim 10 wherein said value-added network service providers cooperate to provide said plurality of transactional services to said user.
- 18. The method for configuring said value-added network switch as claimed in claim 10 further comprising the step of controlling and prioritizing multiple transaction requests initiated by various users.
- 19. A method for enabling object routing on a network, said method for enabling object routing comprising the steps of:
 - associating an object identity with information entries and attributes, wherein the object identity represents a networked object;
 - storing said information entries and said attributes in a virtual information store; and
 - assigning a unique network address to said object identity.
- 20. The method in claim 19 wherein said step of associating said object identity with said information entries and said attributes in said virtual information store further includes the step of associating a name, a syntax and an 40 encoding for said object identity.
- 21. The method in claim 20 wherein said name associated with said object identity specifies an object type.
- 22. The method in claim 21 wherein said object type and an object instance uniquely identify an instantiation of said 45 object type.
- 23. The method in claim 22 wherein said syntax defines a data structure for said object type.
- 24. The method in claim 19 further comprising the step of utilizing said unique network address to identify and route 50 said object identity on the network.
- 25. The method in claim 19 further comprising the step of utilizing said unique network address to identify and route said object identity on the Internet.
- 26. The method in claim 19 further comprising the step of 55 utilizing said unique network address of said object identity

12

- to perform Operations, Administration, Maintenance & Provisioning (OAM&P) functions.
- 27. An object router on a network, said object router comprising:
 - means for associating an object identity with information entries and attributes, wherein the object identity represents a networked object;
 - means for storing said information entries and said attributes in a virtual information store; and
 - means for assigning a unique network address to said object identity.
- 28. The object router in claim 27 wherein said means for associating said object identity with said information entries and said attributes in said virtual information store further includes means for associating a name, a syntax and an encoding for said object identity.
- 29. The object router in claim 28 wherein said name of said object identity specifies an object type.
- 30. The object router in claim 29 wherein said object type and an object instance uniquely identify an instantiation of said object type.
- 31. The object router in claim 30 wherein said syntax defines a data structure for said object type.
- 32. The object router in claim 27 further comprising means for utilizing said unique network address to identify and route said object identity on the network.
- 33. The object router in claim 27 further comprising means for utilizing said unique network address to identify and route said object identity on the Internet.
- 34. The object router in claim 27 further comprising the step of utilizing said unique network address of said object identity to perform Operations, Administration, Maintenance & Provisioning (OAM&P) functions.
- 35. A configurable value-added network system for enabling real-time transactions on a network, said configurable value-added network system comprising:
 - means for switching to a transactional application in response to a user specification from a network application, said transactional application providing a user with a plurality of transactional services managed by at least one value-added network service provider, said value-added network service provider keeping a transaction flow captive, said plurality of transactional services being performed interactively and in real time;
 - means for activating an agent to create a transaction link between said user application and said transactional application;
 - means for transmitting a transaction request from said transactional application; and
 - a host means for processing said transaction request and retrieving data corresponding to said transaction request.

* * * * *



(12) United States Patent

Arnnachalam

(10) Patent No.:

US 8,037,158 B2

(45) Date of Patent:

Oct. 11, 2011

(54) MULTIMEDIA TRANSACTIONAL SERVICES

(76) Inventor: Lakshmi Arunachalam, Menlo Park, CA (US)

(*) Notice: Subject to any disclaimer, the term of this

patent is extended or adjusted under 35 U.S.C. 154(b) by 184 days.

(21) Appl. No.: 11/980,185

Filed: Oct. 30, 2007

(65)**Prior Publication Data**

> US 2008/0091801 A1 Apr. 17, 2008

Related U.S. Application Data

- (60) Continuation-in-part of application No. 09/792,323, filed on Feb. 23, 2001, now Pat. No. 7,340,506, which is a continuation-in-part of application No. 08/879,958, filed on Jun. 20, 1997, now Pat. No. 5,987,500, which is a division of application No. 08/700,726, filed on Aug. 5, 1996, now Pat. No. 5,778,178.
- (60) Provisional application No. 60/006,634, filed on Nov. 13, 1995.
- (51) Int. Cl. G06F 13/00 (2006.01)
- **U.S. Cl.** 709/219; 709/225; 709/229
- (58) Field of Classification Search 709/217, 709/219, 223, 225, 227, 229, 250; 719/328, 719/329

See application file for complete search history.

(56)References Cited

U.S. PATENT DOCUMENTS

4,829,372 A	5/1989	McCalley et al.
4,851,988 A	7/1989	Trottier et al.
4,984,155 A	1/1991	Geier et al.

5,125,091	À	6/1992	Staas et al.
5,148,474	A	9/1992	Haralambopoulos et al.
5,159,632	A	10/1992	Crandall
5,231,566	A	7/1993	Blutinger et al.
5,239,662	A	8/1993	Danielson et al.
5,285,383	Α	2/1994	Lindsey et al.
5,297,249	A	3/1994	Bernstein et al.
5,329,589	A	7/1994	Fraser et al.
5,329,619	Α	7/1994	Page et al.
5,347,632	A	9/1994	Filepp et al.
5,367,635	Α	11/1994	Bauer et al.
5,383,113		1/1995	Kight et al.
5,404,523		4/1995	DellaFera
5,408,619		4/1995	Oran
5,414,812	A	5/1995	Filip et al.
5,428,792	A	6/1995	
5,432,937	Α	7/1995	Tevanian et al.
		(Con	timued)

FOREIGN PATENT DOCUMENTS

97/18515 A1 5/1997 (Continued)

OTHER PUBLICATIONS

Assign Inter Partes Reexm, Jan. 10, 2009, USPTO.

(Continued)


Primary Examiner - Viet Vu

WO

(57)ABSTRACT

The present invention provides a method and apparatus for providing real-time, two-way transactional capabilities on the Web. Specifically, one embodiment of the present invention discloses a method for enabling object routing, the method comprising the steps of creating a virtual information store containing information entries and attributes associating each of the information entries and the attributes with an object identity, and assigning a unique network address to each of the object identities. A method is also disclosed for enabling service management of the value-added network service, to perform OAM&P functions on the services network.

11 Claims, 13 Drawing Sheets



US 8,037,158 B2 Page 2

U.S.	. PATENT	DOCUMENTS		5,909,492 5,910,987			Payne et al. Ginter et al.
5,434,974 A		Loucks et al.		5,913,061			Gupta et al.
5,440,744 A		Jacobson et al.		5,931,967			Shimizu et al.
5,442,771 A 5,442,791 A		Filepp et al. Wrabetz et al.		5,956,400			Chaum et al.
5,444,192 A		Shetye et al.		5,956,509		9/1999	Kevner Helland et al.
5,446,896 A	8/1995	Hegarty et al.		5,958,004 5,960,411			Hartman et al.
5,452,433 A		Nihart et al.		5,987,500			Arunachalam
5,455,903 A 5,475,819 A	10/1995	Jolissaint et al. Miller et al	00/202	6,003,085			Ratner et al.
5,491,800 A	2/1996	Goldsmith et al.	U 9 12U3	6,014,651			Crawford
5,517,645 A	5/1996	Stutz et al.		6,014.666 6,049.785		4/2000	Helland et al.
5,519,868 A		Allen et al.		6,049,819			Buckle et al.
5,537,464 A 5,539,909 A		Lewis et al. Tanaka et al.		6,055,514		4/2000	
5,557,780 A		Edwards et al.		6,055,567			Ganesan et al.
5,560,005 A	9/1996	Hoover et al.		6,073,237 6,092,053		6/2000 7/2000	Boesch et al.
5,577,251 A		Hamilton et al.		6,094,673			Dilip et al.
5,590,197 A 5,592,378 A	12/1996	Cameron et al.		6,101,482	A	8/2000	DiAngelo et al.
5,604,905 A		Tevanian et al.		6,101,527		8/2000	Lejeune et al.
5,613,148 A	3/1997	Bezviner et al.		6,119,152 6,125,185		9/2000	Carlin et al.
5,664,111 A		Nahan et al.		6,125,352			Franklin et al.
5,667,708 A 5,671,279 A	9/1997	Class Elgamal		6,128,315	A	10/2000	Takeuchi
5,677,708 A		Mathews et al.		6,134,594			Helland et al.
5,694,549 A	12/1997	Carlin et al.		6,135,646 6,145,090			Kahn et al. Yamaguchi et al.
5,703,344 A *	12/1997	Bezy et al 2	35/379	6,185,609		2/2001	Rangarajan et al.
5,706,442 A 5,708,780 A		Anderson et al. Levergood et al.		6,192,250	Bl	2/2001	Buskens et al.
5,710,887 A		Chelliah et al.		6,205,433			Boesch et al.
5,712,913 A	1/1998	Chaum		6,212,556 6,212,634			Arunachalam Gerr, Jr. et al.
5,715,314 A		Payne et al.		6,249,291			Popp et al 345/473
5,715,444 A 5,724,424 A		Danish et al. Gifford		6,279,001		8/2001	DeBettencourt et al 1/1
5,742,762 A		Scholl et al.		6,289,322			Kitchen et al.
5,742,768 A	4/1998	Gennaro		6,295,522 6,301,601			Boesch Helland et al.
5,745,681 A		Levine et al.		6,327,577			Garrison et al.
5,754,939 A 5,757,917 A		Herz et al. Rose et al.		6,327,579	Bl	12/2001	Crawford
5,758,072 A		Filepp et al.		6,334,116			Ganesan et al.
5,758,327 A		Gardner et al.		6,360,262			Guenthner et al. Burfield et al.
5,771,354 A	6/1998	Crawford		6,363,362 6,411,943			Crawford
5,774,670 A *	6/1998 7/1008	Montulli 7 Arunachalam	09/227	6,453,426			Gamache et al.
5,778,178 A 5,780,780 A		Ahmed		6,457,066			Mein et al.
5,781,631 A	7/1998	Chaum		6,473,740 6,473,791			Cockrill et al. Al-Ghosein et al.
5,793,964 A *	8/1998	Rogers et al 7	09/202				Robertson et al 715/776
5,794,221 A 5,794,234 A		Egendorf Church et al.		6,490,567	BI	12/2002	Gregory
5,809,483 A		Broka et al.		6,553,427	Bl	4/2003	Chang et al.
5,812,779 A		Ciscon et al.		6,574,607 6,625,581			Carter et al. Perkowski
5,822,569 A		McPartlan et al.		6,678,664			Ganesan
5,826,085 A 5,826,241 A		Bennett et al. Stein et al.		6,678,696			Helland et al.
5,828,666 A		Focsaneanu et al.		6,714,962			Helland
5,835,726 A	11/1998	Shwed		6,839,677 6,850,996			Mathur et al. Wagner
5,845,061 A		Miyamoto et al. Carlin et al.		6,856,974	Βĩ		Ganesan et al.
5,845,073 A 5,845,265 A		Woolston		6,931,111	Вl		Coffee
5,856,974 A		Gervais et al.		6,932,268 6,948,063			McCoy et al. Ganesan et al.
5,859,978 A		Sonderegger et al 7	09/226	7,076,784			Russell et al.
5,864,866 A 5,870,473 A		Henckel et al. Boesch et al.		7,080,051	Bi		Crawford
5,870,724 A		Lawlor et al.		7,107,244			Kight et al.
5,873,072 A		Kight et al.		7,120,602 7,146,338			Kitchen et al. Kight et al.
5,873,093 A		Williamson et al.		7,175,074			Mejias et al.
5,878,140 A 5,878,141 A		Chaum Daly et al.		7,177,846	B2	2/2007	Moenickheim et al.
5,878,403 A		DeFrancesco et al.		7,213,003			Kight et al.
5,884,301 A	3/1999	Takano		7,240,031			Kight et al.
5,889,957 A		Ratner et al.		7,251,656 7,296,004			Keown et al. Garrison et al.
5,890,137 A 5,890,161 A		Koreeda Helland et al.		7,302,408			Engdahl et al.
5,892,821 A		Turner		7,302,411	B2	11/2007	Ganesan et al.
5,893,076 A	4/1999	Hafner et al.		7,330,831			Biondi et al.
5,895,454 A		Harrington Boarch et al		7,334,128			Ganesan et al.
5,897,621 A 5,901,228 A		Boesch et al. Crawford		7,340,506 7,366,696			Arunachalam Ganesan et al.
0,5V1,620 F1	31 233	THE THE STATE		. ,0.00,030	,	2000	Complete of the

US 8,037,158 B2

Page 3

7,366,697	B2	4/2008	Kitchen et al.
7,383,226	B2	6/2008	Kight et al.
7,389,514	B2	6/2008	Russell et al.
7,392,223	Bl	6/2008	Ganesan et al.
7,395,243	B1	7/2008	Zielke et al.
7,395,319	B2	7/2008	Harris et al.
7,451,400	B2	11/2008	Bales
7,590,550	B2	9/2009	Schoenberg
7,600,027	B2	10/2009	Yan
2001/0037318	Al	11/2001	Lindskog
2002/0062218	Al	5/2002	Pianin
2002/0152200	$\mathbf{A}1$	10/2002	Krichilsky et al.
2003/0069922	A1	4/2003	Arunachalam
2008/0091801	Al	4/2008	Arunachalam
2009/0094347	A1	4/2009	Ting
			-

FOREIGN PATENT DOCUMENTS

WO WO 97/18515 5/1997 wo 00/63781 A1 10/2000

OTHER PUBLICATIONS

Req Inter Partes Reexam, Dec. 19, 2009, Microsoft Corp. Appendices A-C Related interpartes reexam U.S. Appl. No. 95/001,129, Dec. 19, 200. Part of U.S. Appl. No. 08/168,519 file Ex. 5, U.S. Appl. No. 95/001,129, Dec. 16, 1993. A Cobra Based Framework-Arshad et al 1999.

Generic Mgt Info Base Browser-Paylou et al. Hetro Distrib Info System—Chung et al 1995.

Agent Based System-Internet Based-Ehikioya 1999.

Broadvision 1-1 Dev. Guide-1995 Contents Only-vii.

Broadvision-PGM Ref 1995 pp. 4-5, 21, 30, 973

Broadvision-Tech Overview 1995 pp. 1-3.

Database Access Intel-Networks-Raatykainen P-1.

802.3 Repeater Devices 1992 pp. 1-3.

ERP Meets Web E-Commerce 1998 P-1.

Microsoft Transaction Server-Limprecht 1997.

Netbill-Protocol P-1 Tygar.

OBJ Oriented-Hyper G-MSWindows-Contents & p. 3.

Dialog Web-M. Hickey 1994 P-1.

Transaction Internet Protocol-Vogler et al. 1999.

RFC 1065, 1988, Network Working Group.

RFC 1318, 1992, Network Working Group.

RFC 1283, 1991, Network Working Group.

RFC 1516, 1993, Network Working Group.

Lamond, Keith, "Credit Card Transactions Real World and Online" http://www.virtualshcool.edu/mon/ElectronProperty/klamond/ credit_card/htm, pp. 1-16, 1996.

Cox, Benjamin et al., "Netbill Security and Transaction Protocol", Carnegie Millon University, Pittsburgh, PA 15212-3890.

"Tymnet", Wikipedia, the free encyclopedia, http://en.wikipedia.org/ wiki/tymnet, May 2007.

Hickey, "Shopping at Home: One Modern Line, No Waiting", Home PC, Dec. 1, 1994, p. 307, Dialog, File 647, Acc# 01038162.

Lang, "Cashing in: The Rush is on to Buy and Sell on the Internet but Conflicting Schemes Leave Marketers on Sidelines for Now", Advertising Age, Dec. 19, 1994, p. 11, Dialog File 16, Acc# 05419137. Banks, Michael A., "America Online: A Graphics-based Success", Link-Up, Jan./Feb. 1992.

"Hot Jave", Wikipeda, the free encycliopedia, http://en.wikipedia. org/wiki/HotJava, May 2007.

Lichty, Tom, "America Online tour Guide", MacIntosh Edition, Version 2, Preface, Chapter 1, Ventanna Press, 1992.

Lichty, Tom, "America Online tour Guide", MacIntosh Edition, Version 2, Preface, Chapter 3, Ventanna Press, 1992.

Lichty, Tom, "America Online tour Guide", MacIntosh Edition, Version 2, Preface, Chapter 8, Ventanna Press, 1992.

Lichty, Tom, "America Online tour Guide", MacIntosh Edition, Version 2, Preface, Chapter 10, Ventanna Press, 1992.

Broadvision One-to-One Developer's Guide, p. vii.

Broadvision One-to-One Installation & System AdminGuide.

Broadvision One-to-One Technical Overview, pp. 1-3.

Broadvision One-to-One Dynamic Command CTR User'S Guide.

Prodigy Made East 2nd Ed.

Computer Networks—Sys Approach Peterson & Davie.

Untangling the World-Wide-Web Relihan, Cahill & Hinchey.

The Simple Book—An Intro to Internet Management.

Google Groups Comp. Doc-RFC's 1212 1213 on Concise Definitions MIB and MIB II.

Small Talk Object Model http://www.objs.com/x3h7/smalltalk.htm. A Protocol&Server for a Distrib—Digital Tech Report Library.

Distributed Applications in a Hypermedia Setting-Bharat & Gardelli.

Dienst: Implementation Ref Manual Lagoze, Shaw, Davis & Krafft. Object Wrapping for (www/Edwards, 1995.

Understanding DCE Chaps 1-3 DCE—The Network as Computer Etc.

Visual Obliq-JXI for Bldg Distrib Multi-User Apps by Direct Manipulation Bharat & Brown.

Using the Web as a Survey Tool Pitkow & Recker.

Compuserve for Windows Banks.

Distributed Object Technology in Financial Service Industry Sun Microsystems.

Businesswire-Open Market Releases.

Distributed Computing—A Practical Synthesis—UMAR.

Orbix-Programmer's Guide Iona Technologies Ltd.

Travel Services—Join Compuserve & See the World, 1987.

Order Granting Defendant's Motion to Dismiss-Northern District of California Feb. 17, 2009.

Microsoft Corporation's Notice of Motion and Motion for Leave to Amend (Complaint) US District Court-Northern District of Cali-

Dr. Gui on Components, COM, and ATL Part I: You're Gonna Do Com?, , Feb. 2, 1998, http://msdn.microsoft.com/library/welcome/ dsmsdn/msdn-drguion020298.htm, Part 2: Basics of COM, Feb. 9, http://msdn.microsoft.com/library/welcome/dsmsdn/msdndrguion020298.htm, Part 3: Getting Objects and Interfaces, Feb. 23, 1998, http://msdn.microsoft.com/library/welcome/dsmsdn/msdndrguion020298.htm, Part 4: The Class Object and Class Factory, Mar. 2, 1998, http://msdn.microsoft.com/library/welcome/dsmsdn/msdndrguion020298.htm, Part 5: Implementing an Object, Mar. 30, 1998, http://msdn.microsoft.com/library/welcome/dsmsdn/msdn-

drguion020298.htm, Part 6: Using our COM Object in Visual Basic . . . , Apr. 27, 1998, http://msdn.microsoft.com/library/welcome/dsmsdn/msdn-drguion020298.htm, Part 7: Using our Object from Visual C++, May 29, 1998, http://msdn.microsoft.com/library/ welcome/dsmsdn/msdn-drguion020298.htm, Part 8: Get Smart! Using our COM Object ..., Jul. 30, 1998 http://msdn.microsoft.com/ library/welcome/dsmsdn/msdn-drguion020298.htm.

Microsoftcom.news Dr. GUI's Gentle Guide to COM, Nov. 1, 1999, http://www.microsoft.com/Com/news/drgui.asp.

Taking the Splash Diving into ISAPI Programming, Jan. 1997, Christian Gross http://www.microsoft.com/mind/0197/isapi.htm.

Chapter 1, NSAPI Basics, Dec. 22, 1997, http://developer.netscape. com/docs/manuals/enterprise/nsapi/svrop.htm.

The Common Gateway Interface, retrieved May 22, 2001, http:// hoohoanesa.uinc.edu/cgi/primer.html.

Open Market Content-Driven eBusiness Solutions, Retrieved May 15, 2001, http://www.openmarket.com/cgi-bin/gx.cgi/ AppLogic+ETContentServer?pagename= FutureTense/Apps/ Xcelerate/View6c=Collec...

OpenMarket Content Server, May 15, 2001, http://www.openmarket. com/cgi-bin/gx.cgi/AppLogic +FTContentServer

pagename=FutureTense/Apps/xcelerate/Render& C=Artic ... Open Market Content Centre, Retrieved May 15, 2001, http://www. open market.com/cgi-bin/gx.cgi/AppLogic+FTContentServer&

pagename=FutureTense/Apps/xcelerate/Render&C=Artic... OpenMarket Integration Centre, May 15, 2001, http://www. openmarket.com/cgi-bin/gx.cgi/AppLogic+FTContentServer

pagename=FutureTense/Apps/xcelerate/Render&C=Artic.... OpenMarket Personalization Centre, May 15, 2001, http://www. openmarket.com/cgi-bin/gx.cgi/AppLogic+FTContentServer pagename=FutureTense/Apps/xcelerate/Render&C=Artic....

OpenMarket Catalog Centre, May 15, 2001, http://www. openmarket.com/cgi-bin/gx.cgi/AppLogic+FTContentServer pagename=FutureTense/Apps/xcelerate/Render&C=Artic....

US 8,037,158 B2

Page 4

OpenMarket Marketing Studio, May 15, 2001, http://www.openmarket.com/cgi-bin/gx.cgi/AppLogic+FTContentServer & pagename=FutureTense/Apps/xcelerate/Render&C=Artic....

OpenMarket Satellite Server, May 15, 2001, http://www.openmarket.com/cgi-bin/gx.cgi/AppLogic+FTContentServer & pagename=FutureTense/Apps/xcelerate/Render&C=Artic....

OpenMarket Commerce Products, Retrieved May 15, 2001, http://www.openmarket.com/cgi-bin/gx.cgi/

Apologic+FTContentServer?pagename=FutureTense/Apps/xcelerate/....

OpenMarket Transact, May 15, 2001, http://www.openmarket.com/cgi-bin/gx.cgi/

Apologic+FTContentServer?pagename=FutureTense/Apps/xcelerate/....

OpenMarket Shopsite, May 15, 2001, http://www.openmarket.com/cgi-bin/gx.cgi/

Apologic+FTContentServer?pagename=FutureTense/Apps/xcelerate/....

OpenMarket Open Exchange Shopsite 5.0, May 15, 2001, http://www.openmarket.com/cgi-bin/gx.cgi/

Apologic+FTContentServer?pagename=FutureTense/Apps/xcelerate/....

OpenMarket Wireless Solutions, an OpenMarket eBusiness Solution Brief, Feb. 13, 2001, http://www.openmarket.com/.

OpenMarket Portal Solutions an OpenMarket eBusiness Solution Brief, Feb. 21, 2001, http://www.openmarket.com/.

CyberCash Inc.—The E-Commerce Lender in Payment Solutions—B2B, 1996 Retrieved May 23, 2001, http://www.cybercash.com/. CyberCash Products, May 23, 2001, http://www.cybercash.com/products/.

CyberCash Cash & Register—Online Secure Payment Service, May 23, 2001, http://www.cybercash.com/cashregister/.

Cybercash iCverify 2.5 Upgrade, May 23, 2001, http://www.cybercash.com/icverify/upgrade.html.

Cybercash Cash Register—How It Works, Retrieved May 23, 2001, http://www.cybercash.com/cashregister/howitworks:html.

Cybercash Cash Register—Industry Leading Features, May 23, 2001, http://www.cybercash.com/cashregister/features.html.

Cybercash Cash Register—Why Choose Cash Register?, May 23, 2001, http://www.cybercash.com/cashregister/why.html.

Cybercash Cash Register—Online Secure Payment Service, 2000, http://webdata.cybercash.com/demos/.

Cybercash Web Authorize—Enterprise and Hosting Payment Processing, Retrieved May 23, 2001, http://www.cybercash.com/webauthorize/

Cybercash B2B Payment Services, Retrieved May 23, 2001, http://www.cybercash.com/b2b/.

Cybercash Fraud Patrol Service, May 23, 2001, http://www.cybercash.com/fraudpatrol/.

Cybercash PCAuthorize—Payment Software for Back-and-Mortar Merchants, May 23, 2001, http://www.cybercash.com/pcauthorize/. Microsoft Component Services—Server Operating System—A Technology Overview, Dated Aug. 15, 1998 Retrieved May 22, 2001, http://www.microsoft.com/com/wpaper/compsvcs.asp.

iPIN Home, Retrieved May 23, 2001, http://www.ipin.com/.

iPIN Company Info, Retrieved May 23, 2001, http://www.ipin.com/ 01comp.html.

iPIN Products—The iPIN Approach, Retrieved May 23, 2001, http://www.ipin.com/02prod.html.

iPIN Products—Technology, Retrieved May 23, 2001, http://www.ipin.com/02prod_tech.html.

iPIN Products—Solutions, Retrieved May 23, 2001, http://www.ipin.com/02prod_solution.html.

iPIN Products—Service Options, Retrieved May 23, 2001, http://www.ipin.com/02prod_service.html.

iPIN Partners, Retrieved May 23, 2001, http://www.ipin.com/03part.

html. Cybercash Fraud Patrol How It Works, Retrieved May 23, 2001,

http://www.cybercash.com/fraudpatrol/howitworks,html, Posting of Joyce Reynolds to Comp. Doc. Usenet (Mar. 27, 1991). Sample Book: An Intro to Internet Management pp. 14-15, pp. 379-

387 (2nd ed 1994).

Managing Internetworks with SNMP Miller pp. 138-139 (1993). "Untangling the World Wide Web" Relihan, Cahil, Hinchen (Oct. 1994).

RFC 1155, May 1990, Network Working Group.

RFC 1157, May 1990, Network Working Group. RFC 1213, Mar. 1991, Network Working Group.

RFC 1447, Apr. 1993, Network Wroking Group.

RFC 1156, May 1990, Network Working Group.

Request for Reexamination for Patent 5,778,178, Nov. 28, 2008. U.S. Appl. No. 60/208,057, filed May 31, 2000, Krichilsky.

Complaint for Declaratory Judgment of Patent Non/Infringement, Invalidity, and Unenforceability; (Dated Jul. 2, 2009) (219 pages).

Defendant Webxchange Inc.'S Motion to Dismiss Microsoft's Complaint With Prejudice for Lack of Subject-Matter Jurisdiction, and for Attorneys' Fees (entered Aug. 26, 2009).

Microsoft's Opposition to WebXchange, Inc.'s Motion to Dismiss Microsoft's Complaint (dated Sep. 14, 2009).

Order Dismissing Microsoft (Oct. 30, 2009) Judge Alsup.

Memorandum Opinion Microsoft (Oct. 30, 2009) Judge Farnan.

Complaint filed with Jury Demand against Allstate Corporation, Allstate Insurance Company, Allstate Life Insurance Company, Allstate Financial Services LLC, Allstate Financial LLC... (Filing fee \$ 350, receipt No. 03110000000000419775.)—filed by WebXchange Inc.. (Attachments: # 1 Exhibit A, # 2 Exhibit B, # 3 Exhibit C, # 4 Civil Cover Sheet)(lid) (Entered: Mar. 5, 2008).

Answer to 1 Complaint, with Jury Demand, Counterclaim against WebXchange Inc. by Allstate Corporation, Allstate Insurance Company, Allstate Life Insurance Company, Allstate Financial Services LLC, Allstate Financial LLC. (McGeever, Elizabeth) (Entered: Apr. 25, 2008).

Answer to 15 Answer to Complaint, Counterclaim Plaintiff WebXchange Inc.'s Answer to Defendant Allstate's Counterclaims by WebXchange Inc..(Heaney, Julia) (Entered: May 19, 2008).

Claim Construction Opening Brief [Defendants' Opening Brief in Support of Their Proposed Claim Constructions] filed by Allstate Insurance Company, Allstate Life Insurance Company, Allstate Financial Services LLC. (Moore, David) (Entered: Oct. 29, 2008). Claim Construction Opening Brief filed by WebXchange Inc.. (Attachments: # 1 Exhibits A-B)(Heaney, Julia) (Entered: Oct. 29, 2008).

First Amended Answer, Affirmative Defenses, and Counterclaims to 1 Complaint by Allstate Corporation, Allstate Insurance Company, Allstate Life Insurance Company, Allstate Financial Services LLC, Allstate Financial LLC. (nms) (nms). (Entered: Jan. 14, 2009), (Three Parts).

Answer to 90 Amended Answer to Compliant, Counterclaim by WebXchange Inc..(Heaney, Julia) (Entered: Feb. 2, 2009).

Motion to Bifurcate and for Early Trial on the Issue of Inequitable Conduct—filed by FedEx Corporation, FedEx Kinko's Office & Print Services, Inc., FedEx Corporate Services Inc., (Gaza, Anne) Modified on Mar. 23, 2009 (nms). (Entered: Mar. 19, 2009).

Notice of Motion re 107 Motion to Bifurcate and for Early Trial on the Issue of Inequitable Conduct; Request the following Motion Day: Apr. 17, 2009 (Gaza, Anne) Modified on Mar. 23, 2009 (nms). (Entered: Mar. 19, 2009).

7.1.1 Statement re 107 Motion to Bifurcate and for Early Trial on the Issue of Inequitable Conduct by FedEx Corporation, FedEx Kinko's Office & Print Services, Inc., FedEx Corporate Services Inc., (Gaza, Anne) Modified on Mar. 23, 2009 (nms). (Entered: Mar. 19, 2009). Redacted Version of 110 Opening Brief in Support, , by FedEx Corporate Services Inc., FedEx Corporate Services Inc., (Attachments: # 1 Exhibit 1, # 2 Exhibit 2, # 3 Exhibit 3, # 4 Exhibit 4, # 5 Exhibit 5, # 6 Exhibit 6, # 7 Exhibit 7, # 8 Exhibit 8, # 9 Exhibit 9, # 10 Exhibit 10, # 11 Exhibit 11, # 12 Exhibit 12, # 13 Exhibit 13)(Gaza, Anne) (Entered: Mar. 23, 2009), (Four Parts).

Claim Construction Opening Brief Defendants' Opening Brief in Support of Their Proposed Claim Constructions filed by Allstate Insurance Company, Allstate Life Insurance Company, Allstate Financial Services LLC. (McGeever, Elizabeth) (Entered: Mar. 23, 2009).

US 8,037,158 B2

Page 5

Claim Construction Opening Brief filed by WebXchange Inc.. (Attachments: # 1 Exhibits A-B)(Heaney, Julia) (Additional attachment(s) added on Mar. 25, 2009: # 2 Main Document) (nms). (Entered: Mar. 23, 2009), (Two Parts).

Plaintiff Webxchange Inc.'s Corrected Answering Brief in Opposition to Defendants' Motion to Bifurcate, and for Early Trial on, the Issue of Ineouitable Conduct /// Certificate of Service I, the undersigned, hereby certify that on May 13, 2009, I electronically filed the foregoing with the Clerk of the Court using CM/ECF, which will send notification of such filing(s) to the following: /// Certificate of Service I, the undersigned, hereby certify that on May 13, 2009, I electronically filed the foregoing with the Clerk of the Court using CM/ECF, which will send notification of such filing(s) to the following: /// Julia Heaney.

"Declaration of Eric 3. Stieglitz in Support Ofplaintiff Webxchange Inc.'S Answering Brief in Oppositionto Defendants' Motion to Bifurcate, and for Early Trial on, the Issue of Inequitable Conduct // Redacted—Public Version / signed Apr. 27, 2009Certificate of Servicei, the undersigned, hereby certify that on May 13, 2009, I electronically filed the foregoing with the Clerk of the Court using CM/ECF, which will send notification of such filing(s) to the following: (Two Parts)" Julia Heaney.

Case 1:08-cv-00131-JJF Document 142 Filed Jun. 1, 2009 p. 1 of 19 // Reply Brief in Support of Defendants' Motion to Bifurcate, and 11011 Early Trial on, the Issue of Inequitable Conduct /// Redacted Public Version /// Certificate of Service I hereby certify that on Jun. 1, 2009, I caused to be served by electronic mail the foregoing document and electronically filed the same with the Cleric of Court using CM/ECF which will send notification of such filing(s) to the following: Exhibits A-W to Redacted Reply Brief.

"Case 1:08-cv-00131-JJF Document 146 Filed Jun. 18, 2009 p. 1 of 5 // Motion for Leave to Amend Answer, Affirmative Defenses, and Counterclaims // Filed: Jun. 18, 2009".

"Defendants' Opening Brief in Support of Its Motion for Leave Toamend Answer, Affirmative Defenses, and Counterclaims // Case 1:08-cv-00131-JJF, Filed Jun. 18, 2009 p. 1 of 12".

Plaintiff Webxchange Inc.'s Answering Brief in Opposition to Allstate's Second Motion for Leave to Amend its Answer, C.A. No. 08-131 (JJF).

Complaint filed with Jury Demand against Dell Inc. -. (Filing fee \$ 350, receipt No. 03110000000000419782.)—filed by WebXchange Inc.. (Attachments: #Exhibit A, #2 Exhibit B, #3 Exhibit C, #4 Civil Cover Sheet)(lid) (Entered: Mar. 5, 2008).

Answer to I Complaint with Jury Demand, Counterclaim [Dell Inc.'s Answer, Defenses and Counterclaims to Webxchange Inc.'s Complaint for Patent Infringement] against Dell Inc. by Dell Inc. (Horwitz, Richard) (Entered: Mar. 26, 2008).

Answer to 8 Answer to Complaint, Counterclaim Plaintiff WebXchange Inc.'s Answer to Defendant Dell's Counterclaims by WebXchange Inc..(Heaney, Julia) (Entered: Apr. 18, 2008).

Claim Construction Opening Brief [Defendants' Opening Brief in Support of Their Proposed Claim Constructions] filed by Dell Inc.. (Moore, David) (Entered: Oct. 29, 2008).

Claim Construction Opening Brief filed by WebXchange Inc.. (Attachments: # 1 Exhibits A-B)(Heaney, Julia) (Entered: Oct. 29, 2008).

Reply Brief re 37 Motion for Discovery filed by Dell Inc.. (Attachments: #1 Exhibit A-L, #2 Exhibit M-S)(Gaza, Anne) (Entered: Oct. 31, 2008).

Motion to Amend/Correct Answer and Counterclaims to Complaint (Unopposed)—filed by Dell Inc. (Attachments: # 1 Notice of Motion, # 2 Text of Proposed Order, # 3 Exhibit A (First Amended Answer), # 4 Exhibit B (Blackline of First Amended Answer))(Moore, David) Modified on Jan. 13, 2009 (nms). (Entered: Ian. 12, 2009)

Order Granting 72 Defendant Dell Inc.'s Unopposed Motion to Amend its Answer and Counterclaims to Webexchange Inc's Original Complaint for Patent Infringement. Signed by Judge Joseph J. Farnan, Jr. on Jan. 13, 2009. (nms) (Entered: Jan. 14, 2009).

Dell Inc.'s First Amended Answer and Counterclaims to 1 Complaint by Dell Inc. (nms) (Entered: Jan. 14, 2009).

Answer to 75 Amended Answer to Complaint, Counterclaim by WebXchange Inc. (Heaney, Julia) (Entered: Feb. 2, 2009).

Motion to Bifurcate and for Early Trial on, the Issue of Inequitable Conduct—filed by FedEx Corporation, FedEx Kinko's Office & Print Services, Inc., FedEx Corporate Services Inc., (Gaza, Anne) Modified on Mar. 23, 2009 (nms). (Entered: Mar. 19, 2009).

Notice of Motion re 85 Motion to Bifurcate and for Early Trial on the Issue of Inequitable Conduct; Requesting the following Motion Day: Apr. 17, 2009 (Gaza, Anne) Modified on Mar. 23, 2009 (nms). (Entered: Mar. 19, 2009).

7.1.1 Statement re 85 Motion to Bifurcate and for Early Trial on the Issue of Inequitable Conduct by FedEx Corporation, FedEx Kinko's Office & Print Services, Inc., FedEx Corporate Services Inc.. (Gaza, Anne) Modified on Mar. 23, 2009 (nms). (Entered: Mar. 19, 2009). Redacted Version of 88 Opening Brief in Support, , by FedEx Corporation, FedEx Kinko's Office & Print Services, Inc., FedEx Corporate Services Inc.. (Attachments: # 1 Exhibit 1, # 2 Exhibit 2, # 3 Exhibit 3, # 4 Exhibit 4, # 5 Exhibit 5, # 6 Exhibit 6, # 7 Exhibit 7, # 8 Exhibit 8, # 9 Exhibit 9, # 10 Exhibit 10, # 11 Exhibit 11, # 12 Exhibit 12, # 13 Exhibit 13)(Gaza, Anne) (Entered: Mar. 23, 2009), (Three Parts).

Claim Construction Opening Brief Defendants' Opening in Support of Their Proposed Claim Constructions filed by Dell Inc. (McGeever, Elizabeth) (Entered: Mar. 23, 2009).

Claim Construction Opening Brief filed by WebXchange Inc. (Attachments: # 1 Exhibits A-B)(Heaney, Julia) (Additional attachment(s) added on Mar. 25, 2009: # 2 Main Document) (nms). (Entered: Mar. 23, 2009), (Two parts).

Defendant Dell Inc.'s Motion for Leave to Amend Its Answer (to file a Second Amended Answer); Jury Trial Demanded (entered Jul. 23, 2009).

Plaintiff WebXchanges Inc.'s Answering Brief in Opposition to Dell's Second Motion for Leave to Amend its Answer (entered Aug. 10, 2009).

Defendant Dell Inc.'s Opening Brief in Support of Its Motion for Leave to Amend Answer (entered Aug. 11, 2009).

Declaration of Charlotte Pontillo in Support of WebXchange Inc.'s Answering Brief in Opposition to Dell's Second Motion for Leave to Amend its Answer; (entered Aug. 12, 2009).

Defendant Dell Inc.'s Reply Brief in Support of Its Motion for Leave to Amend Answer (entered Aug. 20, 2009).

Order, Judge Stark.

Complaint filed with Jury Demand against FedEx Corporation, FedEx Kinko's Office & Print Services Inc., FedEx Corporate Services Inc. - (Filing fee \$ 350, receipt No. 0311000000000419793.)—filed by WebXchange Inc.. (Attachments: # 1 Exhibit A, # 2 Exhibit B, # 3 Exhibit C, # 4 Civil Cover Sheet)(Iid) (Entered: Mar. 5, 2008).

Answer to 1 Complaint, with Jury Demand, Counterclaim against WebXchange Inc. by FedEx Corporation, FedEx Kinko's Office & Print Services Inc., FedEx Corporate Services Inc., (Gaza, Anne) (Entered: Apr. 25, 2008).

Answer to 13 Answer to Complaint, Counterclaim Plaintiff WebXchange Inc.'s Answer to Defendant FedEx's Counterclaims by WebXchange Inc..(Heaney, Julia) (Entered: May 19, 2008).

Claim Construction Opening Brief [Defendants' Opening Brief in Support of Their Proposed Claim Constructions] filed by FedEx Corporation, FedEx Kinko's Office & Print Services Inc., FedEx Corporate Services Inc., (Moore, David) (Entered: Oct. 29, 2008). Claim Construction Opening Brief filed by WebXchange Inc., (Attachments: #1 Exhibits A-B)(Heaney, Julia) (Entered: Oct. 29, 2008).

Motion to Amend/Correct 13 Answer to Complaint, Counterclaim—filed by FedEx Corporation, FedEx Kinko's Office & Print Services Inc., FedEx Corporate Services Inc.. (Attachments: # 1 Exhibit A, # 2 Exhibit B, # 3 Exhibit C)(Gaza, Anne) (Entered: Jan. 12, 2009). Notice of Motion by FedEx Corporation, FedEx Kinko's Office & Print Services Inc., FedEx Corporate Services Inc. re 89 Motion to Amend/Correct 13 Answer to Complaint, Counterclaim; Requesting the following Motion Day; Feb. 19, 2009 (Gaza, Anne) (Entered: Jan. 12, 2009).

Sealed Opening Brief in Support re 89 Motion to Amend/Correct 13 Answer to Complaint, Counterclaim Motion to Amend/Correct 13 Answer to Complaint, Counterclaim filed by FedEx Corporation,

Page 6

FedEx Kinko's Office & Print Services Inc., FedEx Corporate Services Inc., Answering Brief/Response due date per Local Rules is Jan. 30, 2009. (Gaza, Anne) (Entered: Jan. 12, 2009).

Order Granting 89 Unopposed Motion for Leave to Amend Answer. Signed by Judge Joseph J. Farnan, Jr. on Jan. 13, 2009. (nms) (Entered: Jan. 14, 2009).

First Amended Answer, Affirmative Defenses, and Counterclaims to Plaintiff re 1 Complaint, with Jury Demand by FedEx Corporation, FedEx Kinko's Office & Print Services Inc., FedEx Corporate Services Inc., (nms) (Entered: Jan. 14, 2009).

Redacted Version of 91 Opening Brief in Support, by FedEx Corporation, FedEx Kinko's Office & Print Services Inc., FedEx Corporate Services Inc., (Attachments: #1 Exhibit A-D)(Gaza, Anne) (Entered: Jan. 21, 2009).

Amended Answer to 97 Answer to Complaint, Counterclaim by WebXchange Inc. (Heaney, Julia) (Entered: Feb. 2, 2009).

Motion to Bifurcate and for Early Trial on, the Issue of Inequitable Conduct—filed by FedEx Corporation, FedEx Kinko's Office & Print Services Inc., FedEx Corporate Services Inc., (Gaza, Anne) Modified on Mar. 23, 2009 (nms). (Entered: Mar. 19, 2009).

Notice of Motion re 108 Motion to Bifurcate and for Early Trial on, the Issue of Inequitable Conduct; Requesting the following Motion Day: Apr. 17, 2009 (Gaza, Anne) Modified on Mar. 23, 2009 (nms). (Entered: Mar. 19, 2009).

Statement re 108 Motion to Bifurcate and for Early Trial on, the Issue of Inequitable Conduct by FedEx Corporation, FedEx Kinko's Office & Print Services Inc., FedEx Corporate Services Inc., (Gaza, Anne) Modified on Mar. 23, 2009 (nms). (Entered: Mar. 19, 2009). Claim Construction Opening Brief Defendants' Opening Brief in Support of Their Proposed Claim Constructions filed by FedEx Corporation, FedEx Kinko's Office & Print Services Inc., FedEx Corporate Services Inc.. (McGeever, Elizabeth) (Entered: Mar. 23, 2009). Claim Construction Opening Brief filed by WebXchange Inc. (Attachments: #1 Exhibits A-B)(Heaney, Julia) (Additional attachment(s) added on Mar. 25, 2009: #2 Main Document) (nms). (Entered: Mar. 23, 2009), (Two parts).

Defendants' Motion for Leave to Amend Its Answer.

Defendants' Brief in Support of Its Motion for Leave to Amend Answer // C.A No. 08-133 (JIF) // Dated: Jun. 12, 2009.

UTUC, "The Common Gateway Interface", pp. 1-4, http://hoohoo.ncsa.uiuc.edu/cgi/primer.html, Retrieved on May 22, 2001.

Arnold, K et al., "Media-Independent Interfaces in a Media-Dependent World", Proceedings of the USENIX Conference on Object-Oriented Technologies, Monterey, CA, Jun. 1995, WBX001.

Arshad, K.M et al., "A CORBA based framework for trusted E-Commerce Transactions", Enterprise Distributed Object Computing Conference, pp. 18-25, EDOC '99. Proceedings, 3rd International, Sep. 27, 1999, WBX002.

Atkinson, R., RFC 1825: "Security Architecture for the Internet Protocol", Naval Research Laboratory, Category: Standards Track, Network Working Group, Aug. 1, 1995, WBX007.

Banks, M., "America Online: A Graphics-based Success", Link-Up, Jan./Feb. 1992, WBX008.

Banks, M., "Compuserve for Windows", M.I.S Press, 1994, WBX009.

Baquero, C. et al., "Integration of Concurrency Control in a Language with Subtyping and Subclassing", Proceedings of the USENIX Conference on Object-Oriented Technologies, Monterey, CA, Jun. 1995, WBX010.

Barron, C. and Weil, B., "Dr. Dobbs Portal: Implementing a Web Shopping Cart", Online Transactions in PERL, Sep. 1, 1996 WBX011.

Bharat, K. et al., "Visual Obliq: A System for Building Distributed, Multi-User Applications by Direct Manipulation", SRC 130a, DEC, Oct. 31, 1995, WBX012.

Bharat, K. et al., "Distributed Applications in a Hypermedia Setting", Proc. of the International Workshop on Hypermedia Design, Montpellier, http.www.cc.gatech. edugvupeoplePhdKrishnalWHD. html, Jun. 1, 1995, WBX013.

Birrell A. et al., "Network Objects", SRC Research Report, Feb. 24, 1994, WBX014.

Birrell A. et al., "Implementing Remote Procedure Calls", Xerox Palo Alto Research Center, ACM Transactions, Feb. 1, 1994, WBX015.

Bowen, C. et al., "How to Get the Most out of CompuServe" 5th Ed. 1991, Random House, Inc. 1991, WBX016.

Braden, R. et al., RFC 1122: "Requirements for Internet Hosts—Communication Layers" Oct. 1, 1989, WBX017.

Brando, T., "Comparing DCE and CORBA", Mitre Document MP 95B-93, Mar. 1, 1995, WBX018.

Microsoft, 7,340,506—Appendix A to the Request for Inter Partes Re-examination of, Payne, Dec. 2008, WBX019.

Broadvision, "Broadvision One-to-One: On-line Marketing and Selling Application System Developers' Guide", 1995, WBX020.

Broadvision, "Broadvision One-to-One: On-Line Marketing and Selling Application System: Dynamic Command Center User's Guide", 1995, WBX021.

Broadvision, "Broadvision One-to-One: On-Line Marketing and Selling Application System: Installation and System Administration Guide" 1995, WBX022.

Broadvision, "Broadvision One-to-One: On-Line Marketing and Selling Application System: Technical Overview", 1995, WBX023. Microsoft, 7,340,506—Appendix B to the Request for Inter Partes Re-examination of, Ginter, Dec. 2008, WBX024.

Business Wire, "Open Market releases first complete software solution" 1995, WBX025.

Business Wire, "Sunsoft delivers early access release of Distributed Objects Environment", Jun. 14, 1995, WBX026.

Case, J. et al., "Network Management and the Design of SNMP", Connexxions (ISSN 0894-5926), vol. 3, No. 3, Mar. 1989, WBX027. Microsoft, 7,340,506—Appendix C to the Request for Inter Partes Re-examination of, Popp, Dec. 2008, WBX028.

Chung, S. et al., "A Heterogeneous Distributed Information System", IEEE, pp. 443-447, 1993, WBX029.

Courtney, A., "Phantom: An Interpreted Language for Distributed Programming", Proceedings of the USENIX Conference on Object-Oriented Technologies, Monterey, CA, Jun. 1995, WBX030.

Cybercash, "Affiliate Marketing Service", http://www.cybercash.com/products/affiliatemarketing.html [retrieved on May 23, 2001] 1996, WBX031.

"CyberCash B2B Payment Services", http://www.cybercash.com/b2b pp. 1-2[retrieved May 23, 2001] 1996, WBX032.

"CyberCash B2BServices", 1996, WBX033.

"CyberCash Cash Register Internet Payment Service". Web Page [online]. CyberCash Cash Register—Online Secure Payment Service. [retrieved on May 23, 2001] Retrieved from the Internet:<URL:http://www.cybercash.com/cashregister pp. 1-2. 1996, WBX034.

"CyberCash—Cash Register—How it Works" [retrieved on May 23, 2001] Retrieved from the Internet:<URL:http://www.cybercash.com/cashregister/howitworks.html pp. 1-3. 1996, WBX035.

"CyberCash—Industry Leading Features" Web Page [online]. [retrieved on May 23, 2001] Retrieved from the Internet: <URL:http://www.cybercash.com/cashregister/features.html pp. 1-4. 1996, WBX036.

"CyberCash Cash Register—Online Secure Payment Service" CashRegister Demos. Web Page [online]. [retrieved on May 23, 2001] Retrieved from the Internet:<URL:http://www.webdata.cybercash.com/demos/pp. 1-2. 1996, WBX038.

"CyberCash FraudPatrol.TM. Service" Web Page [online]. [retrieved on May 23, 2001] Retrieved from the Internet: <URL:http://www.cybercash.com/fraudpatrol/pp. 1-2. 1996, WBX039.

"CyberCash FraudPatrol—How It Works" Web Page [online]. [retrieved on May 23, 2001] Retrieved from the Internet: <URL:http://www.cybercash.com/fraudpatrol/howitworks.html pp. 1-2 1996, WBX040.

"CyberCash Home", http://www.cybercash.com [retrieved on May 23, 2001] 1996, WBX041.

Microsoft, 7,340,506 Inter Partes Re-examination Exhibit 2, File History, Dec. 2008, (Two parts) WBX042.

"CyberCash ICVerify for Windows" Version 2.5 Upgrade, http://www.cybercash.com/icverify/upgrade.html pp. 1-2 [retrieved on May 23, 2001] 1996, WBX043.

Page 7

Cybercash, "ICVerify—Features" Web Page [online] [retrieved on May 23, 2001] Retrieved from the Internet: <URL:http://www.cybercash.com/icverify/features.html, 1996, pp. 1-3, WBX044.

Cybercash, "Payment Software for Brick and Mortar Merchants" http://www.cybercash.com/pcauthorize 1996-2001, WBX046.

Delaware WebXchange Claim Construction Introductory Brief, Mar. 26, 2009, WBX047.

Cybercash, "Products" Web Page[online]. CyberCash, 1996. [retrieved on May 23, 2001]. Retrieved from the Internet:<URL:http://www.CyberCash.com/products/, 1996, pp. 1-2, WBX048.

Microsoft, 7,340,506 Inter Partes Re-examination Request, Dec. 2008, WBX049.

Cybercash, "WebAuthorize—Enterprise and Hosting Payment Processing". Web Page [online] [retrieved on May 23, 2001] Retrieved from the Internet: <URL: http://www.cybercash.com/webauthorize/, 1996, pp. 1-2, WBX050.

Davis et al., "A Protocol and Server for a Distributed Digital Technical Report Library", Apr. 25, 1994, WBX051.

Davison, A., "Coding with HTML forms HTML goes interactive", (hypertext markup language) (Tutorial), Dr. Dobb's Journal, Jun. 6, 1995, vol. 20, No. 6, 19 pages, WBX052a.

Davison, A., "Coding with HTML forms: HTML goes interactive", Dr. Dobb's Journal, Jun. 6, 1995, vol. 20, No. 6, pp. 70-79, WBX052b.

"Distributed Object Technology in the Financial Services Industry: Trading and Risk Management", A White Paper, Sun Microsystems, 1995, WBX053.

Deng, R.H. et al., "Integrating Security in CORBA-based Architectures", IEEE, Jun. 1995, pp. 50-61, WBX054.

Detlefs, D. et al., Debugging Storage Management Problems in Garbage Collected Environments, Proceedings of the USENIX Conference on Object-Oriented Technologies, Monterey, CA, Jun. 1995, WBX055.

Dietinger, T., Object-Oriented Implementation of a Multiprotocol Hyper-G client for MS-Windows, Diplomarbeit inTelematik, TU Graz, Jul. 1, 1995, WBX056.

Dr. Gui on Components, COM and ATL, http://msdn.microsoft.com/library/welcome/dsmsdn/msdn_drguion020298.htm, Feb. 2, 1998, pp. 1-61 [retrieved on May 22, 2001], WBX057.

Edwards, N., Object Wrapping (for WWW)—The Key to Integrated Services, ANSA Phase III, Apr. 25, 1995, WBX058.

Ehikioya, S.A., "An Agent-Based System for Distributed Transactions: a Model for Internet-Based transactions", Electrical and Computer Engineering, 1999 IEEE Canadian Conference on, vol. 1, May 9, 1999, pp. 289-294, WBX059.

Microsoft DJ Order, C-08-05149 WHA "Order Granting Defendant's Motion to Dismiss", Federal Court of Northern California, Feb. 17, 2009, WBX060.

"Portal Solutions, an Open Market eBusiness Solution Brief". White Paper. Open Market, Forrester Research TechRankings, Feb. 2001, WBX061.

"Wireless Solutions, An Open Market eBusiness Solution Brief", WhitePaper. Open Market, Forrester Research TechRankings, Feb. 2001. WBX062.

Fraga, J. et al., "A Programming Model for Real-Time Applications in Open Distributed Systems", IEEE, 1995, pp. 104-111, WBX063. Dell, Fedex, Allstate, Delaware Claim Construction Introductory Brief_Defendants_Opening Brief in Support of Their Proposed Claim Constructions Mar. 23, 2009, Mar. 27, 2009, WBX064.

Glossbrenner, A., "MasterGuide to Compuserve", "Chapter 15: Travel Services: Join CompuServe and See the World", Prentice Hall, 1987, WBX065.

Gross, C., "Taking the Splash Diving into ISAPI Programming", ISAPI Programming, Microsoft Interactive Developer, <URL:http://www.Microsoft.com/mind/0197/ISAPI.htm, Jan. 1, 197, pp. 1-10 [retrieved on May 22, 2001], WBX066.

"Open Market Inc, Managing in a Turbulent Environment", Harvard Business School, 9-196-097, Aug. 29, 1996, WBX067.

Hickey, M., "Shopping at Home: One Modern Line, No Waiting", Home PC, Dec. 1, 1994, p. 307, Dialog, File 647, Acc# 01038162, WBX068A.

Lang, "Cashing in: The Rush is on to Buy and Sell on the Internet But on Sidelines for Now", Advertising Age, Dec. 19, 1994, p. 11, Dialog, File 16, Acc# 05419137, WBX068B.

Lichty, T., "America Online Tour Guide", MacIntosh Edition, Version 2, Chapter 1, 3, 8,10, 1992, WBX068C.

Tymnet, Wikipedia, the free encyclopedia, http://en.wikipedia.org/wiki/tymnet, Retrieved on May 1, 2007, WBX068D.

Cox, B. et al., "NetBill Security and Transaction Protocol", Carnegie Millon University, Pittsburgh, PA 15212-3890, undated, WBX068E. Lamond, K. et al., "Credit Card Transactions Real World and OnLine", http://www.virtualschool.edu/mon/ElectronProperty/klamond/credit_card.htm, 1996, pp. 1-16, WBX068F.

"Open Market Catalog Centre", Page [online. Open Market, Inc.— Enterprise Content Managnement & Delivery. Retrieved on the Internet:<URL:http://www.openmarket.com/cgi-bin/gx.cgi/Ap-

pLogic-+FT- ContentServer?pagename=FutureTense/Apps/Xcelerate/Render&c=Arti_ZZZ, WBX069.

Business Wire, High Beam Wire, "Open Market releases first complete software solution" Oct. 16, 1995, WBX070.

McCloghrie, K. et al., RFC 1156, "Management Information Base for Network Management of TCP/IP-based internets", May 1, 1990, WBX071.

Case, J. et al., RFC 1157 May 1, 1990, WBX072.

Rose, M., RFC 1283:"SNMP over OSI", Dec. 1, 1991, WBX073.

Rose, M. et al., RFC 1155: "Structure and Identification of Management Information for TCP/IP-based internets", May 1, 1990, WBX074.

Case, J. et al., RFC 1442: "Structure of Management Information for version 2 of the Simple Network Management Protocol (SNMPv2)", AllState 00011394 Apr. 1, 1993, WBX075.

"ORBIX Programmer's Guide", IONA Technologies, Oct. 1, 1997, WBX076.

"ORBIX Programmer's Guide", Release 1.3.1, IONA Technologies, Feb. 1, 1995, WBX077.

Ito, J. et al., "Using meta-objects to support optimization in the Apertos Operating System", Proceedings of the USENIX Conference on Object-Oriented Technologies, Monterey, CA, Jun. 1995, WRY078

Jordan, M. et al., "Software Configuration Management in an Object-Oriented Database", Proceedings of the USENIX Conference on Object-Oriented Technologies, Monterey, CA, Jun. 1995, WBX079.

Kane, P., "Prodigy Made Easy", "Chapter 6, Shopping Made Easy", 2nd ed., 1993, WBX080.

Lagoze, C. et al., "Dienst: Implementation Reference Manual", May 5, 1995, WBX081.

Open Market Commerce Products, Web Page[online]. Open Market Inc.—Enterprise Content Management Delivery. Retrieved on the Internet:<URL:http://www.openmarket.com/cgi-bin/gx.cgi/

AppLogic+FTCont-cntServer?pagename=FutureTense/Apps/Xcelerate/Render&c=A_ZZZ, WBX082.

Lange, D.B. et al., "Program Explorer: A Program Visualizer for C++", Proceedings of the USENIX Conference on Object-Oriented Technologies, Monterey, CA, Jun. 1995, WBX083.

Laufer. K., "A Framework for Higher Order Functions in C++", Proceedings of the USENIX Conference on Object-Oriented Technologies, Monterey, CA, Jun. 1995, WBX084.

Li, G. and Bacon, J., "Supporting Distributed Real-Time Objects", IEEE Jul. 1994, pp. 138-143, WBX085.
Limprecht, R., "Microsoft Transaction Server", IEEE, Compcon '97

Limprecht, R., "Microsoft Transaction Server", IEEE, Compcon '97 Proceedings, 1997, pp. 14-18, WBX086.

Maffeis, S., "Adding Group Communication and Fault-Tolerance to CORBA", Proceedings of the USENIX Conference on Object-Oriented Technologies, Montager CA, June 1995, WPX 987

ented Technologies, Monterey, CA, Jun. 1995, WBX087.

Mahindra, A. et al., "Dynamic Insertion of Object Services", Proceedings of the USENIX Conference on Object-Oriented Technologies, Monterey, CA, Jun. 1995, WBX088.

McCloghrie, K. et al., RFC 1213, "Management Information Base for Network Management of TCP/IP-based internets: MIB-II", SNMP Working Group, Mar. 1, 1991, WBX089.

McCloghrie, K. et al., RFC 1447, "Party MIB for version 2 of the SIMPLE Network Management Protocol", SNMP Security Working Group, Apr. 1, 1993, WBX090.

Page 8

McKie, S., "ERP Meets Web E-Commerce", DBMS, Jul. 1, 1998, WBX091.

McMaster D. et al., RFC 1516: "802.3 Repeater devices—Definition of Managed Objects", Feb. 9, 1992, WBX092.

"Allstate Connects with Countrywide Producer Network in Seven Months Using Microsoft Visual Studio .NET and the NET Framework", Microsoft .NET Customer Solution, Jan. 2003, WBX093.

O'Brien Jones, U.S. Appl. No. 90/010,346 Application which is the 5,778,178 Re-exam doc, Exhibits Part 1-WBX101, Exhibits Part 2-WBX102, Nov. 21, 2008 Third Party Requests, WBX094.

"Microsoft Component Services, Server Operating System, A Technology Overview", http://www.microsoft.com/com/wpaper/compsvcs.asp, Aug. 15, 1998, [retrieved on May 22, 2001], WBX095.

Microsoft vs WebXchange Complaint CV 085149, Nov. 12, 2008, WBX096

Microsoft vs WebXchange First Amended Complaint CV 085149, Mar. 3, 2009, WBX097.

Allstate Uses Web Services to Quickly Create Insurance Policy Management Solution, Microsoft .NET Customer Solution Case Study, Jan. 2005, WBX098.

Mitchell et al., "An Overview of the Spring System", Sun Microsystems, WBX099.

Muckelbauer, P. and Russo, V., "Lingua Franca: An IDL for Structured Subtyping Distributed Object Systems" Proceedings of the USENIX Conference on Object-Oriented Technologies. Monterey, CA., WBX100.

O'Brien Jones , 5,778,178 Request for Ex Parte Re-Exam with Exhibits Part 1, Nov. 21, 2008, WBX101.

Reynolds, J. Posting to comp doc USENET group, http://nyurl.com/53a95p, RFC 1212, 1213- Google groups on concise definitions MIB and MIBII, Exhibit G, Mar. 27, 1991, WBX045.

Relihan, L. et al., "Untangling the World-Wide Web." Proceedings of the 12th Annual International Conference on Systems Documentation, Oct. 1, 1994, pp. 17-24, published by the Association of Computing Machinery, WBX102A.

O'Brien Jones, 5,778,178 Request for Ex Parte Re-Exam with Exhibits Part 2, Nov. 21, 2008, WBX102B.

Rose, M. T., "The Simple Book: An Introduction to Internet Management", 1994, pp. 14-15, 379-387 (2nd ed.) Exhibit F, WBX102C. "Open Market Enterprise Content Management and Delivery: Content Server", <URL:http://www.openmarket.com/cgi-bin/gx.cgi/AppLogic+FTContentServer?pagename=FutureTense/Apps/

Xcelerate/Render&c=Artic.., retrieved on May 15, 2001, pp. 1-4, WBX103.

"Open Market Enterprise Content Management and Delivery: Content Center", <URL:http://www.openmarket.com/cgi-bin/gx.cgi/ AppLogic+FTContentServer?pagename=FutureTense/Apps/

Xcelerate/Render&c=Artic., retrieved on May 15, 2001, WBX104. "Open Market Enterprise Content Management and Delivery: Content-Driven eBusiness Solutions", Web site [retrieved on May 15, 2001] <u >URL:http://www.openmarket.com/cgi-bin/gx.cgi/AppLogic+FTContentServer?pagename=FutureTense/Apps/Xcelerate/Render&c=Artic..re, WBX105.

"Open Market ShopSite 5.0", Web Page[online]. [retrieved on May 15, 2001]. Retrieved on the Internet: <URL: http://www.openmarket.com/cgi-bin/gx.cgi/AppLogic+FTCont-

entServer?pagename=FutureTense/Apps/, retrieved on May 15, 2001. WBX112.

Orfali, R. et al., "Essential Client/Server Survival Guide"-John Wiley and Sons—Set 1, 1994, WBX114.

Orfali, R. et al., "Essential Client/Server Survival Guide"-John Wiley and Sons—Set 2, 1994, WBX115.

WBX116 Orfali, R.; Harkey, D.; Edwards, J., "Essential Client/ Server Survival Guide" John Wiley and Sons, Sets 1-4, Jun. 16, 2005, WBX116.

Orfali, R. et al., "Essential Client/Server Survival Guide"-John Wiley and Sons—Set 4, 1994, WBX117.

Pavlou, G. et al., "A Generic Management Information Base Browser", WBX119.

Peterson, L. et al., "Computer Networks, A Systems Approach", Morgan Kaufmann Publishers, Inc., 1996, pp. 472-507, WBX120.

Pitkow, J. et al., "Using the Web as a Survey Tool: Results from the Second WWW User Survey", conducted on Oct. 15 and Nov. 1994, presented at the Third International World-Wide-Web Conference in Darmstadt, Germany, Apr. 10-14, 1995, WBX121.

Netscape Unveils New Versions of Commercial Applications for Enhanced Integration with Corporate Databases, NetScape Press Release, May 13, 1996, WBX122.

Raatikainen, K., "Database Access in Intelligent Networks", Proceedings of IFIP TC6 Workshop on Intelligent Networks, pp. 163-183, WBX123.

Radia, S. R. et al., "The Spring Object Model", Proceedings of the USENIX Conference on Object-Oriented Technologies, Monterey, CA, Jun. 1995, WBX124.

Rosenberry, et al., "OSF Distributed Computing Environment— Understanding DCE"—O'Reilly & Associates, Jun. 1993, WBX126. Rubin, C. "Wired: In the Bag", Jun. 1997, WBX127.

Schepp et al., "The Complete Guide to CompuServe: Chapter 12: Travel Services: See the World Today the Compuserve Way", 1990, pp. 409-437, McGraw Hill, WBX128.

Schmidt, D. et al., "Object-Oriented Components for High-Speed Network Programming", Proceedings of the USENIX Conference on Object-Oriented Technologies, Monterey, CA, Jun. 1995, WBX129. Siegel, J., "Common Object Services Specification vol. 1, Rev 1, First Edition", OMG Doc 94-1-1, Mar. 1, 1994, WBX130.

"Common Desktop Environment: Product Glossary", SunSoft, 1994-1995, WBX131.

"Common Desktop Environment: Applications Builder User's Guide", SunSoft, 1994-1995, WBX132.

"OpenStep Development Tools", SunSoft, 1996, WBX133.

Porting NextStep 3.2/3.3 Applications to OpenStep on Solaris, Sunsoft, 1996, WBX134.

"Solstice X.500 Programming Reference", SunSoft, 1996, WBX135.

Tatters, W., "Navigating the Internet with Compuserve: Chapter 17: Business on the Net". 1995, pp. 352-374, Sams Publishing, WBX136.

Technical Staff, "The Conductor Financial Services Framework": Distributed Objects on the Internet, A Block Financial Corporation White Paper, BFC Technology Center, Oct. 17, 1995, WBX137. US Patent 5,778,178, Re-exam Order Granted, Jan. 23, 2009, WBX142.

US Patent 7,340,506, Re-exam Order Mar. 6, 2009, WBX143.

Vogler, H. et al.., "The Transaction Internet Protocol in Practice: Reliability for WWW Applications", IEEE 1999 Internet Workshop IWS99, (ISSN-0-7803-5925-9), Feb. 18, 1999, WBX146.

7,340,506 Inter Partes Re-examination Exhibit 3-WebXchange Claim Construction Introductory Brief, In the US District Court for the District of Delaware, C.A. No. 08-131 (JJF), C. A. 08-132 (JJF), No. 08-133 (JJF), Microsoft, Oct. 29, 2008, WBX148.

Microsoft , 7,340,506 Inter Partes Re-examination Exhibit 5-08-168,519 FH—'519 Application Final, WBX149.

Weich, C., "Generic Containers for a Distributed Object Store", Proceedings of the USENIX Conference (Jun. 1995) on Object-Oriented Technologies, Monterey, CA, May 18, 1995, WBX150. WBX151, "SmallTalk" Wikipedia SmallTalk http://www.objs.com/

WBX151, "SmallTalk" Wikipedia SmallTalk http://www.objs.com/x3h7/smalltalk.htm and http://en.wikipedia.org/wiki/Smalltalk WBX151.

Wollrath, A. et al., "Simple Activation for Distributed Objects", Proceedings of the USENIX Conference on Object-Oriented Technologies, Monterey, CA, Jun. 1995, WBX152.

USENIX, "Agenda of Proceedings of the USENIX Conference on Object-Oriented Technologies", Monterey, CA, Jun. 1995, WBX153.

"Common Desktop Environment: Desktop Kornshell User's Guide", Sun Microsystems, 1994-1995, WBX154.

"Common Desktop Environment: Help System Author's and Programmer's Guide", Sun Microsystems, 1994-1995, (Three parts) WBX155.

"Common Desktop Environment: Internationalization Programmer's Guide", Sun Microsystems, 1994-1995, WBX156.

"Common Desktop Environment: Tooltalk Messaging Overview", Sun Microsystems, 1994-1995, WBX157.

Page 9

"Common Desktop Environment: Common StyleGuide and Certification CheckList", SunSoft, 1994-1995, WBX158.

"Common Desktop Environment: Programmer's Overview", SunSoft, 1994-1995, WBX159.

Developer's Guide to Internationalization, Sun Microsystems, 1994, WBX 160.

"Dr. Gui's Gentle Guide to COM", http://www.microsoft.com/Com/news/drgui.asp [retrieved on May 22, 2001], Nov. 1, 1999, WBX161. "iPIN Company Info", http://www.ipin.com/01comp.html [retrieved on May 23, 2001], iPIN Interactive Transaction Services, Inc., 2000, WBX162.

"iPIN Home", http://www.ipin.com [retrieved on May 23, 2001], iPIN Interactive Transaction Services, Inc., 2000, WBX163.

"iPIN Service Options", http://www.ipin.com/02prod_service.html [retrieved on May 23, 2001], iPIN Interactive Transaction Services, Inc., 2000, WBX164.

"iPIN Solutions", http://www.ipin.com/02prod_solution.html [retrieved on May 23, 2001], iPIN Interactive Transaction Services, Inc., 2000, WBX165.

"iPIN Partners", http://www.ipin.com/03part.html [retrieved on May 23, 2001], iPIN Interactive Transaction Services, Inc., 2000, WBX166.

"iPIN Technology", http://www.ipin.com/02prod_tech.html [retrieved on May 23, 2001], iPIN Interactive Transaction Services, Inc., 2000, WBX167.

NetScape Products: Open and Secure Internet Software, 1995, WBX168A.

NetScape Merchant System, Data Sheet 1995, WBX168B.

NetScape Internet Applications, Customer Showcase 1995, WBX168C.

NetScape Server API, 1995, WBX 168D.

NetScape Object-Oriented Pradigm of Server Configuration, 1995, WBX168E.

RSA: Verisign Redirection Information, Important Announcement 1995, WBX168F.

RSA: Verisign to Provide Digital IDs for Open Market's Secure WebServer, 1995, WBX168G.

Verisign Adds the Missing Component to Online Security Solutions 1995, WBX168H.

Hickman, K.E.B.; Netscape, "The SSL Protocol", 1995, WBX168I. NetScape iStore DataSheet, 1995, WBX168J.

Choudhury, A.K. et al., "Copyright Protection for Electronic Publishing over Computer Networks", 1995 IEEE Network, 9, May/June, vol. 3 pp. 12-20 (1995) WBX168L.

NSAPI Basics, (Chapter 1) http://developer.netscape.com/docs/manuals/enterprise/nsapi/svrop.htm [retrieved on May 22, 2001], 1997. WBX 174.

"OpenStep User Interface Guidelines", SunSoft, 1996, WBX175. "OpenStep Programming Reference", SunSoft, 1996, (12 parts) WBX176.

"QuickStart to Using the Open Step Desktop", SunSoft, 1996, WBX177.

Rose, M. et al., "RFC 1065:Structure and Identification of Management Information for TCP/IP-based internets", Aug. 1, 1988, WBX 178.

Stewart, B., RFC 1318: "Definition of Managed Objects for Parallel-printer-like Hardware Devices", Apr. 1, 1992, WBX179.

Kane, P., "Prodigy Made Easy", "Chapter 6, Shopping Made Easy", 2nd ed., 1993, WBX080.

Lagoze, C. et al., "Dienst: Implementation Reference Manual", May 5, 1995, WBX081.

Rivest, R., "RFC 1321: The MD5 Message-Digest Algorithm", 1997, WBX180.

Solaris Common Desktop Envirnment: MOTIF Transition Guide, Sun Microsystems, 1997, WBX181.

"Solaris Common Desktop Environment: Programmer's Guide", Sun Microsystems, 1994-1995, WBX182.

"The iPin Approach", http://www.ipin.com/02prod.html, 2000, [retrieved on May 23, 2001], Interactive Transaction Services, Inc., WBX183.

USPTO, 7,340,506—Notice of assignment of inter partes reexamination request, Jan. 1, 2009, WBX200.

Orfali, R. et al., "The Essential Distributed Objects Survival Guide"—Part1-1, John Wiley and Sons, 1996, WBX201.

Orfali, R. et al., "The Essential Distributed Objects Survival Guide"—Part1-2, John Wiley and Sons, 1996, WBX202.

Orfali, R. et al., "The Essential Distributed Objects Survival Guide"—Part1-3, John Wiley and Sons, 1996, WBX203.

Orfali, R. et al., "The Essential Distributed Objects Survival Guide"—Part2-1, John Wiley and Sons, 1996, WBX204.

Orfali, R. et al., "The Essential Distributed Objects Survival Guide"—Part2-2, John Wiley and Sons, 1996, WBX205.

Orfali, R. et al., "The Essential Distributed Objects Survival Guide"—Part2-3, John Wiley and Sons, 1996, WBX206.

Orfali, R. et al., "The Essential Distributed Objects Survival Guide"—Part3-1, John Wiley and Sons, 1996, WBX207.

Orfali, R. et al., "The Essential Distributed Objects Survival Guide".—Part3-2, John Wiley and Sons, 1996, WBX208.

Orfali, R. et al., "The Essential Distributed Objects Survival

Guide"—Part3-3, John Wiley and Sons, 1996, WBX209.
Orfali, R. et al., "The Essential Distributed Objects Survival

Guide"—Part4-1, John Wiley and Sons, 1996, WBX210.
Orfali, R. et al., "The Essential Distributed Objects Survival

Guide"—Part4-2, John Wiley and Sons, 1996, WBX211. Orfali, R. et al., "The Essential Distributed Objects Survival

Guide"—Part4-3, John Wiley and Sons, 1996, WBX212.
Orfali, R. et al., "The Essential Distributed Objects Survival

Guide"—Part4-4, John Wiley and Sons, 1996, WBX213. Broadvision, "Broadvision One-to-One: Programmer's Reference,

Part 1" 1995, WBX214.
Broadvision, "Broadvision One-to-One: Programmer's Reference,

Part 2" 1995 , WBX215.
OMG , "The Common Object Request Broker: Architecture and

OMG, "The Common Object Request Broker: Architecture and Specification", CORBA v2.0_(NYC-#1655390-v1), Jul. 1995-1996, WBX216.

NYC-#1579692-v1-WebXchange_—_March_3_DELL_Complaint.Doc, Mar. 3, 2008, WBX217.

NYC-#1579751-v1-WebXchange_—_March_3_Allstate_Complaint.Doc, Mar. 3, 2008, WBX218.

NYC-#1579947-v1-WebXchange____March_3_FedEx_Complaint Doc, Mar. 3, 2008, WBX219.

The Open Group, "Inter-domain Management: Specification Translation", 1997, WBX222.

The Open Group, "Inter-domain Management_Summary of Similarities and Differences", 1997, WBX223.

The Open Group, "Inter-domain Management_object models comparison", 1997, WBX224.

Miller, M., "Managing Internetworks with SNMP", 1993, pp. 138-139, M&T Books., '506 Inter Partes Re-examination Exhibit 12, Dec. 2008, WBX225.

Umar, A., "Distributed Computing: A Practical Synthesis", "Appendix B: Tutorial on TCP/IP Protocol Suite", (BellCore), 1993, WBX226.

Umar, A., "Distributed Computing: A Practical Synthesis", "Chapter
Client-Server Systems and Application—Interconnectivity",
(BellCore), 1993, WBX227.

Spero, "Binary Gateway Interface—An API for Dynamically Extensible http Servers", Jul. 1, 1994, Retrieved on Apr. 5, 2009 from http://www.ibiblio.org/mdma-release/BGI-spec.txt, WBX228.

"Point, Click and Shop' Never So Easy; The CheckFree Wallet(TM) Allows Consumers and Merchants to Conduct Simple, Safe Internet Transactions" NewsHound, San Jose Mercury News, PRNewswire, Apr. 10, 1995, Retrieved on Apr. 5, 2009 from http://besser.tsoa.nyu.ed_ZZZ, WBX229.

"DEC ObjectBroker Service", Comp.Object FAQ Version 1.0.9 (Apr. 2002) Part 3/13, Apr. 3, 1996, Retrieved on Apr. 5, 2009 from http://209.85.173.132/search?q=cache:c3iJxZca3aUJ:www.faqs.org/faqs/object-faq/part3/+DEC%27s +ObjectBroker+Service&cd=9&hl=en&ct=clnk&g_ZZZ, WBX230.

"Easel Corporation Introduces Comprehensive Program for Expanding Object Technology Expertise", Mar. 13, 1995, Business Wire, Retrieved on Apr. 5, 2009 from http://209.85.173.132/search?q=cache:McscjZC2srEJ:findarticles.com/p/articles/mi_m0EIN/ is_1995_Marc_ZZZ, WBX231.

Page 10

```
"Internet Information Commerce: The First Virtual (TM) Approach", Jul. 1995, Proceedings of the First USENIX Workshop on Electronic Commerce, New York, New York, Retrieved on Apr. 5, 2009 from http://www.usenix.org/publications/library/proceedings/ec95/f_ZZZ, WBX232.
```

"O'Reilly Releases Website (TM) Web Server for Windows NT", WebView, EIT (Enterprise Integration Technologies), May 12, 1995, vol. 7: Issue 41, ISSN 1004-042X, Computer underground Digest, Retrieved on Apr. 5, 2009 from http://cu-digest.org/CUDS7/cud74_ZZZ, WBX233.

"RSA and EIT Joint Venture Will Make Internet Transactions Secure", Terisa Systems, EIT and RSA: Secure HTTP, Jun. 13, 1994, Retrieved on Apr. 5, 2009 from http://1997.webhistory.org/www.lists/www-talk.1994q2/0980.html, WBX234.

"CommerceNet The First Large-Scale Market Trial of Electronic Commerce on the Internet" EIT: CommerceNet, Aug. 3, 1994, Proceedings of the May 1994, Ties That Bind: Building Community Networks conference, Retrieved on Apr. 5, 2009 from http://internet.eser_ZZZ, WBX235.

Rubin, A., "IETF—Stockholm meeting" NetCheck: E-signatures, Aug. 5, 1995, pp. 1-2, CIPHER, Newsletter of the IEEE Computer Society's TC on Security and PrivacyElectronic, Issue 8, Retrieved on Apr. 5, 2009 from http://www.ieee-security.org/Cipher/PastIssu_ZZZ. WBX236.

Open Market, "FastCGI: A High-Performance Web Server Interface", Apr. 1996, Retrieved on Apr. 5, 2009 from http://www.fastcgi.com/devkit/doc/fastcgi-whitepaper/fastcgi.htm, WBX237.

Sun Microsystems, "HotJava", Wikipedia, the free encyclopedia, Jun. 1995, Retrieved on Apr. 5, 2009 from http://en.wikipedia.org/wiki/HotJave, WBX238.

W3C Status Codes, HTRESP_html_w3_org, 1992 WBX239.

Hewlett Packard, "HP Odapter/OpenODB", Jul. 1994, Retrieved on Apr. 5, 2009 from http://web.bilkent.edu.tr/Online/oofaq/oo-faq-S-8.13.0.5.html, WBX240.

Internet Shopping Network_ISN Business Newswire (1995) WBX241.

NCR Co-operative Frameworks 3, (1993) WBX242.

Distributed Objects Everywhere, NEO, Wikipedia (1996) WBX243. NetMarket (1996) WBX244.

Enterprise Object Netorks, Wikipedia (1996) WBX245.

OMG Document No. 91_12_1 Revision 1_1 (1997) WBX246. DigiCash Smartcards (1997) WBX247.

IBM System Object Model_SOM (1998) WBX248.

IBM System Object Model_SOM,DSOM (1998) WBX249.

Open Market StoreBuilder (1995) WBX250.

WebXpress Web StoreFront (1996) WBX251.

PNC, Industry.Net do eCommerce (1996) WBX252.

10KPowerShip,PowerPartner (1996) WBX253.

T. Berners Lee Hypertext Mark up Language RFC1866(1995) WBX 254.

E. Nebel RFC1867 (1995) WEBX255.

RFC1942 (1996) WEBX256.

J. Seidman RFC1980 (1996) WBX257.

HTML—Wikipedia, the free encyclopedia—Notepad (1998) WBX258.

Berners-Lee, T., RFC 1630, "Universal Resource Identifiers in WWW", Network Working Group, CERN, Jun. 1994 WBX259. Object Broker Service Middleware Sourcebook (1995) WBX260. Inter Parte Re-Examination U.S. Appl. No. 95/001,129 (2008) WBX261.

6,212,556 Re-exam file history U.S. Appl. No. 90/010,417 filed (2009) WBX262.

Ù.S. Appl. No. 11/980,185 prosecution history filed 2008, prosecution history as of Mar. 12, 2009 WBX263.

WebX Opening Brief District of Delaware Mar. 23, 2009 WBX264. U.S. Patent 5,778,178 Re_Examination of 90010346_178 prosecution history through Aug. 20, 2009 WBX267.

WBXexecsummary4809new2bizplan[1] (2009) WBX268. Kramer, Douglas Java Whitepaper May 1996, WBX500.

09863704 Response to Non-Final Office Action Jun. 6, 2006, WBX501.

09863704 Response to Non-Final Office Action Jul. 23, 2008 and Examiner Interview Summaries dated Jul. 2, 2008 and Jul. 16, 2008, WBX502.

09863704 Response to Non-Final Office Action Aug. 21, 2007, WBX503.

09863704 Response to Non-Final Office Action Nov. 28, 2008,

09863704 Final Office Action Apr. 20, 2005, WBX505.

09863704 Final Office Action Sep. 8, 2006, WBX506.

09863704 Final Office Action Oct. 31, 2007, WBX507.

09863704 Non-Final Office Action Feb. 14, 2004, WBX508.

09863704 Non-Final Office Action Feb. 23, 2007, WBX509.

09863704 Non-Final Office Action Apr. 14, 2008, WBX510. 09863704 Non-Final Office Action Sep. 18, 2009, WBX511.

09863704 Non-Final Office Action Dec. 6, 2005, WBX512.

09863704 RCE Feb. 1, 2008, WBX513.

09863704 RCE Jun. 30, 2009, WBX514.

09863704 RCE Sep. 22, 2005, WBX515.

09863704 RCE Dec. 8, 2006, WBX516.

11980185 Restriction Requirement Oct. 19, 2009, WBX517.

90010417 Determination Re-exam Ordered May 20, 2009, WBX518.

File History of U.S. Patent 5,778,178, WBX519.

File History of U.S. Patent 5,987,500, WBX520.

File History of U.S. Patent 6,212,556, WBX521.

File History of U.S. Patent 7,340,506, WBX522. Settlement with Allstateby WebXchange (2009), WBX523.

Arunachalam, U.S. Appl. No. 09/863,704_2nd_rule56_disclosure. pdf, Mar. 4, 2009, WBX006.

Arunachalam , U.S. Appl. No. 11/980,185_Duty of Candor Rule 56 Disclosure, Feb. 11, 2009, WBX220.

Arunachalam, U.S. Appl. No. 11/980,185_Duty of Candor Rule 56 Disclosure, Mar. 4, 2009, WBX221.

U.S. Appl. No. 12/628,060, filed Nov. 30, 2009, Arunachalam.

U.S. Appl. No. 12/628,066, filed Nov. 30, 2009, Arunachalam.

U.S. Appl. No. 12/628,068, filed Nov. 30, 2009, Arunachalam. U.S. Appl. No. 12/628,069, filed Nov. 30, 2009, Arunachalam.

Order, Motion to Bifurcate and for early trial on the Issue of Inequitable Conduct, on Mar. 19, 2009, Dismissal with Prejudice, order dated Dec. 30, 2009, Denied as Moot, Order Granted, signed by JJF, C.A. No. 08-131 (JJF).

Order, Motion to Bifurcate and for early trial on the Issue of Inequitable Conduct, on Mar. 19, 2009, Dismissal with Prejudice, order dated Dec. 30, 2009, Denied as Moot, C.A. No. 08-132 (JJF) and C.A. No. 08-133 (JJF), signed by JJF, Order, Motion to Bifurcate and for early trial on the Issue of Inequitable Conduct, on Mar. 19, 2009, Dismissal with Prejudice, order dated Dec. 30, 2009, Denied as Moot, C.A. No. 08-132 (JJF) and C.A. No. 08-133 (JJF).

Plaintiff WebXchange Inc.'s Surreply in Opposition to Defendants' Motion to Bifurcate, and for Early Trial on, the Issue of Inequitable Conduct (C.A. No. 08-132 (JJF) and C.A. No. 08-133 (JJF), is Granted Plaintiff's Surreply in Opposition to Defendant's Motion to Bifurcate and for Early Trail on, The Issue on Inequitable Conduct is deemed filed (Entered Dec. 30, 2009).

Dell Inc.'s Second Amended Answer and Counterclaims to WebxChange Inc.'s Original Complaint for Patent Infringement (Entered: Jan. 20, 2010).

Plaintiff WebxChange Inc.'s Surreply in Opposition to Defendants' Motion to Bifurcate, and for Early Trial on, The Issue of Inequitable Conduct (Entered Dec. 30, 2009).

Memorandum Opinion C.A. 08-133-JJF, and C.A. 08-132-JJF (Entered Dec. 30, 2009).

Defendant's Fedex Corporation, Fedex Kinko's Office & Print Services, Inc., and Fedex Corporate Services, Inc.'s Second Amended Answer, Affirmative Defenses, and Counterclaims to Plaintiff WebXchange, Inc.'s Complaint (Entered Jan. 20, 2010).

International Search Report, PCT/US9618165, Feb. 14, 1997.

Ramanathan, S. et al., 'Architectures for Personalized Multi-Media', 1994 IEEE MultiMedia, Spring #1, Los Alamitos, CA, 1994, pp. 37-46, ReedFax Selected Papers, WBX168.

'Solaris Common Desktop Envimment: Programmer's Guide', Sun Microsystems, 1994-1995, WBX182.

Page 11

Business Wire 'Internet Shopping Network (ISN)', Apr. 11, 1995, NewsHound, San Jose Mercury News, Retrieved on Apr. 5, 2009 from http://bessertsoa.nyu.edu/impact/w95/RN/apr14news/Mercnews-isn.html, WBX241.

NEO, Sun Microsystems, 1995, VVikipedia, Retrieved on Apr. 5, 2009 from http://en.wikipedia.org/wiki/ Distributed_Objects_Everywhere WBX243.

Belisle, D., IBM System Object Model, SOM technologies developed by IBM, 1992, National Committee for Information Technology Standards, Technical Committee H7 Object Model Features Matrix Doc. No. X3H7-93-007v12b, [Retrieved on Apr. 5, 2009 from http://www.omg.org/docs/1991/91-12-01.pdf]WBX248.

CNET Staff Writer, "PNC, Industry.Net do e-commerce", Sep. 25, 1996, CNET News Retrieved on Apr. 5, 2009.

1996 Fedex 10K Report, PowerShip, PowerPartner, FedEx, Aug. 9, 1996, BuckMaster, Retrieved on Apr. 5, 2009 from http://buck.com/10k?tenkyear=968jcbc=F&co=FDX&nam=DEMO&pw=DEMOWBX253.

Digial Press, 'The Middleware Souce Book', Colonna, Romano and Sprite, Boston 1995 pp. 454-537. WBX254.

Request for Ex Parte Re-examination of U.S. Patent No. 7,340,506 filed Dec. 19, 2008. Now control U.S. Appl. No. 95/001,129.

Request for Ex Parte Re-examination of U.S. Patent No. 6,212,556 filed Feb. 23, Now control U.S. Appl. No. 90/010,417.

Digital E-Meter Project—Sources #1 DE-1.

WWWX03 Network Working Group RFC 1122, R. Brandon, "Requirements for Internet Hosts—Communications Layers", 1989. WWWX06 DEC Systems Research Center Report #115, Andrew Birrell et al., "Network Objects".

WWWX07 PCT Application, Lakshmi Arunachalam, PCT/US96/18165.

Arunachalam , 60-006634 60-006634 Provisional Patent_506 Inter Panes Re-examination Exhibit 13, Nov. 13, 1995 , WBX005.

'CyberCash-Why Choose CashRegister?' Web Page[online]. [retrieved on May 23, 2001] Retrieved from the Internet: <URL:http://www.cybercash.com/cashregister/why.html 1996 , WBX037.

'Open Market Commerce Products', Web Page[online]. Open Market Inc.Enterprise Content Management Delivery. Retrieved on the Internet<URL:http://www.openmarket.com/cgi-bin/gx.cgi/

AppLogic+FTCont- entServer?pagename=FutureTense/Apps/ Xcelerate/Render&c=Artic ...retrieved on May 15, 2001, pp. 1-2, WBX082.

'Open Market Enterprise Content Management and Delivery: Personalization Center', <URL:http://www.openmarket.com/cgi-bin/gx.cgi/AppLogic+FTContentServer'pagename=FutureTense/Apps/Xcelerate/Render&c=Artic., retrieved on May 15, 2001, WBX108. "Open Market Enterprise Content Management and Delivery: Satellite Server", <URL:http://www.openmarket.com/cgi-bin/gx.cgi/AppLogic+FTContentServer'pagename=FutureTense/Apps/

Xcelerate/Render&c=Artic.., retrieved on May 15, 2001, pp. 1-4, WBX109.

Reynolds, J.Posting to comp doc USENET group, http://nyurl.conV53a95p, RFC 1212, 1213-Google groups on concise definitions MIB and MIBII, Exhibit G, Mar. 27, 1991 WBX102.

K. McCoughrie and J. Galvin. Request. For Comments 1447, Party MIB. for version 2 of the Simple Network Management Protocol, published by the SNMP Security Working Group (Apr. 1993).

Computer Dictionary "The Comprehensive Standard for Business, School, Library, and Home" 1993, Microsoft Press, Second Edition, p. 344.

iPIN Partners Web Page[online]. iPIN Interactive Transaction Services, Inc. 2000. [retrieved on May 23, 2001] Retrieved from the Internet<URL:http://www.ipin.com/03part.html pp.

Server Operating System a Technology Overview, Microsoft Component Services. White Paper [online] MicrosoftCOM. [retrieved on May 22, 2001]. Retrieved form the Internet<URL:http://www.microsoft.com/com/wpaper/compsyscs.asp pp. 1-8.

Christian Gross. Taking the Splash Diving into ISAPI Programming. White Paper [online].ISAPI Programming, Microsoft InteractiveDeveloper, Jan. 1997.[retrieved on May 22, 2001]. Retrieved from the Internet :<URL:http://www.Microsoft.com/mind/0197/isapi.htm pp. 1-10.

The Common Gateway Interface. Web Page [online]. [retrieved on May 22, 2001]. Retrieved from the Internet: <URL: http://hoohoo.ncsa.uiuc.edu/cgi/primer.htmlpp. 1-4.

Open Market Content-Driven eBusiness Solutions. Web Page[online]. Open Market [retrieved on May 15, 2001] Retrieved on the Internet<URL:http://www.openmarket.com/cgi-bin/gx.cgi/AppLogic+FTContentServer?pagename=FutureTense/Apps/Xcelerate/Render& c=Articpp.1-3.

Open Market Content Server. Web Page[online]. Open Market. [retrieved on May 15, 2001] Retrieved on the Internet: <URL: http://www.openmarket.com/cgi-bin/gx.cgi/

Xcelerate/Render& c=Artic.....pp. 1-4.

Open Market Integration Centre. Web Page[online]. Open Market, Inc.—Enterprise Content Management & Delivery. [retrieved on May 15, 2001]. Retrieved on the Internet<URL:http://www.openmarket.com/cgi bin/gx.cgi/

AppLogic+FTContentServer?pagename=FutureTense/Apps/Xcelerate/Render& c=Artic.

Open Market Marketing Studio. Web Page [online]. Open Market Inc.—Enterprise Content Management Delivery. [retrieved on May 15, 2001]. Retrieved on the Internet<URL:http://www.openmarkel.com/cgi bin/gx.cgi/AppLogic+FTContentServer?pagename=FutureTense/Apps/

Xcelerate/Render& c=Articpp. 1-4.

Open Market ShopSite 5.0. Web Page [online]. [retrieved on May 15, 2001]. Retrieved on the Internet:<URL:http://www.openmarket.com/cgi-bin/gx.cgi/

AppLogic+FTContentServer?pagename=FutureTense/Apps/

B2B Payment Services. Web Page[online]. CyberCash, 1996. [retrieved on May 23, 2001]. Retrieved from the Internet:<URL:http://www.cybercash.com.pp. 1-2.

CVERIFY for Windows.2.5 Upgrade. Web Page[online]. CyberCash ICVERIFY 2.5 Upgrade, 1996. [retrieved on May 23, 2001] Retrieved from the Internet<URL:http://www.Cybercash.com/icverify/upgrade.html pp. 1-2.

CyberCash Corporate Information, CyberCash B2B Payment Services. Web Page [online].[retrieved on May 23, 2001] Retrieved from the Internet<URL:http://www.cybercash.com/b2b/pp. 1-2. RFC1630.

Orfali, R.; Harkey, D.; Edwards, J., 'Essencial Client/Server Survival Guide' John Wiley and Sons, Sets 1-4, Jun. 16, 2005 WBX114, WBX115, WBX116, WBX117.

Orfali, R.; Harkey, D.; Edwards, J., 'The Essential Distributed Objects', Parts 1-1, 1-2, 1-3, 2-1, 2-2, 2-3, 3-1, 3-2, 3-3, 4-1, 4-2, 4-3 & 4-4 WBX201, WBX202, WBX203, WBX204, WBX205, WBX206, WBX207, WBX208, WBX209, WBX210, WBX211, WBX212, WBX213.

Rosenberry, W. et al., "OSF Distributed Computing Environment— Understanding DCE", O'Reilly and Associates, Jun. 1993WBX238. Common Desktop Environment: Help System Authors and Programmers Guide, Sun Microsystems WBX155.

Raggett, D., RFC 1942, "HTML Tables", May 1996, WBX 256. CyberCash Payment Software for Brick and Mortal merchants, http://viww.cybercash.com/pcauthorize, CyberCash, 1996-2001 WBX046.

The E-Commerce Leader in Payment Processing PC Authorize, http://www.cybercash.com/pcauthorize, CyberCash, 1996-2001VVBX047.

Dr. Gui's Gentle Guide to COM, Jun. 21, 1995, http://www.microsoft,com/Com/news/drgui.asp [retrieved on May 22, 2001],WBX161.

Open Market Enterprise Content Management and Delivery: Content Center. ,URL:http://www.openmarket.com/cgi bin/gx.cgi/AppLogic+FTContentServer?pagename=FutureTense/Apps/Xcelerat/Render&c=Artic.. WBX104.

Open Market Enterprise Content Management and Delivery: Shopsite <URL:http://www.openmarket.com/cgi-bin/gx.cgi/AppLogic+FTContentServer?pagename=FutureTense/Apps/Xcelerate/Render&c=Artic..pp. 1-2 VVBX110OpenMarket Enterprise Content Management and Delivery: Transact <URL:http://

Cgi/

www.openmarket.com/cgi-bin/gx.

Page 12

AppLogic+FTContentServer?pagename=FutureTense/Apps/ Xcelerate/Render&c=Artic..pp. 1-2 VVBX111Open Market.

Wikipedia, 'A Version History of the Standard: HTMS Version Timeline', http://en.wikipedia.org/wiki/ HTML#Version_history_ of the standard, downloaded on Jun. 17, 2009 WBX258.

Weich, C., "Generic Containers for a Distributed Object Store", Proceedings of the USENIX Conference on ObjectOriented Technologies, Monterey, CA, Jun. 1995WBX150.

Verisign Online Security Solutions, ReedFax Selected Papers, Jun. 22, 1995WBX168.

Verisign Redirection Information, ReedFax Selected Papers, 1995WBX168.

RFC 1065 1988 Network Working Group.

RFC 1318 1992 Network Working Group.

RFC 1516 1993 Network Working Group.

RFC 1155 May 1990 Network Working Group. RFC 1157 May 1990 Network Working Group. RFC 1213 Mar. 1991 Network Working Group. RFC 1156 May 1990 Network Working Group.

Request for Reexamination for Patent 5,778,178.

Tymnet, Wikipedia, the free encyclopedia, http://en.wikipedia.org/wiki/tymnet, Oct. 2006.

Cyberman Business Plan: Product Description and Technical Approach, Aug. 26, 1995, Exhibit A.

Cyberman Business Plan: Product Description and Technical

Approach, Aug. 26, 1995, Exhibit B.

Cyberman Business Plan: Product Description and Technical

Approach, Sep. 1, 2995, Exhibit C.
Cyberman Business Plan: Product Description and Approach, Sep. 1, 1995, Exhibit D.

Cyberman Business Plan: Product Description and Approach, Sep. 1, 1995, Exhibit E.

Cyberman Business Plan: Product Description and Approach, Sep. 1, 1995, Exhibit F.

* cited by examiner

Oct. 11, 2011 Sheet 1 of 13

US 8,037,158 B2





FIG. 1A (PRIOR ART)

U.S. Patent Oct. 11, 2011 US 8,037,158 B2 Sheet 2 of 13 CHECKING DATABASE LOAN 150 CHECKING
APPLICATION LOAN FIG. 1 IR (PRIOR ART) BANK WEB SERVER CGI INTERFACE CGI INTERFACE WEB BROWSER USER

U.S. Patent Oct. 11, 2011 Sheet 3 of 13 US 8,037,158 B2



U.S. Patent Oct. 11, 2011

Sheet 4 of 13

US 8,037,158 B2



APPLICATION	
	<u>307</u>
PRESENTATION	,
	<u>306</u>
SESSION	
	<u>305</u>
TRANSPORT	
	<u>304</u>
NETWORK	
	<u>303</u>
DATA LINK	
	<u>302</u>
PHYSICAL	
	<u>301</u>

FIG. 3

Oct. 11, 2011

Sheet 5 of 13




FIG.

Oct. 11, 2011

Sheet 6 of 13

US 8,037,158 B2




FIG. 5A




FIG. 5B

U.S. Patent Oct. 11, 2011

Sheet 7 of 13

US 8,037,158 B2





FIG. 5C

U.S. Patent

Oct. 11, 2011

Sheet 8 of 13



U.S. Patent Oct. 11, 2011

Sheet 9 of 13

US 8,037,158 B2





FIG. 5E

Oct. 11, 2011

Sheet 10 of 13



Oct. 11, 2011 Sheet 11 of 13

US 8,037,158 B2




FIG. 6B

Oct. 11, 2011

Sheet 12 of 13





FIG. 7

Oct. 11, 2011

Sheet 13 of 13



1

MULTIMEDIA TRANSACTIONAL SERVICES

This application is a continuation-in-part of application Ser. No. 09/792,323, filed Feb. 23, 2001, now U.S. Pat. No. 7,340,506, which was a divisional of U.S. patent application 5 Ser. No. 09/296,207 filed Apr. 21, 1999, now U.S. Pat. No. 6,212,556, which was a continuation-in-part of application Ser. No. 08/879,958 filed Jun. 20, 1997, now U.S. Pat. No. 5,987,500, which was a divisional of application Ser. No. 08/700,726 filed Aug. 5, 1996, now U.S. Pat. No. 5,778,178, 10 which was related to and claimed priority from provisional application No. 60/006,634 filed Nov. 13, 1995. This application also claims benefit under 35 U.S.C. 119(e) to U.S. Provisional application Ser. No. 60/006,634 filed Nov. 13.

The following are related applications: application Ser. No. 09/863,704 filed May 23, 2001 and provisional application 60/206,422 filed May 23, 2000.

BACKGROUND

1. Field of the Invention

The present invention relates to the area of Internet communications. Specifically, the present invention relates to a method and apparatus for configurable value-added network 25 switching and object routing.

2. Background of the Invention

With the Internet and the World Wide Web ("the Web") evolving rapidly as a viable consumer medium for electronic commerce, new on-line services are emerging to fill the needs of on-line users. An Internet user today can browse on the Web via the use of a Web browser. Web browsers are software interfaces that run on Web clients to allow access to Web servers via a simple user interface. A Web user's capabilities today from a Web browser are, however, extremely limited. 35 The user can perform one-way, browse-only interactions. Additionally, the user has limited "deferred" transactional capabilities, namely electronic mail (e-mail) capabilities. E-mail capabilities are referred to as "deferred transactions" because the consumer's request is not processed until the 40 e-mail is received, read, and the person or system reading the e-mail executes the transaction. This transaction is thus not performed in real-time.

FIG. 1A illustrates typical user interactions on the Web today. User 100 sends out a request from Web browser 102 in 45 the form of a universal resource locator (URL) 101 in the following manner: http://www.car.com. URL 101 is processed by Web browser 102 that determines the URL corresponds to car dealer Web page 105, on car dealer Web server 104. Web browser 102 then establishes browse link 103 to car 50 dealer Web page 105. User 100 can browse Web page 105 and select "hot links" to jump to other locations in Web page 105, or to move to other Web pages on the Web. This interaction is typically a browse-only interaction. Under limited circumstances, the user may be able to fill out a form on car dealer 55 Web page 105, and e-mail the form to car dealer Web server 104. This interaction is still strictly a one-way browse mode communications link, with the e-mail providing limited, deferred transactional capabilities.

Under limited circumstances, a user may have access to 60 and from the detailed description. two-way services on the Web via Common Gateway Interface (CGI) applications. CGI is a standard interface for running external programs on a Web server. It allows Web servers to create documents dynamically when the server receives a request from the Web browser. When the Web server receives 65 a request for a document, the Web server dynamically executes the appropriate CGI script and transmits the output

of the execution back to the requesting Web browser. This interaction can thus be termed a "two-way" transaction. It is a severely limited transaction, however, because each CGI application is customized for a particular type of application or service.

For example, as illustrated in FIG. 1B, user 100 may access bank 150's Web server and attempt to perform transactions on checking account 152 and to make a payment on loan account 154. In order for user 100 to access checking account 152 and loan account 154 on the Web, CGI application scripts must be created for each account, as illustrated in FIG. 1B. The bank thus has to create individual scripts for each of its services to offer users access to these services. User 100 can then interact in a limited fashion with these individual applications. Creating and managing individual CGI scripts for each service is not a viable solution for merchants with a large number of services.

As the Web expands and electronic commerce becomes more desirable, the need increases for robust, real-time, bidirectional transactional capabilities on the Web. A true realtime, bi-directional transaction would allow a user to connect to a variety of services on the Web, and perform real-time transactions on those services. For example, although user 100 can browse car dealer Web page 105 today, the user cannot purchase the car, negotiate a car loan or perform other types of real-time, two-way transactions that he can perform with a live salesperson at the car dealership. Ideally, user 100 in FIG. 1A would be able to access car dealer Web page 105, select specific transactions that he desires to perform, such as purchase a car, and perform the purchase in real-time, with two-way interaction capabilities. CGI applications provide user 100 with a limited ability for two-way interaction with car dealer Web page 105, but due to the lack of interaction and management between the car dealer and the bank, he will not be able to obtain a loan and complete the purchase of the car via a CGI application. The ability to complete robust realtime, two-way transactions is thus not truly available on the Web today.

SUMMARY OF THE INVENTION

It is therefore an object of the present invention to provide a method and apparatus for providing real-time, two-way transactional capabilities on the Web. Specifically, one embodiment of the present invention discloses a configurable value-added network switch for enabling real-time transactions on the World Wide Web. The configurable value added network switch comprises means for switching to a transactional application in response to a user specification from a World Wide Web application, means for transmitting a transaction request from the transactional application, and means for processing the transaction request.

According to another aspect of the present invention, a method and apparatus for enabling object routing on the World Wide Web is disclosed. The method for enabling object routing comprises the steps of creating a virtual information store containing information entries and attributes, associating each of the information entries and the attributes with an object identity, and assigning a unique network address to each of the object identities.

Other objects, features and advantages of the present invention will be apparent from the accompanying drawings

BRIEF DESCRIPTION OF THE DRAWINGS

The features and advantages of the present invention will be apparent from the accompanying drawings and from the detailed description of the present invention as set forth below.

3

FIG. 1A is an illustration of a current user's browse capabilities on the Web via a Web browser.

FIG. 1B is an illustration of a current user's capabilities to perform limited transactions on the Web via CGI applications.

FIG. 2 illustrates a typical computer system on which the present invention may be utilized.

FIG. 3 illustrates the Open Systems Interconnection (OSI) Model.

FIG. 4A illustrates conceptually the user value chain as it $\,^{10}$ exists today.

FIG. 4B illustrates one embodiment of the present invention.

FIG. 5A illustrates a user accessing a Web server including one embodiment of the present invention.

FIG. 5B illustrates the exchange component according to one embodiment of the present invention.

FIG. 5C illustrates an example of a point-of-service (POSvc) application list.

FIG. 5D illustrates a user selecting a bank POSvc applica- 20 tion from the POSvc application list.

FIG. 5E illustrates a three-way transaction according to one embodiment of the present invention.

FIG. 6A illustrates a value-added network (VAN) switch.

FIG. 6B illustrates the hierarchical addressing tree struc- 25 ture of the networked objects in DOLSIBs.

FIG. 7 illustrates conceptually the layered architecture of a VAN switch.

FIG. 8 is a flow diagram illustrating one embodiment of the present invention.

DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENT

The present invention relates to a method and apparatus for 35 configurable value-added network switching and object routing and management. "Web browser" as used in the context of the present specification includes conventional Web browsers such as NCSA MosaicTM from NCSA and Netscape Mosaic™ from Netscape™. The present invention is independent of the Web browser being utilized and the user can use any Web browser, without modifications to the Web browser. In the following detailed description, numerous specific details are set forth in order to provide a thorough understanding of the present invention. It will be apparent to one of 45 ordinary skill in the art, however, that these specific details need not be used to practice the present invention. In other instances, well-known structures, interfaces and processes have not been shown in detail in order not to unnecessarily obscure the present invention.

FIG. 2 illustrates a typical computer system 200 in which the present invention operates. \The preferred embodiment of the present invention is implemented on an IBMTM Personal Computer manufactured by IBM Corporation of Armonk, N.Y. Alternate embodiments may be implemented on a 55 MacintoshTM computer manufactured by AppleTM Computer, Incorporated of Cupertino, Calif. It will be apparent to those of ordinary skill in the art that other alternative computer system architectures may also be employed.

In general, such computer systems as illustrated by FIG. 2 60 comprise a bus 201 for communicating information, a processor 202 coupled with the bus 201 for processing information, main memory 203 coupled with the bus 201 for storing information and instructions for the processor 202, a read-only memory 204 coupled with the bus 201 for storing static 65 information and instructions for the processor 202, a display device 205 coupled with the bus 201 for displaying informa-

4

tion for a computer user, an input device 206 coupled with the bus 201 for communicating information and command selections to the processor 202, and a mass storage device 207, such as a magnetic disk and associated disk drive, coupled with the bus 201 for storing information and instructions. A data storage medium 208 containing digital information is configured to operate with mass storage device 207 to allow processor 202 access to the digital information on data storage medium 208 via bus 201.

Processor 202 may be any of a wide variety of general purpose processors or microprocessors such as the Pentium TM microprocessor manufactured by IntelTM Corporation or the MotorolaTM 68040 or Power PCTM brand microprocessor manufactured by manufactured by MotorolaTM Corporation. It will be apparent to those of ordinary skill in the art, however, that other varieties of processors may also be used in a particular computer system. Display device 205 may be a liquid crystal device, cathode ray tube (CRT), or other suitable display device. Mass storage device 207 may be a conventional hard disk drive, floppy disk drive, CD-ROM drive, or other magnetic or optical data storage device for reading and writing information stored on a hard disk, a floppy disk, a CD-ROM a magnetic tape, or other magnetic or optical data storage medium. Data storage medium 208 may be a hard disk, a floppy disk, a CD-ROM, a magnetic tape, or other magnetic or optical data storage medium.

In general, processor 202 retrieves processing instructions and data from a data storage medium 208 using mass storage device 207 and downloads this information into random access memory 203 for execution. Processor 202, then executes an instruction stream from random access memory 203 or read-only memory 204. Command selections and information input at input device 206 are used to direct the flow of instructions executed by processor 202. Equivalent input device 206 may also be a pointing device such as a conventional mouse or trackball device. The results of this processing execution are then displayed on display device 205.

The preferred embodiment of the present invention is implemented as a software module, which may be executed on a computer system such as computer system 200 in a conventional manner. Using well known techniques, the application software of the preferred embodiment is stored on data storage medium 208 and subsequently loaded into and executed within computer system 200. Once initiated, the software of the preferred embodiment operates in the manner described below.

FIG. 3 illustrates the Open Systems Interconnection (OSI) reference model. OSI Model 300 is an international standard that provides a common basis for the coordination of standards development, for the purpose of systems interconnection. The present invention is implemented to function as a routing switch within the "application layer" of the OSI model. The model defines seven layers, with each layer communicating with its peer layer in another node through the use of a protocol. Physical layer 301 is the lowest layer, with responsibility to transmit unstructured bits across a link. Data link layer 302 is the next layer above physical layer 301. Data link layer 302 transmits chunks across the link and deals with problems like checksumming to detect data corruption, orderly coordination of the use of shared media and addressing when multiple systems are reachable. Network bridges operate within data link layer 302.

Network layer 303 enables any pair of systems in the network to communicate with each other. Network layer 303 contains hardware units such as routers, that handle routing, packet fragmentation and reassembly of packets. Transport

layer 304 establishes a reliable communication stream between a pair of systems, dealing with errors such as lost packets, duplicate packets, packet reordering and fragmentation. Session layer 305 offers services above the simple communication stream provided by transport layer 304. These services include dialog control and chaining. Presentation layer 306 provides a means by which OSI compliant applications can agree on representations for data. Finally, application layer 307 includes services such as file transfer, access and management services (FTAM), electronic mail and vir- 10 tual terminal (VT) services. Application layer 307 provides a means for application programs to access the OSI environment. As described above, the present invention is implemented to function as a routing switch in application layer 307. Application layer routing creates an open channel for the 15 management, and the selective flow of data from remote databases on a network.

A. Overview

FIG. 4A illustrates conceptually the user value chain as it exists today. The user value chain in FIG. 4A depicts the types 20 of transactions that are performed today, and the channels through which the transactions are performed. A "transaction" for the purposes of the present invention includes any type of commercial or other type of interaction that a user may want to perform. Examples of transactions include a deposit 25 into a bank account, a request for a loan from a bank, a purchase of a car from a car dealership or a purchase of a car with financing from a bank. A large variety of other transactions are also possible.

A typical user transaction today may involve user 100 30 walking into a bank or driving up to a teller machine, and interacting with a live bank teller, or automated teller machine (ATM) software applications. Alternatively, user 100 can perform the same transaction by using a personal computer (PC), activating application software on his PC to access his bank 35 account, and dialing into the bank via a modem line. If user 100 is a Web user, however, there is no current mechanism for performing a robust, real-time transaction with the bank, as illustrated in FIG. 4A. CGI scripts provide only limited twoway capabilities, as described above. Thus, due to this lack of 40 a robust mechanism by which real-time Web transactions can be performed, the bank is unable to be a true "Web merchant," namely a merchant capable of providing complete transactional services on the Web.

According to one embodiment of the present invention, as 45 illustrated in FIG. 4B, each merchant that desires to be a Web merchant can provide real-time transactional capabilities to users who desire to access the merchants' services via the Web. This embodiment includes a service network running on top of a facilities network, namely the Internet, the Web or 50 e-mail networks. For the purposes of this application, users are described as utilizing PC's to access the Web via Web server "switching" sites. (Switching is described in more detail below). Users may also utilize other personal devices such as network computers or cellular devices to access the 55 merchants' services via appropriate switching sites. These switching sites include non-Web network computer sites and cellular provider sites. Five components interact to provide this service network functionality, namely an exchange, an operator agent, a management agent, a management manager 60 and a graphical user interface. All five components are described in more detail below.

As illustrated in FIG. 5A, user 100 accesses Web server 104. Having accessed Web server 104, user 100 can decide that he desires to perform real-time transactions. When Web 65 server 104 receives user 100's indication that he desires to perform real-time transactions, the request is handed over to

an exchange component. Thus, from Web page 105, for example, user 100 can select button 500, entitled "Transactions" and Web server 104 hands user 100's request over to the exchange component. The button and the title can be replaced by any mechanism that can instruct a Web server to

hand over the consumer's request to the exchange compo-

FIG. 5B illustrates exchange 501. Exchange 501 comprises Web page 505 and point-of-service (POSvc) applications 510. Exchange 501 also conceptually includes a switching component and an object routing component (described in more detail below). POSvc applications 510 are transactional applications, namely applications that are designed to incorporate and take advantage of the capabilities provided by the present invention. Although exchange 501 is depicted as residing on Web server 104, the exchange can also reside on a separate computer system that resides on the Internet and has an Internet address. Exchange 501 may also include operator agent 503 that interacts with a management manager (described in more detail below). Exchange 501 creates and allows for the management (or distributed control) of a service network, operating within the boundaries of an IP-based facilities network. Thus, exchange 501 and a management agent component, described in more detail below, under the headings "VAN Switch and Object Routing," together perform the switching, object routing, application and service management functions according to one embodiment of the present invention.

Exchange 501 processes the consumer's request and displays an exchange Web page 505 that includes a list of POSvc applications 510 accessible by exchange 501. A POSvc application is an application that can execute the type of transaction that the user may be interested in performing. The POSvc list is displayed via the graphical user interface component. One embodiment of the present invention supports Hyper-Text Markup Language as the graphical user interface component. Virtual Reality Markup Language and Java™ are also supported by this embodiment. A variety of other graphical user interface standards can also be utilized to implement the graphical user interface.

An example of a POSvc application list is illustrated in FIG. 5C. User 100 can thus select from POSvc applications Bank 510(1), Car Dealer 510(2) or Pizzeria 510(3). Numerous other POSvc applications can also be included in this selection. If user 100 desires to perform a number of banking transactions, and selects the Bank application, a Bank POSvc application will be activated and presented to user 100, as illustrated in FIG. 5D. For the purposes of illustration, exchange 501 in FIG. 5D is shown as running on a different computer system (Web server 104) from the computer systems of the Web merchants running POSvc applications (computer system 200). Exchange 501 may, however, also be on the same computer system as one or more of the computer systems of the Web merchants.

Once Bank POSvc application 510 has been activated, user 100 will be able to connect to Bank services and utilize the application to perform banking transactions, thus accessing data from a host or data repository 575 in the Bank "Back Office." The Bank Back Office comprises legacy databases and other data repositories that are utilized by the Bank to store its data. This connection between user 100 and Bank services is managed by exchange 501. As illustrated in FIG. 5D, once the connection is made between Bank POSvc application 510(1), for example, and Bank services, an operator agent on Web server 104 may be activated to ensure the availability of distributed functions and capabilities.

-

Each Web merchant may choose the types of services that it would like to offer its clients. In this example, if Bank decided to include in their POSvc application access to checking and savings accounts, user 100 will be able to perform real-time transactions against his checking and savings accounts. Thus, if user 100 moves \$500 from his checking account into his savings account, the transaction will be performed in real-time, in the same manner the transaction would have been performed by a live teller at the bank or an ATM machine. Therefore, unlike his prior access to his 10 account, user 100 now has the capability to do more than browse his bank account. The ability to perform these types of robust, real-time transactions from a Web client is a significant aspect of the present invention.

Bank can also decide to provide other types of services in 15 POSvc application 510(1). For example, Bank may agree with Car dealership to allow Bank customers to purchase a car from that dealer, request a car loan from Bank, and have the entire transaction performed on the Web, as illustrated in FIG. 5E. In this instance, the transactions are not merely two-way, 20 between the user and Bank, but three-way, amongst the consumer, Bank and Car dealership. According to one aspect of the present invention, this three-way transaction can be expanded to n-way transactions, where n represents a predetermined number of merchants or other service providers who have agreed to cooperate to provide services to users. The present invention therefore allows for "any-to-any" communication and transactions on the Web, thus facilitating a large, flexible variety of robust, real-time transactions on the Web.

Finally, Bank may also decide to provide intra-merchant or intra-bank services, together with the inter-merchant services described above. For example, if Bank creates a POSvc application for use by the Bank Payroll department, Bank may provide its own employees with a means for submitting time-cards for payroll processing by the Bank's Human Resources (HR) Department. An employee selects the Bank HR POSvc application, and submits his timecard. The employee's time-card is processed by accessing the employee's payroll information, stored in the Bank's Back Office. The transaction is thus processed in real-time, and the employee receives his 40 paycheck immediately.

B. Van Switching and Object Routing

As described above, exchange 501 and management agent 601, illustrated in FIG. 6A, together constitute a value-added network (VAN) switch. These two elements may take on 45 different roles as necessary, including peer-to-peer, client-server or master-slave roles. Management manager 603 is illustrated as residing on a separate computer system on the Internet. Management manager 603 can, however, also reside on the same machine as exchange 501. Management manager 50 603 interacts with the operator agent 503 residing on exchange 501.

VAN switch 520 provides multi-protocol object routing, depending upon the specific VAN services chosen. This multi-protocol object routing is provided via a proprietary protocol, TransWebTM Management Protocol (TMP). TMP incorporates the same security features as the traditional Simple Network Management Protocol, SNMP. It also allows for the integration of other traditional security mechanisms, including RSA security mechanisms.

One embodiment of the present invention utilizes TMP and distributed on-line service information bases (DOLSIBs) to perform object routing. Alternatively, TMP can incorporate s-HTTP, JavaTM, the WinSock API or ORB with DOLSIBs to perform object routing. DOLSIBs are virtual information 65 stores optimized for networking. All information entries and attributes in a DOLSIB virtual information store are associ-

8

ated with a networked object identity. The networked object identity identifies the information entries and attributes in the DOLSIB as individual networked objects, and each networked object is assigned an Internet address. The Internet address is assigned based on the IP address of the node at which the networked object resides.

For example, in FIG. 5A, Web server 104 is a node on the Internet, with an IP address. All networked object associated with Web server 104 will therefore be assigned an Internet address based on the Web server 104's IP address. These networked objects thus "branch" from the node, creating a hierarchical tree structure. The Internet address for each networked object in the tree essentially establishes the individual object as an "IP-reachable" or accessible node on the Internet. TMP utilizes this Internet address to uniquely identify and access the object from the DOLSIB. FIG. 6B illustrates an example of this hierarchical addressing tree structure.

Each object in the DOLSIB has a name, a syntax and an encoding. The name is an administratively assigned object ID specifying an object type. The object type together with the object instance serves to uniquely identify a specific instantiation of the object. For example, if object 610 is information about models of cars, then one instance of that object would provide user 100 with information about a specific model of the car while another instance would provide information about a different model of the car. The syntax of an object type defines the abstract data structure corresponding to that object type. Encoding of objects defines how the object is represented by the object type syntax while being transmitted over the network.

C. Management and Administration

As described above, exchange 501 and management agent 601 together constitute a VAN switch. FIG. 7 illustrates conceptually the layered architecture of VAN switch 520. Specifically, boundary service 701 provides the interfaces between VAN switch 520, the Internet and the Web, and multi-media end user devices such as PCs, televisions or telephones. Boundary service 701 also provides the interface to the on-line service provider. A user can connect to a local application, namely one accessible via a local VAN switch, or be routed or "switched" to an application accessible via a remote VAN switch.

Switching service 702 is an OSI application layer switch. Switching service 702 thus represents the core of the VAN switch. It performs a number of tasks including the routing of user connections to remote VAN switches, described in the paragraph above, multiplexing and prioritization of requests, and flow control. Switching service 702 also facilitates open systems' connectivity with both the Internet (a public switched network) and private networks including back office networks, such as banking networks. Interconnected application layer switches form the application network backbone. These switches are one significant aspect of the present invention.

Management service 703 contains tools such as Information Management Services (IMS) and application Network Management Services (NMS). These tools are used by the end users to manage network resources, including VAN switches. Management service 703 also provides applicathat perform Operations, Administration, tions Maintenance & Provisioning (OAM&P) functions. These OAM&P functions include security management, fault management, configuration management, performance management and billing management. Providing OAM&P functions for applications in this manner is another significant aspect of the present invention.

9

Finally, application service 704 contains application programs that deliver customer services. Application service 704 includes POSvc applications such as Bank POSvc described above, and illustrated in FIG. 6A. Other examples of VAN services include multi-media messaging, archival/retrieval 5 management, directory services, data staging, conferencing, financial services, home banking, risk management and a variety of other vertical services. Each VAN service is designed to meet a particular set of requirements related to performance, reliability, maintenance and ability to handle 10 expected traffic volume. Depending on the type of service, the characteristics of the network elements will differ. VAN service 704 provides a number of functions including communications services for both management and end users of the network and control for the user over the user's environment. 15

FIG. 8 is a flow diagram illustrating one embodiment of the present invention. A user connects to a Web server running an exchange component in step 802. In step 804, the user issues a request for a transactional application, and the web server hands off the request to an exchange in step 806. The 20 exchange activates a graphical user interface to present user with a list of POSvc application options in step 808. In step 810, the user makes a selection from the POSvc application list. In step 812, the switching component in the exchange switches the user to the selected POSvc application, and in 25 step 814, the object routing component executes the user's request. Data is retrieved from the appropriate data repository via TMP in step 816, and finally, the user may optionally continue the transaction in step 818 or end the transaction.

Thus, a configurable value-added network switching and object routing method and apparatus is disclosed. These specific arrangements and methods described herein are merely illustrative of the principles of the present invention. Numerous modifications in form and detail may be made by those of ordinary skill in the art without departing from the scope of 35 the present invention. Although this invention has been shown in relation to a particular preferred embodiment, it should not be considered so limited. Rather, the present invention is limited only by the scope of the appended claims.

The invention claimed is:

1. A method for performing a real time Web transaction from a Web application over a digital network atop the Web, the method comprising:

providing a Web page for display on a computer system coupled to an input device;

10

providing a point-of-service application as a selection within the Web page, wherein the point-of-service application provides access to both a checking and savings account, the point-of-service application operating in a service network atop the World Wide Web;


accepting a first signal from the Web user input device to select the point-of-service application;

accepting subsequent signals from the Web user input device; and

transferring funds from the checking account to the savings account in real-time utilizing a routed transactional data structure that is both complete and non-deferred, in addition to being specific to the point-of-service application, the routing occurring in response to the subsequent signals.

- 2. The method of claim 1, wherein an exchange over the Web is used to complete the transfer of funds in a Web application.
- 3. The method of claim 1, wherein a management agent is used to complete the transfer of funds in a Web application.
- 4. The method of claim 1, wherein object routing is used to complete the transfer of funds in a Web application.
- 5. The method of claim 4, wherein the object routing includes the use of a distributed on-line service information bases.
- 6. The method of claim 1, wherein a virtual information store is used to complete the transfer of funds.
- 7. The method of claim 6, wherein the virtual information store includes a networked object specific to a Web application in a Web transaction.
- 8. The method of claim 7, wherein the networked object is the object identity in a Web transaction connecting from a Web application on a Web page to a transactional application executing anywhere across the Web.
- 9. The method of claim 1, wherein the Web transaction is a loan requested from a lender across the Web from a Web application.
- 10. The method of claim 1, wherein the Web transaction is a vehicle purchased with bank financing across the Web from a Web application.
- 11. The method of claim 1, wherein the Web transaction is accessing an account across the Web from a Web application.

* * * * *



はいばれ ESS FIRMLY TO SEAL

US POSTAGE \$UU/./5º

ZIP 19801 041M11287561

222 Stanford Ave, Menlo Park, CA 94025 Dr. Lakshmi Arunachalam 650 690 0995

laks22002@yahoo.com

<u>.</u>

Clerk of the Court
US District Court for District of Nevada 333 S. Las Vegas Blvd., Las Vegas, NV 89101;

Tel: 702.464.5400